
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



Plant Industry

PRINCETON NURSERIES

WM. FLEMER'S SONS, INC.



A

WHOLESALE PRICE LIST

FALL, 1941 — SPRING, 1942

PRINCETON, N. J. Tel. 1776

TO THE TRADE

Please Note:

This wholesale price list contains only varieties and sizes which we have in quantity and which are most commonly used by the wholesale trade.

A RETAIL catalogue was issued during the SPRING of this year primarily as a sales help for our nursery customers. This catalogue contains a complete descriptive listing of our inventory including many rare and unusual plants not listed in this book. A copy will be gladly sent to you on request with the understanding that prices are subject to change.

We specialize in material wanted for both private and public landscape work. Our inventory includes not only specimen stock but large quantities of material for massing and screening. We suggest that you send us complete lists on which we are prepared to quote attractive prices because of our comprehensive inventory and large scale production.

PRINCETON NURSERIES

Telephone Princeton 1776

Conditions of Sale

PRICES, ETC.

The prices named in this list cancel all previous lists. They are based on current market conditions and are subject to change without notice.

Terms:

PRICES: F.O.B. NURSERY AT KINGSTON, N. J.

To those with an established record for prompt payment or with satisfactory references, we are glad to extend our regular terms of thirty days from date of invoice.

2% DISCOUNT will be allowed for payment in ten days from date of invoice or 5% FOR CASH IN FULL WITH ORDER.

Orders for shipment C.O.D. must be accompanied by a remittance for one-third of the amount to insure acceptance. These are our only terms and no salesman or representative is authorized to alter them in any way unless confirmed from the office in writing.

GUARANTEE OF GENUINENESS:

We will send out healthy, thrifty stock, true to name. If any nursery stock proves untrue to description or variety name under which it is sold, we hold ourselves in readiness, on proper proof, to replace free of charge such stock that may prove untrue to description or name, or refund the original amount paid. We shall in no case be liable for any sum greater than the amount originally received for said stock.

CLAIMS

All sales are made with the understanding that we shall not be liable in event of crop loss, or of damage from other causes over which we have no control.

We will gladly correct any errors, but we cannot entertain any claims that are not made within ten days after receipt of the stock or are made after the stock has once been accepted. Claims should be made promptly in writing on receipt of stock.

Plants become your property upon delivery to transportation company and we cannot be responsible for loss, damage, or delay in transit.

All orders booked are based on the distinct understanding that the purchaser agrees to the condition of sales as stated above.



PRINCETON NURSERY OFFICE

EXTRA CHARGE FOR BALLING

We recommend that all varieties marked with an asterisk (*) be lifted with a ball of earth and burlapped. Experience has shown that the loss in these plants, which is otherwise high, is reduced to a minimum if handled in this way.

SCHEDULE OF B & B CHARGES

The following charges are made to cover additional cost of balling and burlapping deciduous trees and shrubs that are not listed B&B. The size of ball for most stock is in accordance with the A.A.N. "Horticultural Standards" recommendations.

These charges are based on a *carefully dug*, solid ball of earth, *laced* with rope or wire, and handled according to the best nursery practice.

TREES, SHRUBS AND SMALL TREES

	10	. 10	A .
		rate 10	
	Each 5t	0 24 25 0	r more
10 in. diam. 18/24 in	.40	.35	.30
12 in. diam. 2/3 ft	.60	.50	.40
13 in. diam. 3/4 ft	.80	.70	.60
15 in. diam. 4/5 ft	1.10	1.00	.90
16 in. diam. 5/6 ft	1.65	1.40	1.25
18 in. diam. 6/8 ft	2.50	2.25	2.00
21 in. diam. 8/10 ft.	3.25	3.00	2.75
24 in. diam. 2 in. cal	4.75	4.25	3.75
28 in. diam. 2½ in. cal	6.00	5.50	5.00
32 in. diam. 3 in. cal	8.50	7.75	7.00
36 in. diam. 3½ in. cal	10.50	9.75	9.00
40 in. diam. 4 in. cal	14.00	13.00	12.00
44 in. diam. 4½ in. cal	18.00	16.50	15.00
48 in. diam. 5 in. cal.	24.00	22.00	20.00
54 in. diam.	30.00	27.50	
60 in. diam.	40.00	37.50	

Ball depth will normally be not less than 60% of the diameter, and in all cases is adjusted so as to encompass a maximum of the fibrous root system of the plant.

Platforms are in addition to above prices, the cost of platforms to be rebated, providing customers return them at their own expense.

Boxing Charges

Length	12x15"	15x16"	17x20"	19x24"	23x28"	27x32"	31x36"
4'	.90	1.25	1.50	1.80	2.10	2.40	3.00
6'	1.20	1.50	2.00	2.50	2.75	3.00	3.50
8'	1.50	2.00	2.50	3.00	3.25	3.50	4.00
10'	2.00	2.75	3.25	3.75	4.00	4.25	5.00
12'	2.75	3.50	3.90	4.25	4.75	5.25	6.00
14'	3.50	4.25	4.60	5.00	5.50	6.25	7.00
14	3.30	4.23	4.00	5.00	5.50	0.23	7.00

Bales 35c and 50c to \$3.50, depending on size.

Packing charges are at cost and represent the actual cost of the material used in the operation. No charge will be made for loading bulk truck or car lots.

Truck Delivery Service—Charges

With a fleet of trucks of various sizes we are in a position to get our fresh dug material delivered to you with minimum delay and handling. The following schedule of charges allows free delivery on quantity orders within a limited area and a minimum percentage charge to cover the additional cost in other cases.

SCHEDUI	E OF	TRU	CK D	ELIVE	ERY C	HARG	ES
VALUE GF ORDER	ZONE 1 1 to 25 mi.	zone 2 25 to 50 mi.		ZONE 4 75 to 100 mi.			
\$1000 or more \$500 to \$1000 \$200 to \$ 500 \$100 to \$ 200 Less than \$100	FREE FREE FREE 3% \$3.00		FREE 5% 6% 9% \$13.00	5% 7% 8% 13% \$19.00	7% 9% 10% 17% \$25.00	9% 11% 12% 20% \$30.00	11% 13% 14% 24% \$35.00

CARLOADS

We have our own railroad siding and are equipped to load and forward carload lots to all points.

Notes in Explanation of Catalogue

The figures following each variety indicate in feet the approximate height of that plant in maturity. Ample allowance has been made for the many physical factors that tend to modify the growth of plants in cultivation.

The botanical and common names are taken from "Standardized Plant Names," which is the accepted authority on plant nomenclature in the horticultural industry.

Our standard of grading all plants is based on a schedule which has been adopted by the American Association of Nurserymen.

SPECIAL SELECTION—25% ADDITIONAL

A Charge of 25 percent additional on our regular listed price will be made for the special selection and marking in the nursery of extra heavy or specimen plants. We invite inspection of our material and on quantity orders will, if requested, mark an average sample to assist our diggers in the selection of the grade wanted.

RARE AND UNUSUAL PLANTS

In addition to our regular list of plant material that is grown in quantity and offered in this wholesale catalogue, we have continued to grow and improve our selection of the rare or little known plant materials. Our descriptive Retail Catalogue that was revised again last spring for your convenience in selling to your retail clients, includes all the material we have to offer. For your convenience, we have listed these additional plant items on pages 75-79.

4 PRINCETON N	URSERIES		
•€(A)	Unit F	rice in Qu 5-24	antities 25-249
ABELIA Edouard Gouchet		New	Abelia
12 to 15 in., pots or B. & B. 15 to 18 in., pots or B. & B.		.45 .60	.35 .50
— grandiflora, 3'-4'		Glossy	Abelia
15 to 18 in., pots or B. & B. 18 to 24 in., pots or B. & B. 2 to 3 ft., pots or B. & B	90	.55 .75 .95	.45 .60 .75
ABIES—	FIRS		
ABIES concolor, 70'-80'		Wh	ite Fir
18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. Larger specimens to 14 ft.	1.50 2.25 3.40 4.50 7.50	.95 1.25 1.90 2.80 3.75 6.25	.75 1.00 1.50 2.25 3.00 5.00
— nordmanniana, 80'-100'		Nordma	nn Fir
15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B.	1.80 2.25 2.85	1.00 1.50 1.90 2.35 3.00	.80 1.25 1.50 1.90 2.50
douglasi (See PSEUDOTSU	JGA dougl	asi)	
— veitchi,		Vei	tch Fir
18 to 24 in., B. & B	2.00	1.00 1.75 2.00	
Spruce (See PICEA)			

ACANTHOPANAX pentaphylum,	7'-8'	Fiveleaf A	Aralia
18 to 24 in	.24	.20	.16
2 to 3 ft	.33	.27	.22
3 to 4 ft	.45	.37	.30
4 to 5 ft	.52	.45	.35



Juniperus pfitzeriana--see page 32

	Unit I	Price in Qua 5-24	ntities 25-249
ACER dasycarpum, 60'-80'		Silver	Maple
6 to 8 ft 8 to 10 ft	.60	.50 .75	.40 .60
8 to 10 ft.—1¼ to 1½ in	1.20 1.50 1.90	1.00 1.25 1.50	1.00 1.25
10 to 12 ft.—134 to 2 in	2.60 3.40	2.20 2.80	1. 75 2.25
— — wieri, 60′-80′	Wie	r Cutleaf	Maple
8 to 10 ft.—11/4 to 11/2 in	1.50	1.20	_
10 to 12 ft.—1½ to 1¾ in	1.95 2.50	1.60 2.00	
12 to 13 ft.—2 to 2½ in	3.00	2.50	_
— ginnala, 10'-12'		Amur	Maple
3 to 4 ft	.45	.37	.30
4 to 5 ft	.75 1.10	.60 .95	.50 .75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.90	1.50	1.25
— negundo 60'		Во	xelder
6 to 8 ft	.70	.55	.45
8 to 10 ft.—11/4 to 11/2 in	1.10	.95	.75
JAPANESE MAP	LES		
— palmatum atropurpurem, 6'-			
		apanese	
12 to 15 in., B. & B	1.10 1.50	.95 1.25	.75 1.00
18 to 24 in., B. & B	2.25	1.90	1.50
2 to 2½ ft., B. & B	3.00	2.50	2.00
2½ to 3 ft., B. & B	3.75 5.25	3.00 4.40	2.50 3.50
4 to 5 ft., B. & B.	6.75	5.50	4.50
——— nigrum , 6'-8' Da	rk Pu	rple Jap.	
15 to 18 in., B. & B.	1.90	1.50	1.25
18 to 24 in., B. & B	2.60	2.20 2.50	1.75
2½ to 3 ft., B. & B.	4.50	3.75	
— — novum, 6'-8'			
12 to 15 in., B. & B.	1.50	1.25	1.00
15 to 18 in., B. & B	1.90 2.60	1.50 2.20	1.25
2 to 2½ ft., B. & B	3.50	2.75	2.25
— — dissectum, 4'-6' Purple and Green	Cuth	eaf Jan	Maple
12 to 15 in., B. & B	1.20	1.00	
15 to 18 m., B. & B	1.90	1.50	-
18 to 24 in., B. & B	2.70	2.25	-
2 to 2½ ft. B. &. B	4.10	3.50	

	Unit	Price in Qua	ntities
ACER—Continued	1-4	5-24	
— platanoides, 50'-75'		Norway	Maple
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft.	1.90	1.50	1.35
8 to 10 ft., 1½ to 1½ in	2.60	2.20 2.50	1.75 2.00
10 to 12 ft., 13/4 to 2 in	3.40	2.80	2.25
12 to 14 ft., 2 to 2½ in	3.75	3.00	2.50
12 to 14 ft., 2½ to 2½ in	4.50	3.75	3.00
13 to 15 ft., 2½ to 3 in	5.25	4.40	3.50
14 to 16 ft., 3 to 4 in	7.50	6.25	5.00
16 to 18 ft., 4 to 5 in	9.00	7.50	
— — schwedleri, 40'-60'	S	chwedler	Maple
	2.25	1.90	1.75
6 to 8 ft 8 to 10 ft	3.00	2.50	2.25
8 to 10 ft.—1½ to 1½ in.	3.50	2.75	2.23
10 to 11 ft.—1½ to 1¾ in	3.75	3.00	
8 to 10 ft.—1¼ to 1½ in	4.10	3.50	-
12 to 14 it.—2 to 2½ in	5.00	4.00	-
12 to 14 ft.—2½ to 3 in	6.00 7.50	5.00	1
14 to 10 ft.—3 to 3½ m	7.50	6.00	
— rubrum, 50'-75'	Red	or Scarlet	Maple
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.90	1.50	1.25
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	2.60	2.20	1.75 2.25
10 to 12 ft., 1½ to 1¾ in	3.40 4.75	2.80 3.75	2.65
12 to 14 ft., 2 to 2½ in		4.50	
12 to 14 ft., 21/4 to 21/2 in	7.00	5.50	
14 to 16 ft., 2½ to 3 in	8.50	7.00	-
— saccharum, 50'-75'		Sugar	Maple
6 to 8 ft	1.50	1.25	1.10
8 to 10 ft	1.90	1.50	1.35
10 to 11 ft., 11/4 to 11/2 in	2.25	2.00	1.75
11 to 12 ft., 1½ to 1¾ in	3.00	2.50	2.00
12 to 14 ft., 13/4 to 2 in	3.40	2.80 3.50	2.25 2.75
12 to 14 ft., 2 to 2½ in	4.00	4.00	3.25
14 to 16 ft., 2½ to 3 in	6.00	5.00	4.00
14 to 16 ft., 3 to 3½ in	7.50	6.25	5.00
16 to 18 ft., 3½ to 4 in	9.00	7.50	-
ACTINIDA arguta, 20'-30']	Bower Act	inidia
2 year	.37	.30	.25
3 year	.45	.37	.30
AESCULUS hippocastanum, 60'-8	201	Horgoch	oatnut
		Horsech	
3 to 4 ft	.75	.60 .95	.50
5 to 6 ft.	1.50	1.25	1.00
6 to 8 ft.	1.90	1.50	
8 to 10 ft	2.70	2.25	

Unit Price in Quantities 1-4 5-24 25-249

AILANTHUS glandulosa, 50'60'	7	Tree of H	leaven
5 to 6 ft	1.25 1.90 2.00	1.00 1.25 1.50	=
AKEBIA quinata, 15'-20'	F	'iveleaf A	kebia
2 yr	.22	.20	.15
ALNUS glutinosa, 70'-80'	В	uropean	Alder
2 to 3 ft	.40 .50 .65	.30 .40 .50	_
AMELANCHIER canadensis			
(botryapium), 20'-30'	Do	wny Sha	dblow
18 to 24 in	.37	.30	.25
2 to 3 ft	.60 .75	.50	.40
3 to 4 ft	./3	.60	.50
— stolonifera, 3'-4'	Run	ning Sha	dblow
18 to 24 in	.37	.30	.25
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	.50
AMORPHA fruticosa, 8'-10'		Indig	obush
2 to 3 ft	.20	.18	
3 to 4 ft	.27	.22	.18
4 to 5 ft	.37	.30	.25
5 to 6 ft	.45	.37 .50	.30
0 10 0 11	.00	.50	.70



Princeton trees are thrifty, straight, fibrous rooted, well headed trees.

		ice in Quar 5-24	
AMPELOPSIS aconitifolia, 25'-30'	Me	onkshead	Vine
2 year		.30	
— heterophylla, 25'-30'		in Ampe	
2 year		.30	_
— humulifolia, 25'-30'	Н	op Ampe	lonsis
2 year		.30	.25
3 year	.45	.37	.30
— quinquefolia, 30'-50'		rginia Cr	eeper
1 year	.09	.07 .13	.06
2 year	.15 .25	.13	.10
— quinquefolia engelmanni, 30'-40			
quinquotom engermann, ov -40		mann Cr	eeper
1 year	.09	.07	.06
2 year	.15	.13	.10
3 year	.45		
- tricuspidata (veitchi), 40'-50'	.15	Bosto .12	
1 year, 12 to 18 in	.25	.20	.10
3 year, 2 to 3 ft	.30	.25	.20
AMYGDALUS nana (See Prunus	glandı	ılosa)	
— persica alba Double Wh	ite Flo	owering !	Peach
— — rosea Double Pi	nk Flo	wering 1	Peach
— — Clara Meyer Double Pi	nk Flo	wering l	Peach
—— rubra Double R	ed Flo	wering 1	Peach
2 to 3 ft		.22	.18
3 to 4 ft	.37	.30 .45	.25
100 11	.02		
ANDROMEDA arborea (See OXYI	ENDF	RUM)	
catesbaei (See LEUCOTHOE)			
japonica (See PIERIS)			
Japonica (See Filitis)			
ARALIA pentaphyllum (See ACA)	NTHOI	PANAX)	
ARALIA spinosa, 18'-20'		Hercules	s-club
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45 .60	.37 .50	.30
	.00		
ARONIA arbutifolia, 6'-8'	R	ed Choke	berry
12 to 18 in	.15	.12 .20	.10
2 to 3 ft	.30	.25	.20
— brilliantissima, 6'-8' Brill			herry
12 to 18 in	.15	.12	.10
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	.20
0 10 7 11	.07	.00	

ARONIA—continued	Unit 1-4	Price in Qua 5-24	ntities 25-249
— melanocarpa (nigra), 8'-10'	Bl	ack Choke	berry
12 to 18 in	.15	.12	.10
18 to 24 in.	.22	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45	.37	.30
AZALEAS			
AZALEA amoena, 3'-4'		Amoena A	zalea
9 to 12 in., B. & B	.80	.65	.50
12 to 15 in., B. & B	1.10	.95	.75
15 to 18 in., B. & B	1.50 1.90	1.20 1.50	1.00 1.25
2 to 2½ ft., B. & B	2.60	2.20	1.75
2½ to 3 ft., B. &. B.	3.75	3.00	2.50
- arborescens 10'-12'		Sweet A	zalea
15 to 18 in., B. & B	1.50	1.25	1.00
18 to 24 in., B. & B.	2.25	1.90	1.50
2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	3.00 3.50	2.50 3.00	2.00
	3.30		
— calendulacea, 4'-5' 15 to 18 in., B. & B	1 50	Flame A	1.00
18 to 24 in., B. & B	1.50 2.25	1.25	1.50
2 to 2½ ft., B. & B	3.00	2.50	2.00
2½ to 3 ft., B. & B	3.50	3.00	2.50
3 to 4 ft., B. & B	5.25	4.40	3.50
4 to 5 ft., B. & B	7.25	6.00	
— Hinodegiri, 3'-4'		nodegiri A	
8 to 10 in., B. & B	.90	.75	.60
10 to 12 in., B. & B	1.20 1.50	1.00 1.25	.80 1.00
15 to 18 in., B. & B	1.90	1.50	
18 to 24 in., B. & B	2.25	1.90	
— kaempferi, 4'-5'		Torch A	zalea
12 to 15 in., B. & B	1.25	1.00	.80
15 to 18 in., B. & B	1.90	1.50	1.25
18 to 24 in., B. & B	2.25 3.00	1.90 2.50	1.50 2.00
2 to 2/2 ft., D. & D	0.00	2.50	2.00
AZALEA KAEMPFERI	HYB	RIDS	
Common Dogo nink formana			
Carmen—Rose-pink flowers.			
Cleopatra—Lilac-rose flowers.			

Cleopatra—Lilac-rose flowers.			
Cleopatra—Lilac-rose flowers. Fedora—Salmon-rose flowers. Louise—Light-rose flowers. Othello—Brick-red flowers.		1.12	00
Cleopatra—Lilac-rose flowers. Fedora—Salmon-rose flowers. Louise—Light-rose flowers. Othello—Brick-red flowers. 12 to 15 in., B. &. B.	1.35	1.10	.90
Cleopatra—Lilac-rose flowers. Fedora—Salmon-rose flowers. Louise—Light-rose flowers. Othello—Brick-red flowers. 12 to 15 in., B. & B. 15 to 18 in., B. & B.	1.35 2.25	1.10 1.90 2.20	.90 1.50 1.75
Cleopatra—Lilac-rose flowers. Fedora—Salmon-rose flowers. Louise—Light-rose flowers. Othello—Brick-red flowers. 12 to 15 in., B. &. B.	1.35	1.90	1.50
Cleopatra—Lilac-rose flowers. Fedora—Salmon-rose flowers. Louise—Light-rose flowers. Othello—Brick-red flowers. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	1.35 2.25 2.60 3.40	1.90 2.20 2.80	1.50 1.75 2.25
Cleopatra—Lilac-rose flowers. Fedora—Salmon-rose flowers. Louise—Light-rose flowers. Othello—Brick-red flowers. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. — ledifolia alba, 4'-6', large sing	1.35 2.25 2.60 3.40 le wh	1.90 2.20 2.80 aite flower	1.50 1.75 2.25
Cleopatra—Lilac-rose flowers. Fedora—Salmon-rose flowers. Louise—Light-rose flowers. Othello—Brick-red flowers. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. — ledifolia alba, 4'-6', large sing	1.35 2.25 2.60 3.40 le wh 1.10 1.90	1.90 2.20 2.80 aite flower .95 1.50	1.50 1.75 2.25
Cleopatra—Lilac-rose flowers. Fedora—Salmon-rose flowers. Louise—Light-rose flowers. Othello—Brick-red flowers. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. — ledifolia alba, 4'-6', large sing	1.35 2.25 2.60 3.40 le wh	1.90 2.20 2.80 aite flower .95	1.50 1.75 2.25

10 PRINCETON NUR	SERIES		
AZALEA—continued	Unit F 1-4	Price in Qu 5-24	antities 25-249
— macrantha, 21/2'-3'	Red	Salmon	Azalea
12 to 15 in., B. & B.		1.25 1.90	1.00 1.50
KURUME AZAI	LEAS		
Benigeri—Brick-red flowers, 9 to		; 12 to n.; 18 to	
Flame—Brilliant red flowers, 15 to 18 in.; 18 to 24 in.; 2	to 2½	ft.; 2½ 1	to 3 ft.
Hatsugiri—Bright purple flower 9 to 12 in.; 12		n.; 15 to	18 in.
Pink Beauty—Single soft-pink fl 9 to 12 in.; 12		ı.; 15 to	18 in.
Pink Pearl—Salmon-rose flowers 9 to 12 in.; 12 to 15 in.; 15	3,		
Salmon Beauty—Large salmon-p		wers, 1.; 12 to	15 in.
9 to 12 in., B. & B	.90	.75	
12 to 15 in., B. & B		1.20 1.60	
15 to 18 in., B. & B	2.40	2.00	
2 to 2½ ft., B. & B	3.30	2.75	
2½ to 3 ft., B. & B	4.10	3.50	
— mollis, 4'-6'		Chinese	Azalea
12 to 15 in., B. & B		1.10	.90
15 to 18 in., B. & B	1.90	1.50	1.25
— nudiflora, 6'-8'		Pinxter	bloom
15 to 18 in., B. & B.	1.50	1.25	1.00
18 to 24 in., B. & B		1.50 1.90	1.25
2 to 2½ ft., B. & B	2.60	2.25	1.75
3 to 4 ft., B. & B.	3.75	3.00	2.50
— poukhanensis, 1'-3'		Korean A	Azalea
12 to 15 in., B. & B.		1.25	1.00
15 to 18 in., B. & B	1.90 2.60	1.50 2.20	1.25 1.75
2 to 2½ in., B. & B		3.00	2.50
- rosea, 6'-8'	Downy	Pinxter	hloom
15 to 18 in., B. & B		1.25	1.00
18 to 24 in., B. & B.	1.90	1.50	1.25
2 to 2½ ft., B. & B.		1.90 2.2 5	1.50 1.75
2½ to 3 ft., B. & B	3.75	3.00	2.50
— schlippenbachi, 6'-8'		Royal	Azalea
12 to 15 in., B. & B.		1.25	
15 to 18 in., B. & B.		1.50 2.25	
2 to 2½ ft., B. & B.		2.75	

AZALEA—continued	Unit I	Price in Qua 5-24	antities 25-249
— vaseyi, 5'-6'	P	inkshell	Azalea
18 to 24 in., B. & B	2.25	1.90	1.50
2 to 2½ ft., B. & B	2.60	2.25	1.75
2½ to 3 ft., B. & B.	3.50	2.75	2.25
	4.75	4.00	3.25
— viscosa, 4'-5'		Swamp	Azalea
15 to 18 in	1.50	1.25	1.00
18 to 24 in	1.90	1.50	1.25
2 to 2½ ft	2.25	1.90	1.50
2½ to 3 ft	2.60	2.25	1.75
3 to 4 ft	3.75	3.00	2.50
— yodogawa 3'-4'		odogawa	
12 to 15 in., B. & B	1.10	.95	.75
15 to 18 in., B. & B.	1.50	1.25	1.00
18 to 24 in., B. & B.	2.25	1.90	1.50
2 to 2½ ft., B. & B	2.60		1.75
2½ to 3 ft., B. & B	3.50	2.75	2.25
•∯ B }			
BACCHARIS halimifolia, 9'-10'		Grounds	olhugh
	25		
18 to 24 in	.25	.20 .27	.16
2 to 3 ft	.33	.27	.22
3 to 4 It	.45	.37	.30
BENZOIN aestivale (LINDERA	benz	oin), 10	'-12'
		Spi	cebush
18 to 24 in	.22	Spi .20	cebush .15
18 to 24 in	.22	Spi .20 .25	.15 .20
18 to 24 in	.22 .30 .45	Spi .20 .25 .37	.15 .20 .30
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.22 .30 .45 .60	.20 .25 .37 .50	.15 .20 .30 .40
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	.22 .30 .45	Spi .20 .25 .37	.15 .20 .30
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.22 .30 .45 .60 .75	Spi .20 .25 .37 .50	.15 .20 .30 .40
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. BERBERIS—DECIDUO	.22 .30 .45 .60 .75 1.10	Spi .20 .25 .37 .50 .60 .95	.15 .20 .30 .40 .50
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. BERBERIS—DECIDUO BERBERIS thunbergii, 4'-5'	.22 .30 .45 .60 .75 1.10	Spi .20 .25 .37 .50 .60 .95	.15 .20 .30 .40 .50 .75
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. BERBERIS—DECIDUO BERBERIS thunbergii, 4'-5' 9 to 12 in.	.22 .30 .45 .60 .75 1.10 US T Jap	Spi .20 .25 .37 .50 .60 .95 YPES vanese Ba	.15 .20 .30 .40 .50 .75
18 to 24 in	.22 .30 .45 .60 .75 1.10 US T Jap .05 .08	Spi .20 .25 .37 .50 .60 .95 YPES vanese Ba .04 .06	.15 .20 .30 .40 .50 .75
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. BERBERIS—DECIDUO BERBERIS thunbergii, 4'-5' 9 to 12 in. 12 to 15 in. 15 to 18 in.	.22 .30 .45 .60 .75 1.10 US T Jap .05 .08	Spi .20 .25 .37 .50 .60 .95 YPES canese Ba .04 .06	.15 .20 .30 .40 .50 .75
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. BERBERIS—DECIDUO BERBERIS thunbergii, 4'-5' 9 to 12 in. 12 to 15 in. 15 to 18 in. 18 to 24 in.	.22 .30 .45 .60 .75 1.10 US T Jap .05 .08 .11	Spi .20 .25 .37 .50 .60 .95 YPES vanese Ba .04 .06 .09 .11	cebush .15 .20 .30 .40 .50 .75
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. BERBERIS—DECIDUO BERBERIS thunbergii, 4'-5' 9 to 12 in. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft.	.22 .30 .45 .60 .75 1.10 US T Jap .05 .08 .11 .13 .18	Spi .20 .25 .37 .50 .60 .95 YPES anese Ba .04 .06 .09 .11	cebush .15 .20 .30 .40 .50 .75 .rberry .03 .05 .07
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. BERBERIS—DECIDUO BERBERIS thunbergii, 4'-5' 9 to 12 in. 12 to 15 in. 15 to 18 in. 18 to 24 in.	.22 .30 .45 .60 .75 1.10 US T Jap .05 .08 .11	Spi .20 .25 .37 .50 .60 .95 YPES vanese Ba .04 .06 .09 .11	cebush .15 .20 .30 .40 .50 .75
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. BERBERIS—DECIDUO BERBERIS thunbergii, 4'-5' 9 to 12 in. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. — atropurpurea, 4'-5' Re	.22 .30 .45 .60 .75 1.10 US T Jap .05 .08 .11 .13 .18 .30	Spi .20 .25 .37 .50 .60 .95 YPES anese Ba .04 .06 .09 .11 .15 .25	cebush .15 .20 .30 .40 .50 .75 .75
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. BERBERIS—DECIDUO BERBERIS thunbergii, 4'-5' 9 to 12 in. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. — atropurpurea, 4'-5' 9 to 12 in.	.22 .30 .45 .60 .75 1.10 US T Jap .05 .08 .11 .13 .30	Spi .20 .25 .37 .50 .60 .95 YPES anese Ba .04 .06 .09 .11 .15 .25 anese Ba	.15 .20 .30 .40 .50 .75 .75
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. BERBERIS—DECIDUO BERBERIS thunbergii, 4'-5' 9 to 12 in. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. — atropurpurea, 4'-5' 9 to 12 in. 12 to 15 in.	.22 .30 .45 .60 .75 1.10 US T Jap .05 .08 .11 .13 .18 .30	Spi .20 .25 .37 .50 .60 .95 YPES vanese Ba .04 .06 .09 .11 .15 .25 anese Ba	cebush .15 .20 .30 .40 .50 .75 .rberry .03 .05 .07 .09 .12 .20
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. BERBERIS—DECIDUO BERBERIS thunbergii, 4'-5' 9 to 12 in. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. — atropurpurea, 4'-5' 9 to 12 in. 12 to 15 in.	.22 .30 .45 .60 .75 1.10 US T Jap .05 .08 .11 .13 .18 .30 .4d Jap .05	Spi .20 .25 .37 .50 .60 .95 YPES anese Ba .04 .06 .09 .11 .15 .25 anese Ba	cebush .15 .20 .30 .40 .50 .75 .rberry .03 .05 .07 .09 .12 .20
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. BERBERIS—DECIDUO BERBERIS thunbergii, 4'-5' 9 to 12 in. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. — atropurpurea, 4'-5' 9 to 12 in. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft.	.22 .30 .45 .60 .75 1.10 US T Jap .05 .08 .11 .13 .18 .30 .30 .4d Jap .08	Spi .20 .25 .37 .50 .60 .95 YPES anese Ba .04 .06 .09 .11 .15 .25 anese Ba	cebush .15 .20 .30 .40 .50 .75 .75
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. BERBERIS—DECIDUO BERBERIS thunbergii, 4'-5' 9 to 12 in. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. — atropurpurea, 4'-5' 9 to 12 in. 12 to 15 in.	.22 .30 .45 .60 .75 1.10 US T Jap .05 .08 .11 .13 .18 .30 .4d Jap .05	Spi .20 .25 .37 .50 .60 .95 YPES anese Ba .04 .06 .09 .11 .15 .25 anese Ba	cebush .15 .20 .30 .40 .50 .75 .rberry .03 .05 .07 .09 .12 .20
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. BERBERIS—DECIDUO BERBERIS thunbergii, 4'-5' 9 to 12 in. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. — atropurpurea, 4'-5' 9 to 12 in. 12 to 15 in. 15 to 18 in. 12 to 15 in. 15 to 18 in. 12 to 2½ ft. 2½ to 3 ft.	.22 .30 .45 .60 .75 1.10 US T Jap .05 .08 .11 .13 .18 .30 ed Jap .08 .10	Spi .20 .25 .37 .50 .60 .95 YPES canese Ba .04 .06 .09 .11 .15 .25 anese Ba .06 .08 .13 .20 .22	cebush .15 .20 .30 .40 .50 .75 .rberry .03 .05 .07 .09 .12 .20 .rberry .05 .07 .11 .15 .18 .25
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. BERBERIS—DECIDUO BERBERIS thunbergii, 4'-5' 9 to 12 in. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. — atropurpurea, 4'-5' 9 to 12 in. 12 to 15 in. 12 to 15 in. 2 to 2½ ft. 2½ to 3 ft. — atropurpurea, 4'-5' 9 to 12 in. 12 to 15 in. 15 to 18 in. 12 to 15 in. 15 to 18 in. 12 to 15 in. 15 to 18 in. 15 to 18 in. 16 to 24 in. 17 to 18 in. 18 to 24 in. 19 to 19 in. 19 to 19 in. 11 to 19 in. 12 to 15 in. 15 to 18 in. 15 to 18 in. 16 to 24 in. 17 to 2½ ft. 2½ to 3 ft. — minor, 2'-8'	.22 .30 .45 .60 .75 1.10 US T Jap .05 .08 .11 .13 .18 .30 ed Jap .08 .10 .16 .22 .27 .37	Spi .20 .25 .37 .50 .60 .95 YPES vanese Ba .04 .06 .09 .11 .15 .25 anese Ba .06 .08 .13 .20 .22 .30	cebush .15 .20 .30 .40 .50 .75 .75
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. BERBERIS—DECIDUO BERBERIS thunbergii, 4'-5' 9 to 12 in. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. — atropurpurea, 4'-5' 9 to 12 in. 12 to 15 in. 15 to 18 in. 2 to 2½ ft. 2½ to 3 ft. — minor, 2'-3' 9 to 12 in.	.22 .30 .45 .60 .75 1.10 US T Jap .05 .08 .11 .13 .18 .30 ed Jap .08 .10	Spi .20 .25 .37 .50 .60 .95 YPES	cebush .15 .20 .30 .40 .50 .75 .75
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. BERBERIS—DECIDUO BERBERIS thunbergii, 4'-5' 9 to 12 in. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. — atropurpurea, 4'-5' 9 to 12 in. 12 to 15 in. 15 to 18 in. 12 to 15 in. 12 to 3 ft. — minor, 2'-3' 9 to 12 in. 12 to 2½ ft. 2½ to 3 ft.	.22 .30 .45 .60 .75 1.10 US T Jap .05 .08 .11 .13 .18 .30 .04 Jap .08 .10 .16 .22 .27 .37	Spi .20 .25 .37 .50 .60 .95 YPES Panese Ba .04 .06 .09 .11 .15 .25 anese Ba .08 .13 .20 .22 .30 Box Ba	cebush .15 .20 .30 .40 .50 .75 .75
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. BERBERIS—DECIDUO BERBERIS thunbergii, 4'-5' 9 to 12 in. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. — atropurpurea, 4'-5' 9 to 12 in. 12 to 15 in. 15 to 18 in. 2 to 2½ ft. 2½ to 3 ft. — minor, 2'-3' 9 to 12 in.	.22 .30 .45 .60 .75 1.10 US T Jap .05 .08 .11 .13 .18 .30 .30 .4d Jap .08 .10 .16 .22 .27 .37	Spi .20 .25 .37 .50 .60 .95 YPES anese Ba .04 .06 .09 .11 .15 .25 anese Ba .06 .08 .13 .20 .22 .30 Box Ba	cebush .15 .20 .30 .40 .50 .75 .75

BERBERIS—continued	Unit Pric	e in Quanti 5-24 25	ties -249
BERBERIS—HARDY EVER	GREEN	TYPES	
— gagnepaini			
9 to 12 in., B. & B	.70	.55	.45
12 to 15 in., B. & B	1.10	.95	.75
— julianae			
9 to 12 in., B. & B	.45	.37	.30
12 to 15 in., B. & B	.90	.75	.60
15 to 18 in., B. & B	1.35	1.10	.90
18 to 24 in., B. & B.	1.90	1.50	1.25
10 to 24 m., D. & D	1.70	1.50	1.20
— triacanthophora			
	F-0	4 ==	25
9 to 12 in., B. & B	.52	.45	.35
12 to 15 in., B. & B	1.05	.90	.70
15 to 18 in., B. & B.	1.50	1.25	1.00
10 to 10 III., D. & D	2.25		
18 to 24 in., B. & B.	2.25	1.90	1.50
*BETULA alba, 30'-50' E	uropean	White B	irch
	_		
5 to 6 ft	.90	.75	.60
6 to 8 ft	1.35	1.10	.90
8 to 10 ft	1.90	1.50	.,,
8 to 10 ft.—1 ¹ / ₄ to 1 ¹ / ₂ in	2.25	1.90	
10 to 12 ft.—1½ to 1¾ in	2.50		
/=/-			
4 77 0 11 1 1 0 00 101 00			
*— alba fastigiata, 25'-40' Py	ramidal	White E	Birch
4 to 5 ft	1.25	1.00	
4 10 3 11	1.23		
5 to 6 ft	1.90	1.50	
6 to 8 ft	2.50	2.00	-
* 1 1 1 1 001 101 0			
*— — laciniata, 30'-40' C	utleat W	Teeping F	Birch
5 to 6 ft	1.35	1.10	.90
6 to 8 ft	1.90	1.50	1.25
8 to 10 ft., 1½ to 1½ in	3.00	2.50	
		~	
*— lenta, 40'-50'		Sweet I	Birch
6 to 8 ft	1.25	1.00	
0 to 0 11			
8 to 10 ft.—1½ to 1½ in	1.90	1.50	
10 to 12 ft.—1½ to 2 in.	2.50	2.00	
12 to 14 ft.—2 to 2½ in	3.00	2.50	
12 to 14 It. 2 to 272 III	0.00	2.50	
*— lutea, 50'-70'		Yellow I	Birch
	1.07		
6 to 8 ft	1.25	1.00	-
8 to 10 ft., 1½ to 1½ in	2.00	1.50	
10 to 12 ft., 1½ to 2 in	2.50	2.00	
10 to 12 It., 172 to 2 III			
12 to 14 ft.—2 to 2½ in	3.00	2.50	
* * ***			
*— nigra, 50′-60′		River I	sirch
10 to 12 ft11/ to 13/ in	2.35	1.90	
10 to 12 ft.—1½ to 1¾ in			
10 to 12 it.—13/4 to 2 in	3.00	2.50	
10 to 12 ft.—1¾ to 2 in	3.50	2.80	
*	D	a	
		Canoe I	Birch
6 to 8 ft	1.50	1.25	
0 4- 10 64 17/ + 17/ *	2.25		
8 to 10 ft.—1½ to 1½ in	2.25	1.90	
6 to 8 ft	3.00	2.50	2.00
10 to 12 ft.—1¾ to 2 in.	3.75	3.00	2.50
12 40 14 14 2 4 27 / 1	4.50		
12 to 14 ft.—2 to 2½ in.	4.50	3.75	3.00

			10
BETULA—continued	Unit 1-4	Price in Quar 5-24	
*— populifolia, 30'-40'		Gray	Birch
6 to 8 ft	1.50		1.00
8 to 10 ft.—1 ¹ / ₄ to 1 ¹ / ₂ in	1.90	1.50	1.25
10 to 12 ft.—1½ to 1¾ in	2.25	1.90	1.50
10 to 12 ft.—1/2 to 1/4 iii		2.50	2.00
10 to 12 ft.—1¾ to 2 in	3.00	3.00	2.50
12 to 14 it.—2 to 2½ iii	3.75	3.00	2.50
BIGNONIA grandiflora, 25'-40' Ch			
2 year, grafts			
— Mad. Gallen, 25'-40' (Scarlet)		Trumpetci	reeper
2 year, grafts			.30
3 year, grafts	.60	.50	.40
— radicans, 25'-40'		Trumpeter	
1 year, heavy	.09		.06
2 year, heavy	.15	.12	.10
BUDDI.EIA alternifolia, 5'	werir	ng Butterfl	vhugh
18 to 24 in			
		.20	.15
2 to 3 ft		.25 .30	
3 to 4 ft			.25
		ar Butterfl	ybush
18 to 24 in	.15	.12	.10
2 to 3 ft	.22	.20	.15
3 to 4 ft	.30	.25	.20
- Hartwegi, 3'	artwe	g Butterfl	vbush
12 to 18 in			.10
18 to 24 in		.20	.15
— He de France, 4'		Butterfly	
12 to 18 in., 1 yr	.15	.12	.10
18 to 24 in., 2 yr	.22	.20	.15
— magnifica, 4'	Oxey	e Butterfl	ybush
18 to 24 in.	.15	.12	.10
2 to 3 ft	.22		.15
— Pink Charming		k Butterfl	•
2 to 3 ft	.30	.25	.20
— veitchiana, 5'-6'	Veite	ch Butterfl	ybush
1½ to 2 ft., 1 yr	.15	.12	.10
2 to 3 ft., 2 yr	.22	.20	.15
BUXUS sempervirens (bush form			kwood
12 to 15 in. B. & B	.90	.75	.60
15 to 18 in., B. & B	1.05	.90	-
18 to 24 in., B. & B.	1.50	1.25	
— — suffruticosa, 3'-4'	Dw	arf Box E	dging
4 to 6 in	.22	.20	.15
	.37	.30	.25
6 to 8 in	.90	.75	.60
12 to 15 in., B & B	1.05	.90	

EXTRA CHARGE FOR DIGGING BIRCHES, B. & B. SEE B. & B. SCHEDULE, PAGE 2.

14 PRINCETON NURS	ERIES		
		ce in Qu 5-24	
CALLICARPA japonica, 3'-4'	Japanese	Beaut	yberry
18 to 24 in	.27	.18 .22 .27	.14 .18 .22
— purpurea, 3'-4'	Chinese	Beaut	yberry
18 to 24 in	.27	.18 .22 .27	.14 .18 .22
CALYCANTHUS floridus, 4'-5'		Swee	tshrub
18 to 24 in 2 to 3 ft 3 to 4 it 4 to 5 ft	.24 .30 .37 .52	.20 .2 5 .30 .45	.16 .20 .25 .35
CARAGANA arborescens, 10'-12'	Sibe	erian P	ea-tree
18 to 24 in		.15 .20 .25 .30	.12 .16 .20 .25
CARPINUS carolinianum, 30'-40'	Ameri	can Ho	rnbean
3 to 4 ft	1.50 3.00 4.50 7.50	.95 1.25 2.50 3.75 6.25 9.50	.75 1.00 2.00 3.00 5.00 7.50
CARYOPTERIS incana (mastacan	tha),2'-	3' Blue	Spirea
12 to 15 in	.22 .30 .45	.20 .25 .37	.15 .20 .30
CATALPA (bignonioides nana)	Um	brella (Catalpa
1 year heads, 5 to 6 ft. stem 2 year heads, 5 to 6 ft. stem	1.10 1.50	.95 1.25	.75 1.00
— speciosa, 30'-35'	We	estern (Catalpa
6 to 8 ft	.90	.50 .75 1.10	.40 .60 .90
CEANOTHUS AMERICANA, 3'-4	,	Jer	sey Tea
12 to 18 in. 18 to 24 in.	.22	.20 .25	.15 .20
CELASTRUS orbiculatus, 15'-20	' Orient	al Bitte	ersweet
2 year, 18 to 24 in	.24	.15 .20 .25	.12 .16 .20

	DETTE		13
CELASTRUS—continued	Unit Pr 1-4	ice in Qua 5-24	
- scandens, 20'25'	America	an Bitter	sweet
2 year 18 to 24 in	25	.20	.15
2 year, 18 to 24 in	30	.25	.20
- J			
CELTIS occidentalis, 50'-60'		Hack	berry
3 to 4 ft	52	.45	.35
4 to 5 ft	90	.75	.60
5 to 6 ft	1.10	.95	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.25	1.90	1.50
10 to 12 ft., 1½ to 2 in	3.00	2.50	2.00
12 to 14 ft., 2 to 2½ in	3.75	3.00	
CEPHALANTHUS occidentalis,	5′-6′	Butto	nbush
18 to 24 in		.18	.14
2 to 3 ft.		.20	.18
3 to 4 ft		.27	.22
4 to 5 ft	45	.35	.27
5 to 6 ft		.45	.35
CERASUS, (See Prunus, page 4			
*CERCIDIPHYLLUM japonicum	a, 20'-30	' Katsur	a-tree
4 to 5 ft B. & B	3.00	2.50	2.00
5 to 6 ft., B. &. B	4.10	3.50	2.75
6 to 8 ft., B. &. B	5.25	4.40	3.50
8 to 10 ft., B. & B.		6.00	
10 to 12 ft B. & B		8.50	
12 to 14 ft., B. & B	12.00		
14 to 16 ft., B. & B	18.00		
CERCIS canadensis, 12'-15'	Am	erican R	edbud
3 to 4 ft	60	.50	.40
4 to 5 ft	85	.70	.55
5 to 6 ft	1.10	.95	.75
6 to 8 ft		1.25	1.00
8 to 10 ft		1.50	
10 to 12 ft	2.10	1.75	
— chinensis, 10'-12'		hinese R	
18 to 24 in		.50	.40
2 to 3 ft		.60	.50
3 to 4 ft		.80	.65
4 to 5 ft	1.35	1.10	.90
CHAMAECYPARIS—THE	RETINO	SPORA	S
CHAMAECYPARIS obtusa comp	nacta 4'	-6'	
CHIRALICAL TARES OF COM		otball C	ypress
15 to 18 in., B. & B	1.05	.90	.70
18 to 24 in., B. & B		1.10	.90
2 to 2½ ft., B. & B		1.50	1.25
2½ to 3 ft., B. & B		1.90	1.50
3 to 3½ ft., B. & B	2.60	2.20	1.75
3½ to 4 ft., B. & B	3.50	2.75	
4 to 5 ft., B. & B	4.00	3.50	

16	PRINCETO	N NURS	ERIES		
CHAMAEC —contin			Unit Pric		antities 25-249
— pisifera	, 25'-35'		Sawara	Retin	ospora
15 to 18 18 to 24 2 to 2½ 2½ to 3 to 4 4 to 5 5 to 6	5 in., B. & B		.52 .75 1.10 1.35 1.90 2.25 3.75 5.25 6.75	.45 .60 .90 1.10 1.50 1.90 3.00 4.40 5.50	.35 .50 . 70 .90 1.25 1.50
— — aurea	a, 25'-35'	Golden	Sawara	Retin	ospora
15 to 18 18 to 24 2 to 2½ 2½ to 3 to 4: 4 to 5: 5 to 6:	in., B. & B		.52 .75 1.10 1.50 1.90 2.60 4.00 5.60 7.15	.45 .60 .95 1.25 1.50 2.20 3.50 4.75 5.85	.35 .50 .75 1.00 1.25 1.75
— filifera,	15′-20′		Thread	Retin	ospora
15 to 18 18 to 24 2 to 24 2½ to 3 3 to 4 i 4 to 5 i 5 to 6 i	in., B. & B. in., B. & B. in., B. & B. 2 ft., B. & B. 3 ft., B. & B. it., B. & B. it., B. & B. it., B. & B. it., B. & B.		.60 1.00 1.50 1.90 2.40 3.75 5.25 6.75 8.00	.50 .80 1.25 1.50 2.00 3.00 4.40 5.50 6.50	.40 .65 1.00



Mass production of Retinosporas and Arbor Vitae resulting in high quality and reasonable cost.

CHAMAECYPARIS—continued	Unit Pric		ntities 25-249
— — aurea, 10'-12' Golden	Thread	Retin	ospora
12 to 15 in D & D	.85	.70	EE
12 to 15 in., B. & B			.55
15 to 18 in., B. & B	1.35	1.10	.90
18 to 24 in., B. & B	2.10	1.75	1.40
2 to 2½ ft., B. & B	2.70	2.25	
2½ to 3 ft., B. & B	3.75	3.00	
3 to 4 ft., B. & B	5.00	4.00	
4 to 5 ft., B. & B.	7.50	6.00	
5 to 6 ft., B. & B.	9.00	7.50	
3 to 0 ft., B. & B	9.00	7.50	
— plumosa 25'-35'	Plume	Retin	ospora
12 to 15 in B. & B	.52	.45	.35
15 to 18 in., B. & B	.75	.60	.50
18 to 24 in., B. & B.	1.10	.95	.75
2 to 27/ ft D % D	1.50	1.25	1.00
2 to 2½ ft., B. & B.			
2½ to 3 ft., B. & B	1.90	1.50	1.25
3 to 4 ft., B. & B	2.60	2.20	1.75
4 to 5 ft., B. & B	4.10	3.50	
5 to 6 ft., B. & B	5.60	4.75	
- plumosa aurea, 20'-25' Golde	nplume	Retin	ospora
12 to 15 in., B. & B.	.60	.50	.40
15 to 18 in., B. & B.	.90	.75	.60
18 to 24 in., B. & B.	1.35	1.10	.90
2 to 2½ ft., B. & B	1.90	1.50	1.25
2½ to 3 ft., B. & B	2.25	1.90	1.50
3 to 4 ft., B. & B	2.00		
4 to 5 ft., B. & B	3.00		
— plumosa lutescens, 2½'-3' Yello	wplume	Retine	ospora
9 to 12 in., B. & B.	.60	.50	.40
18 to 24 in., B. & B.	2.00	1.70	1.35
2 to 2½ ft., B. & B	2.60	2.20	1.75
2½ to 3 ft., B. & B	3.00	2.50	
— — sulphurea, 20'-25' Sulphu	ır Moss	Retino	spora
12 to 15 in., B. &. B	.52	.45	.35
15 to 18 in., B. & B.	.75	.60	.50
18 to 24 in., B. & B	1.10	.95	.75
2 to 2½ ft., B. & B		1.25	1.00
2½ to 3 ft., B. & B	1.90	1.50	1.25
3 to 4 ft., B. & B	2.60	2.20	
— — veitchi, 25'-30'	Moss	Retino	spora
12 to 15 in., B. & B.	.60	.50	.40
15 to 18 in., B. & B.	.90	.75	.60
18 to 24 in., B. & B	1.35	1.10	.90
	1.90	1.50	1.25
2½ to 3 ft., B. & B	2.60	2.20	1.75
2 40 A ft D & D	4.10	3.50	1.75
3 to 4 ft., B. & B	4.10	3.50	
CHIONANTHUS virginica, 15'-18'	White	Frin	getree
18 to 24 in	.30	.25	.20
2 to 3 ft	.37	.30	.25
3 to 4 ft	.52	.45	.35
4 to 5 ft	.85	.70	.55
0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1111	95	75
	1.10	.95 1.25	.75 1.00

20			
	Unit Pr 1-4	rice in Quai 5-24	
CLADRASTIS lutea (tinctoria),	30'-40'	Yellow	wood
4 to 5 ft			1.25
5 to 6 ft	2.25	1.90	1.50
6 to 8 ft	3.00 3.75	2.50	2.00
8 to 10 ft	3./3	3.00	2.50
CLEMATIS paniculata, 20'-25' Sw	eet Au	tumn Cle	matis
2 year		.20	.16
3 year	.30	.25	.20
— virginiana, 20'-25'		Virgins-1	Bower
2 year	.24	.20	.16
3 year	.30	.25	.20
CLETHRA alnifolia, 4'-5'		Summer	toower
,	27		
18 to 24 in	.27 .37	.22	.18
2½ to 3 ft	.52	.45	.35
3 to 4 ft	.75	.60	.50
COLUTEA arborescens, 8'-10' Co 2 to 3 ft	.30 .37 .52 .70	.25 .30 .45	.20 .25 .35 .45
CORNUS alba (sibirica), 8'-10'	l Branc	ched Dog	gwood
18 to 24 in	.18	.15	.12
2 to 3 ft	.24	.20	.16
3 to 4 ft. 4 to 5 ft.	.33	.27 .37	.22
		otch Dog	
18 to 24 in	.30 .45	.25 .37	.20
2 to 3 ft		.50	.30
		Blue Dog	
— alternifolia, 15'-18' 2 to 3 ft	.45	.37	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	.90	.75	.60
— amomum (sericea), 8'-9'		Silky Dog	gwood
2 to 3 ft	.24	.20	.16
3 to 4 ft	.32	.27	.22
4 to 5 ft	.40	.35 .45	.27

CORNUS—continued

Unit Price in Quantities 1-4 5-24 25-249

NURSERY-GROWN DOGWOOD

*— florida, 15'-25' W	hiteflo	wering D	ogwood
2 to 3 ft		.45	.35
3 to 4 ft		.75	.60
4 to 5 ft., B. & B		1.90	1.50
5 to 6 ft., B. & B		3.00	2.50
6 to 8 ft B & B	5 25	4.40	3.50
6 to 8 ft., B. & B 8 to 10 ft., B. & B	0.00	7.50	6.00
10 to 12 ft., B. &. B.	13.50		9.00
Extra Heavy Bushy Specimens			
		White D	ogwood
2 to 3 ft			
5 to 6 ft., B. & B	6.00	5.00	
*— florida rubra, 15'-20'	Redflo	wering D	ogwood
2 to 3 ft	. 1.10	.95	.75
3 to 4 ft	. 1.90	1.50	1.25
4 to 5 ft., B. & B.	3.75	3.00	2.50
5 to 6 ft . B. & B.	5.25	4.40	3.50
5 to 6 ft., B. & B. 6 to 8 ft., B. & B.	7.50	6.25	
8 to 10 ft., B. & B.		9.50	
10 to 12 ft., B. &. B.		12.50	
Extra Heavy Bushy Specimens			ma1
	30	0% additio	
*— kousa, 16'-18' 2 to 3 ft	75	Kousa D	.50
3 to 4 ft., B. & B.		1.50	1.25
4 to 5 ft., B. & B.		2.00	1.25
5 to 6 ft., B. & B.		3.00	
6 to 8 ft., B. & B.		4.50	
8 to 10 ft., B. & B	9.00	7.50	
10 to 12 ft., B. & B	12.00	10.50	
	. 15.00	10.50	
* objected 16/ 10/	Ohimaa	o Ela D	Looren o
		e Flg. De	
2 to 3 ft	. 1.50	1.25	1.00
	. 1.50		
2 to 3 ft	. 1.50 . 2.25	1.25	1.00 1.50
2 to 3 ft	. 1.50 . 2.25	1.25 1.90	1.00 1.50
2 to 3 ft 3 to 4 ft	. 1.50 . 2.25 45	1.25 1.90 Cornelian .37	1.00 1.50 - cherry .30
2 to 3 ft. 3 to 4 ft. — mas, 20'-25' 18 to 24 in. 2 to 3 ft.	. 1.50 . 2.25 45 70	1.25 1.90 Cornelian .37 .55	1.00 1.50 - cherry .30 .45
2 to 3 ft. 3 to 4 ft. — mas, 20'-25' 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	1.50 2.25 45 70 . 1.05	1.25 1.90 Cornelian .37 .55 .90	1.00 1.50 - cherry .30 .45 .70
2 to 3 ft. 3 to 4 ft. — mas, 20'-25' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	. 1.50 . 2.25 45 70 . 1.05 . 1.50	1.25 1.90 Cornelian .37 .55 .90 1.25	1.00 1.50 - cherry .30 .45
2 to 3 ft. 3 to 4 ft. — mas, 20'-25' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	. 1.50 . 2.25 45 70 . 1.05 . 1.50 . 1.90	1.25 1.90 Cornelian .37 .55 .90 1.25 1.50	1.00 1.50 - cherry .30 .45 .70
2 to 3 ft. 3 to 4 ft. — mas, 20'-25' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.	. 1.50 . 2.25 45 70 . 1.05 . 1.50 . 1.90	1.25 1.90 Cornelian .37 .55 .90 1.25 1.50 2.00	1.00 1.50 -cherry .30 .45 .70 1.00
2 to 3 ft. 3 to 4 ft.	. 1.50 2.25 45 70 . 1.05 . 1.50 . 1.90 . 2.40	1.25 1.90 Cornelian .37 .55 .90 1.25 1.50 2.00 Gray Do	1.00 1.50 -cherry .30 .45 .70 1.00
2 to 3 ft. 3 to 4 ft.	. 1.50 2.25 45 70 . 1.05 . 1.50 . 1.90 . 2.40	1.25 1.90 Cornelian .37 .55 .90 1.25 1.50 2.00 Gray Do	1.00 1.50 -cherry .30 .45 .70 1.00 ogwood .15
2 to 3 ft. 3 to 4 ft.	. 1.50 . 2.25 45 70 . 1.05 . 1.50 . 1.90 . 2.40	1.25 1.90 Cornelian .37 .55 .90 1.25 1.50 2.00 Gray Do .20	1.00 1.50 -cherry .30 .45 .70 1.00 ogwood .15 .18
2 to 3 ft. 3 to 4 ft.	. 1.50 . 2.25 45 70 . 1.05 . 1.50 . 1.90 . 2.40 25 27 37	1.25 1.90 Cornelian .37 .55 .90 1.25 1.50 2.00 Gray Do .20 .22 .30	1.00 1.50 -cherry .30 .45 .70 1.00 —————————————————————————————————
2 to 3 ft. 3 to 4 ft.	. 1.50 . 2.25 	1.25 1.90 Cornelian .37 .55 .90 1.25 1.50 2.00 Gray Do .20 .22 .30	1.00 1.50 -cherry .30 .45 .70 1.00 —————————————————————————————————
2 to 3 ft. 3 to 4 ft.	. 1.50 . 2.25 	1.25 1.90 Cornelian .37 .55 .90 1.25 1.50 2.00 Gray Do .20 .22 .30 dtwig Do	1.00 1.50 -cherry .30 .45 .70 1.00 —————————————————————————————————
2 to 3 ft. 3 to 4 ft.	. 1.50 . 2.25 	1.25 1.90 Cornelian .37 .55 .90 1.25 1.50 2.00 Gray Do .22 .30 dtwig Do	1.00 1.50 -cherry .30 .45 .70 1.00 —————————————————————————————————
2 to 3 ft. 3 to 4 ft.	. 1.50 . 2.25 	1.25 1.90 Cornelian .37 .55 .90 1.25 1.50 2.00 Gray Do .20 .22 .30 dtwig Do	1.00 1.50 -cherry .30 .45 .70 1.00 —————————————————————————————————
2 to 3 ft. 3 to 4 ft.	. 1.50 . 2.25 	1.25 1.90 Cornelian .37 .55 .90 1.25 1.50 2.00 Gray Do .22 .30 dtwig Do	1.00 1.50 -cherry .30 .45 .70 1.00 —————————————————————————————————
2 to 3 ft. 3 to 4 ft. - mas, 20'-25' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. - paniculata, 10'-12' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. - sanguinea, 8'-10' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. - sanguinea, 8'-10' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. - stolonifera, 7'-8'	. 1.50 . 2.25 	1.25 1.90 Cornelian .37 .55 .90 1.25 1.50 2.00 Gray Do .20 .22 .30 dtwig Do .15 .22 .30	1.00 1.50 -cherry .30 .45 .70 1.00 —————————————————————————————————
2 to 3 ft. 3 to 4 ft.	. 1.50 . 2.25 	1.25 1.90 Cornelian .37 .55 .90 1.25 1.50 2.00 Gray Do .22 .30 dtwig Do .15 .22 .30	1.00 1.50 -cherry .30 .45 .70 1.00 —————————————————————————————————
2 to 3 ft. 3 to 4 ft.	. 1.50 2.25 45 70 . 1.05 . 1.50 . 1.90 . 2.40 25 27 37 Bloo 18 27 37 37	1.25 1.90 Cornelian .37 .55 .90 1.25 1.50 2.00 Gray Do .22 .30 dtwig Do .15 .22 .30 d	1.00 1.50 -cherry .30 .45 .70 1.00 —————————————————————————————————
2 to 3 ft. 3 to 4 ft. - mas, 20'-25' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. - paniculata, 10'-12' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. - sanguinea, 8'-10' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. - stolonifera, 7'-8' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. - stolonifera, 7'-8' 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	. 1.50 . 2.25 	1.25 1.90 Cornelian .37 .55 .90 1.25 1.50 2.00 Gray Do .22 .30 odtwig Do .15 .22 .30 l-osier Do .15 .20	1.00 1.50 -cherry .30 .45 .70 1.00 —————————————————————————————————
2 to 3 ft. 3 to 4 ft. - mas, 20'-25' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. - paniculata, 10'-12' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. - sanguinea, 8'-10' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. - stolonifera, 7'-8' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. - stolonifera, 7'-8' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. - stolonifera, 7'-8' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. - stolonifera, 6'-7'	. 1.50 2.25 	1.25 1.90 Cornelian .37 .55 .90 1.25 1.50 2.00 Gray Do .20 .22 .30 dtwig Do .15 .22 .30 d-osier Do .27 entwig Do	1.00 1.50 -cherry .30 .45 .70 1.00 —————————————————————————————————
2 to 3 ft. 3 to 4 ft. - mas, 20'-25' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. - paniculata, 10'-12' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. - sanguinea, 8'-10' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. - stolonifera, 7'-8' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. - stolonifera, 7'-8' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. - stolonifera, 7'-8' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. - lutea, 6'-7' 18 to 24 in.	. 1.50 2.25 45 70 . 1.05 . 1.50 . 1.90 . 2.40 25 27 37 Bloo 18 27 37 38 27 33 37 .37 .37 .37 .37 .37 .37 .37 .37 .37	1.25 1.90 Cornelian .37 .55 .90 1.25 1.50 2.00 Gray Do .20 .22 .30 dtwig Do .15 .22 .30 d-osier Do .27 entwig Do .27	1.00 1.50 -cherry .30 .45 .70 1.00 —————————————————————————————————
2 to 3 ft. 3 to 4 ft. - mas, 20'-25' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. - paniculata, 10'-12' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. - sanguinea, 8'-10' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. - stolonifera, 7'-8' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. - stolonifera, 7'-8' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. - stolonifera, 7'-8' 18 to 24 in. 2 to 3 ft. 3 to 4 ft. - stolonifera, 6'-7'	. 1.50 2.25 45 70 . 1.05 . 1.50 . 1.90 . 2.40 25 27 37 37 37 37 38 27 37 .37 37 37 37 37 37 37 37 37 37 37 .37 .37 37 37 37 37 37 37 37 37 37 37 .37 37 37 37 37 37 37 37 37 37 37 .37 .37 .37 .37 .37 .37 .37 .37 .37	1.25 1.90 Cornelian .37 .55 .90 1.25 1.50 2.00 Gray Do .20 .22 .30 dtwig Do .15 .22 .30 d-osier Do .27 entwig Do	1.00 1.50 -cherry .30 .45 .70 1.00 —————————————————————————————————

	Unit Price in Quantities			
	1-4	5-24	25-249	
CORYLUS americana, 8'-9'	Amer	ican Ha	zelnut	
2 to 3 ft	.45	.37	.30	
3 to 4 ft	.60	.50	.40	
4 to 5 ft	-85	.70	-55	
5 to 6 ft	1.10	.95	.75	
6 to 8 ft	1.50	1.25		

POT GROWN COTONEASTER

This beautiful group of attractive berry bearing shrubs is so difficult to transplant either bare root or B.&B. that we are growing all our stock in pots, thereby eliminating transplanting hazard.

COTONEASTER

— acutifolia, 10'-12'	Pekin	g Coton	easter
12 to 15 in., pots	.60	.50	.40
15 to 18 in., pots		.60	.50
— adpressa, 2'	-	g Coton	
9 to 12 in., pots	.50 .75	.40 .60	.35
, *	./ 5	.00	.50
— apiculata, 5'	.35	.30	.25
6 to 9 in., pots		.40	.25
12 to 15 in., pots	.75	.60	.50
— dammeri (chumifusa) 1'-2'			
6 to 9 in., pots	.50	.40	.35
— dielsiana, 6'-8'	Die	ls Coton	easter
9 to 12 in., pots	.45	.37	.30
12 to 15 in., pots		.50	.40
15 to 18 in., pots		.60	.50
18 to 24 in., pots	.90	.75	.60
— divaricata, 5-6'	Spreadin		easter
9 to 12 in., pots	.45	.37	.30
— foveolata, 6'-10'			
15 to 18 in., pots		.75	.60
18 to 24 in., pots	1.20	1.00	.80
— francheti, 5'-6'		et Coton	
9 to 12 in., pots	.40	.30	.25
12 to 15 in., pots		.40	.35
15 to 18 in., pots		.55 .75	.45
	.90	./3	.00
— frigida, 16'-18'			
15 to 18 in., 4 in. pots	.90	.75	.60
- horizontalis (davidiana), 2'-3'	Roc	k Coton	easter
6 to 9 in., pots		.50	.40
9 to 12 in., pots	.75	.60	.50
12 to 15 in., pots	1.00	.80	.65
— — perpusilla, 2'-3'			
6 to 9 in., pots		.50	.40
9 to 12 in., pots		.70	.55
12 to 15 in., pots		.90	.70
15 to 18 in., pots	1.35	1.10	.90

COMONEACTED	Unit	Price in Qua	ntities
COTONEASTER—continued	1-4		25-249
lindlavi Q/			
— lindleyi, 8'			
18 to 24 in., 4 in. pots	1.00	.80	.65
		D 1	
— microphylla, 2'-3'		Roci	cspray
6 to 9 in., pots	.45	.37	.30
9 to 12 in., pots	.60	.50	.40
12 to 15 in., pots	.75	.60	.50
15 to 18 in., pots	.90	.75	
— — thymifolia			
9 to 12 in., 4 in. pots	.90	.75	.60
— pannosa, 5'-6' Sil	ver L	eaf Coton	easter
9 to 12 in., 4 in. pots	.75	.62	.50
- rotundifolia (buxifolia), 7'-8' R	cound	leaf Coton	easter
6 to 9 in., pots	.37	.30	.25
9 to 12 in., pots	.50	.45	.35
12 to 15 in., pots		.55	.00
12 to 15 m., pots	./0	.55	
- salicifolia, 10'-12' W	illowl	eaf Coton	easter
9 to 12 in., pots	.60	.50	.40
12 to 15 in., pots	.75	.60	.50
15 to 18 in., pots	.90	.75	.60
18 to 24 in., pots	1.10	.95	.75
2 to 3 ft., pots	1.50	1.25	1.00
simonsi El Cl	Clim	ons Coton	onatom
— simonsi, 5'-6'			
9 to 12 in., pots	.52	.45	.35
12 to 15 in., pots	.75	.60	.50
15 to 18 in., pots	.90	.75	.60
18 to 24 in., pots	1.10	.95	.75
— tenuipes, 5'-6'			
9 to 12 in., 4 in. pots	1.00	.80	.65
*CRATAEGUS arnoldiana, 20'	A	rnold Haw	thorn
2 to 3 ft	1.00	.80	.65
3 to 4 ft	1.10	.95	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft.	2.25	1.90	1.50
6 to 7 ft	3.00	2.50	2.00
	4.00	3.50	2.75
7 to 8 ft		4.00	2.73
8 to 10 ft	5.00	4.00	
* — coccinea, 15'-20'	Th	icket Haw	thorn
3 to 4 ft	1.20	1.00	.80
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.10	1.75	1.40
6 to 7 ft	3.00	2.50	2.00
7 to 8 ft	4.10	3.50	2.75
8 to 10 ft	5.25	4.40	
* 3 4 404 4 77		. **	. 4
* — cordata, 12'-15'	ashin	gton Haw	thorn
4 to 5 ft	2.25	1.90	1.50
5 to 6 ft	2.60	2.20	1.75
6 to 8 ft	3.40	2.80	2.25
* — crusgalli, 15'	(Cockspur '	horn
2 to 3 ft	1.10	.95	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.90	1.50	1.25
5 to 6 ft	2.25	1.90	1.50
6 to 7 ft	3.00	2.50	2.00
0 to / Ita	0.00	2.00	2.00

CRATAEGUS—continued	Unit P	rice in Qu	antities 25-249
• — mollis, 15' 2 to 3 ft	.75	wny Ha .60	.50
3 to 4 ft	1.10	.95	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.25	1.90	1.50
6 to 7 ft.	3.00 4.00	2.50 3.50	2.00 2.75
8 to 10 ft	5.25	4.40	3.50
12 to 14 ft., 2 to 2½ in	7.00	5.50	4.50
• — oxycantha, 12'-15'	Eng	lish Hav	vthorne
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.10	.95	.75
4 to 5 ft	1.50	1.25	
5 to 6 ft	1.90 2.25	1.50 1.90	
7 to 8 ft	3.00	2.50	
• — — pauli, 12'-15' Pau	ıl Eng	glish Ha	wthorn
3 to 4 ft	1.10	.95	.75
4 to 5 ft	1.50	1.25	
5 to 6 ft	1.90 2.60	1.50 2.20	
6 to 8 ft	2.00	2.20	1./5
• —pedicellata, 15'-20'			
4 to 5 ft	1.20	1.00	.80
5 to 6 ft	1.90	1.50	1.25
6 to 8 ft	2.25	1.90	1.50
- pyracantha lalandi (See PYRA	CAN'	ГНА)	
CYDONIA japonica, 4'-5'	Flo	wering	Quince
12 to 18 in	.18	.15	.12
18 to 24 in	.27	.22	.18
CYTISSUS scoparius, 4'-6'			Broom
18 to 24 in	.52		.35
2 to 3 ft	.75	.62	.50
DAPHNE cneorum, 12"-18"		Rose	Daphne
6 to 9 in., pots or B. & B	.52	.45	_
9 to 12 in., pots or B. & B	.85	.70	.55
12 to 15 in., pots or B. & B	1.35	1.10	.90
— mezereum, 4'	Fe	bruary	Daphne
15 to 18 in., pots	.90	.75	.60
18 to 24 in., pots	1.10	.95	.75
DEUTZIA gracilis, 3'		lender	
12 to 15 in	.24	.20	.16
15 to 18 in	.30	.25	.20
18 to 24 in	.45	.30	.30
, ~	110	.07	

DEUTZIA—continued	Unit 1-4	Price in Q 5-24	uantities 25-249
— — rosea, 3'	Rose	Panicle	Deutzia
12 to 18 in	30	.20 .25 .30 .37	.15 .20 .25 .30
- lemoinei, 4'-5'	I	emoine	Deutzi a
15 to 18 in		.15	.12
18 to 24 in		.20 .27	.16
3 to 4 ft	45	.37	.30
— magnifica, 9'-10'	Gia	nt Flwd.	Deutzia
18 to 24 in		.15	.12
2 to 3 ft	25	.22 .25	.20
4 to 5 ft	37	.30	.25
5 to 6 ft	45	.37	.30
- Mont Rose, 4'-5'			
18 to 24 in	25	.20	.15
2 to 2½ ft	.30	.25	.20
272 10 3 11	00	.50	.23
— scabra candidissima, 9'-10'	Sn	owflake	Deutzia
18 to 24 in		.12	.10
		.15	17
2 to 3 ft	18	22	.12
2 to 3 ft	.25	.22	.16
3 to 4 ft	.25	.22 .25 .37	.16
3 to 4 ft	25	.22	.16 .20 .30
3 to 4 ft	.25 .30 .45	.22 .25 .37 le Pink	.16 .20 .30 Deutzia
3 to 4 ft	.25 .30 .45 Doub	.22 .25 .37 le Pink .15 .20	.16 .20 .30 Deutzia .12 .15
3 to 4 ft		.22 .25 .37 le Pink	.16 .20 .30 Deutzia
3 to 4 ft	Doub18223037	.22 .25 .37 le Pink .15 .20 .25 .30	.16 .20 .30 Deutzia .12 .15 .20 .25
3 to 4 ft	25 30 45 Doub 18 22 30 37	.22 .25 .37 le Pink .15 .20 .25 .30	.16 .20 .30 Deutzia .12 .15 .20 .25
3 to 4 ft	25 30 45 Doub 18 22 30 37 Larg	.22 .25 .37 le Pink .15 .20 .25 .30 e Flwd.	.16 .20 .30 Deutzia .12 .15 .20 .25 Deutzia
3 to 4 ft	25 30 45 Doub 18 22 30 37 Larg	.22 .25 .37 le Pink .15 .20 .25 .30 e Flwd. .15 .20	.16 .20 .30 Deutzia .12 .15 .20 .25 Deutzia .12 .16 .20
3 to 4 ft	Doub182230373738373837	.22 .25 .37 le Pink .15 .20 .25 .30 e Flwd.	.16 .20 .30 Deutzia .12 .15 .20 .25 Deutzia
3 to 4 ft	Doub 18 23 30 18 22 30 37 Larg 37 45 24 36 37 45	.22 .25 .37 le Pink .15 .20 .25 .30 e Flwd. .15 .20 .25	.16 .20 .30 Deutzia .12 .15 .20 .25 Deutzia .12 .16 .20 .25
3 to 4 ft	Doub 18 22 30 30 45 Doub 18 22 30 37 Larg 18 25 30 47-5'	.22 .25 .37 le Pink .15 .20 .25 .30 e Flwd. .15 .20 .25 .30	.16 .20 .30 Deutzia .12 .15 .20 .25 Deutzia .12 .16 .20 .25
3 to 4 ft	Doub 18 22 30 18 22 30 18 22 30 18 22 30 18 24'-5' 27 28 29 20 20 20 20 20 20 20 20 20 20 20 20 20	.22 .25 .37 le Pink .15 .20 .25 .30 e Flwd. .15 .20 .25 .30	.16 .20 .30 Deutzia .12 .15 .20 .25 Deutzia .12 .16 .20 .25 .30
3 to 4 ft	Doub . 18 . 25 . 30 . 45 Doub . 18 . 22 . 30 . 37 Larg . 18 . 25 . 30 45 4'-5' ern B 25 30	.22 .25 .37 le Pink .15 .20 .25 .30 e Flwd. .15 .20 .25 .30	.16 .20 .30 Deutzia .12 .15 .20 .25 Deutzia .12 .16 .20 .25 .30

24 FRINCETON N	UNSERIES		
—————————————————————————————————————	Unit !	Price in Qu 5-24	
ELAEAGNUS angustifolia, 1	5'-18'	Russia	n-olive
2 to 3 ft	27	.22	.18
3 to 4 ft		.30	
4 to 5 ft		.37	.30
5 to 6 ft	60	.50	.40
— argentea, 10'-12'		Silve	erberry
18 to 24 in.		.37	.30
2 to 3 ft		.50	.40
3 to 4 ft	. .75	.60	
— longipes, 6'-8'	Che	erry Ela	eagnus
12 to 18 in		.25	
18 to 24 in		.37	.30
2 to 3 ft	60	.50	.40
— pungens reflexa, 8'	Br	onze Ela	eagnus
12 to 18 in		.37	.30
— umbellata, 8'-10'	Autı	ımn Ela	eagnus
2 to 3 ft		.27	.22
3 to 4 ft		.37	.30
4 to 5 ft		.50	.40
5 to 6 ft		.60	.50
EDNIETA MIDITUS	00/ 05/		
ENKIANTHUS campanulatus		in Enki	anthus
12 to 15 in., B. & B.		.95	.75
15 to 18 in., B. & B.		1.25	1.00
18 to 24 in., B. & B.	1.90	1.50	1.25
2 to 3 ft., B. & B	2.60		1.75
3 to 4 ft., B. & B	3.00	2.50	
EUONYMUS alatus, 9'-10'	Win	ged Euo	nymus
18 to 24 in			.35
2 to 3 ft	75	.60	.50
3 to 4 ft	1.10	.95	.75
4 to 5 ft	1.50	1 25	1.00



Elaeagnus umbellata and Ligustrum ibota (true form) as grown at Princeton.

EUONYMUS—continued			antities 25-249
— — compacta, 4'-5'			
12 to 18 in	.45	.37	.30
18 to 24 in.	.75	.60	.50
2 to 3 ft	1.10	.95	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.90	1.50	1.25
— americanus, 7'-8'	Bro	ok Euc	nymus
18 to 24 in	.25	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45	.37	.30
4 to 5 ft	.60	.50	.40
— atropurpureus, 12'-15'	Wal	100 Euc	nymus
18 to 24 in.			.20
2 to 3 ft	.35	1	
3 to 4 ft			
		T3	
3 '	interber		
2 to 3 ft		.25	.20
3 to 4 ft	.45		.30
4 to 5 ft	.60		
5 to 6 ft	.75	.60	.50
— europaeus, 12'-14' Eu	ropean	Burni	ngbush
2 to 3 ft	.30	.25	.20
3 to 4 ft		.30	.25
4 to 5 ft	.50	.40	
5 to 6 ft	.75	.60	.50



EUONYMUS ALATUS

A beautiful shrub worthy of more attention. Makes a fine specimen and may also be used for screen and hedge planting.

EUONYMUS—continued		Price in Qua 5-24	
— oxyphyllus, 15'			
18 to 24 in	.37	.30	.25
2 to 3 ft	.52	.45	.35
• — patens (sieboldianus), 6'-8'	Spread	ling Euo	nymus
12 to 15 in	.37	.30	.25
- radicans, climbing to 15'		Wintere	reeper
6 to 9 in., 1 year	.25	.20	.15
9 to 12 in., 2 year	.27	.22	.18
12 to 15 in., 2 year	.33	.27 .37	.22
15 to 18 in., 3 year			.30
—— carrieri, 3'-4'		Winterc	
9 to 12 in., 2 year	.30	.25	.20
—— colorata, 6'-12' Redle	eaved	Winterc	reeper
6 to 9 in., 1 year		.15	.12
9 to 12 in., 2 year	.25	.20	.15
	.30 .37	.25	.20
— variegatus,12"-15" Variegate			
6 to 9 in., 1 year 9 to 12 in., 2 year	.18	.15 .20	.12
		Winterc	
6 to 9 in., 2 year9 to 12 in., 2 year	.30 .45	.25 .37	.20
12 to 15 in., 3 year	.60		.40
, , ,			
EXOCHORDA grandiflora, 6'-9'	Com	mon Pea	rlbush
2 to 3 ft	.30	.25	.20
2 to 3 ft	.30 .45	.25 .37	.20
2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.30 .45 .60	.25 .37 .50	.20 .30 .40
2 to 3 ft	.30 .45	.25 .37	.20
2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.30 .45 .60	.25 .37 .50	.20 .30 .40
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	.30 .45 .60 .75	.25 .37 .50	.20 .30 .40 .50
2 to 3 ft	.30 .45 .60 .75	.25 .37 .50 .60	.20 .30 .40 .50
2 to 3 ft	.30 .45 .60 .75	.25 .37 .50 .60 merican 6.25 7.50	.20 .30 .40 .50
2 to 3 ft	.30 .45 .60 .75	.25 .37 .50 .60 merican 6.25 7.50	.20 .30 .40 .50
2 to 3 ft	.30 .45 .60 .75 A 7.50 9.00 3.00 8.00	.25 .37 .50 .60 merican 6.25 7.50 10.50 15.00	.20 .30 .40 .50 Beech 5.00
2 to 3 ft	.30 .45 .60 .75 A 7.50 9.00 3.00 8.00	.25 .37 .50 .60 merican 6.25 7.50 10.50 15.00 uropean	.20 .30 .40 .50 Beech 5.00 8.50
2 to 3 ft	.30 .45 .60 .75 A 7.50 9.00 3.00 8.00	.25 .37 .50 .60 merican 6.25 7.50 10.50 15.00 uropean	.20 .30 .40 .50 Beech 5.00 8.50
2 to 3 ft	.30 .45 .60 .75 A 7.50 9.00 3.00 8.00 E 1.10	.25 .37 .50 .60 merican 6.25 7.50 10.50 15.00 uropean .95 1.50	.20 .30 .40 .50 Beech 5.00 8.50 Beech .75 1.25
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. FAGUS americana, 75'-100' 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B. 12 to 14 ft., B. & B.	.30 .45 .60 .75 A 7.50 9.00 3.00 8.00	.25 .37 .50 .60 merican 6.25 7.50 10.50 15.00 uropean	.20 .30 .40 .50 Beech 5.00 8.50
2 to 3 ft	.30 .45 .60 .75 A 7.50 9 .00 3.00 8.00 E : 1.10 1.90 3.00 4.50 6.75	.25 .37 .50 .60 merican 6.25 7.50 10.50 15.00 uropean .95 1.50 2.50 3.75 5.50	.20 .30 .40 .50 Beech 5.00 8.50 Beech .75 1.25 2.00 3.00 4.50
2 to 3 ft	.30 .45 .60 .75 A 7.50 9.00 3.00 8.00 Ei 1.10 1.90 3.00 4.50 6.75 9.00	.25 .37 .50 .60 merican 6.25 7.50 10.50 15.00 uropean .95 1.50 2.50 3.75 5.50 7.50	.20 .30 .40 .50 Beech 5.00 8.50 Beech .75 1.25 2.00 3.00 4.50 6.00
2 to 3 ft	.30 .45 .60 .75 A 7.50 9.00 3.00 8.00 E : 1.10 1.90 3.00 4.50 6.75 9.00 3.00	.25 .37 .50 .60 merican 6.25 7.50 10.50 15.00 uropean .95 1.50 2.50 3.75 5.50 7.50 10.50	.20 .30 .40 .50 Beech 5.00 8.50 Beech 75 1.25 2.00 3.00 4.50 6.00 8.50
2 to 3 ft	.30 .45 .60 .75 A 7.50 9.00 3.00 8.00 E 1.10 1.90 3.00 4.50 6.75 9.00 3.00 8.00	.25 .37 .50 .60 merican 6.25 7.50 10.50 15.00 uropean .95 1.50 2.50 3.75 5.50 7.50 10.50 15.00	.20 .30 .40 .50 Beech 5.00 8.50 1.25 2.00 3.00 4.50 6.00 8.50 12.00
2 to 3 ft	.30 .45 .60 .75 A 7.50 9 .00 3.00 8.00 E 1.10 1.90 3.00 4.50 6.75 9.00 3.00 8 .00	.25 .37 .50 .60 merican 6.25 7.50 10.50 15.00 uropean .95 1.50 2.50 3.75 5.50 7.50 10.50 15.00	.20 .30 .40 .50 Beech 5.00 8.50 1.25 2.00 3.00 4.50 6.00 8.50 12.00
2 to 3 ft	.30 .45 .60 .75 A 7.50 9.00 3.00 8.00 E: 1.10 1.90 3.00 4.50 6.75 9.00 3.00 8.00	.25 .37 .50 .60 merican 6.25 7.50 10.50 15.00 uropean .95 1.50 2.50 3.75 5.50 7.50 10.50 15.00	.20 .30 .40 .50 Beech 5.00 8.50 1.25 2.00 3.00 4.50 6.00 8.50 12.00
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. FAGUS americana, 75'-100' 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B. 112 to 14 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 10 to 12 ft., B. & B. 11 to 14 ft., B. & B. 12 to 14 ft., B. & B. 13 to 4 ft., B. & B. 14 to 5 ft., B. & B. 15 to 6 ft., B. & B. 16 to 12 ft., B. & B. 17 to 14 ft., B. & B. 18 to 10 ft., B. & B. 19 to 12 ft., B. & B. 10 to 12 ft., B. & B. 10 to 12 ft., B. & B. 11 to 14 ft., B. & B. 11 to 14 ft., B. & B. 12 to 14 ft., B. & B. 14 to 5 ft., B. & B. 15 to 6 ft., B. & B. 16 to 5 ft., B. & B. 17 to 18 ft., B. & B. 18 to 19 ft., B. & B. 19 to 19 ft., B. & B. 10 to 12 ft., B. & B. 10 to 12 ft., B. & B. 11 to 14 ft., B. & B. 12 to 14 ft., B. & B. 14 to 5 ft., B. & B. 15 to 6 ft., B. & B.	.30 .45 .60 .75 A 7.50 9 .00 3.00 8.00 E 1.10 1.90 3.00 4.50 6.75 9.00 3.00 8 .00	.25 .37 .50 .60 merican 6.25 7.50 10.50 15.00 uropean .95 1.50 2.50 3.75 5.50 7.50 10.50 15.00	.20 .30 .40 .50 Beech 5.00 8.50 1.25 2.00 3.00 4.50 6.00 8.50 12.00
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. FAGUS americana, 75'-100' 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B. 112 to 14 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 10 to 12 ft., B. & B. 11 to 14 ft., B. & B. 12 to 14 ft., B. & B. 13 to 4 ft., B. & B. 14 to 5 ft., B. & B. 15 to 6 ft., B. & B. 16 to 8 ft., B. & B. 17 to 14 ft., B. & B. 18 to 10 ft., B. & B. 19 to 12 ft., B. & B. 10 to 12 ft., B. & B. 10 to 12 ft., B. & B. 11 to 14 ft., B. & B. 11 to 14 ft., B. & B. 12 to 14 ft., B. & B. 15 to 6 ft., B. & B. 16 to 8 ft., B. & B. 17 to 18 ft., B. & B. 18 to 5 ft., B. & B. 19 to 5 ft., B. & B. 10 to 5 ft., B. & B. 10 to 5 ft., B. & B. 11 to 5 ft., B. & B. 12 to 6 ft., B. & B. 14 to 5 ft., B. & B. 15 to 6 ft., B. & B.	.30 .45 .60 .75 .75 .75 .75 .75 .75 .75 .75 .75 .75	.25 .37 .50 .60 merican 6.25 7.50 10.50 15.00 uropean .95 1.50 2.50 3.75 5.50 7.50 10.50 15.00	.20 .30 .40 .50 Beech 5.00 8.50 1.25 2.00 3.00 4.50 6.00 8.50 12.00

TAGEGtimud		Price in Qua	
FAGUS—continued	1-4	_	
— — pendula, 25'-40'		Weeping	Beech
8 to 10 ft B. & B	10.00	8.00	
10 to 12 ft B. & B	14.50	10.00	
12 to 14 ft., B. & B	17.50	15.00	
			n 1
— riversi, 40'-60'	Rivers E	duropean	Beecn
2 to 3 ft., B. & B	3.50		
3 to 4 ft., B. & B	4.50		
4 to 5 ft., B. & B	5.50		
5 to 6 ft., B. & B	7.00		
		1 17	
FORSYTHIA intermedia, 6'-8'		order For	
18 to 24 in	18	.15	.12
2 to 3 ft	24	.20	.16
3 to 4 ft	30	.25	.20
4 to 5 ft	37	.30	.25
spectabilis, 6'-8'	Showy F	order Fo	rsvthia
Special y		.17	14
18 to 24 in		.22	.18
2 to 3 ft		.27	.22
4 to 5 ft		.37	.30
4 to 5 it			
— ovata, 6'-8'	K	orean Fo	rsythia
18 to 24 in	30	.25	.20
2 to 3 ft			.25
3 to 4 ft		.45	.35
— suspensa, 4'-6'	We	eping Fo	
18 to 24 in	20		.14
2 to 3 ft	27		.18
3 to 4 ft	37	.30	.25
01	F	rtune Fo	rsythia
— — fortunei, 7'-8'			.12
18 to 24 in	18		.12
2 to 3 ft	24		.10
3 to 4 ft	30		.25
4 to 5 ft	37		.30
5 to 6 ft	45	.3/	.50



Forsythia spectabilis and suspensa with Hydrangea Peegee in background.

	Unit	Price in Qua	ntities
FORSYTHIA—continued	1-4		25-249
— viridissima, 7'-8'		stem For	
18 to 24 in		.15	.12
2 to 3 ft		.20	.16
3 to 4 ft	.30	.25	.20
FRAXINUS americana, 70'-80'		Whi	te Ash
6 to 8 ft	1.00	.75	.60
8 to 10 ft.	1.35	1.10	.90
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	1.90	1.50	1.25
10 to 12 ft., 1½ to 1¾ in	2.25	1.90	1.50
12 to 14 ft., 13/4 to 2 in	3.00	2.50	2.00
13 to 15 ft., 2 to 2½ in	3.75	3.00	2.50
— lanceolata, (viridis) 50'60'	1 00		n Ash
6 to 8 ft		.75	.60
8 to 10 ft 8 to 10 ft., 1½ to 1½ in	1.35	1.10 1.50	.90
		1.90	1.50
10 to 12 ft., 1½ to 1¾ in		2.25	1.50
12 to 14 ft., 13/4 to 2 in	3.30	2.75	
13 to 13 ft., 2 to 272 fil	3.30	2.73	
GENISTA, tinctoria, 3'		Wood	waxen
12 to 18 in	.22		.15
18 to 24 in		.25	.20
2 to 3 ft		.30	.25
GINKGO biloba (Salisburia), 50'		// aidenhai	
6 to 8 ft		1.90	1.50
8 to 10 ft		2.50	2.00
8 to 10 ft., 1½ to 1½ in	3.75 4.75	3.00	2.50
10 to 12 ft., 1½ to 1¾ in		4.00 5.25	3.25 4.25
12 to 14 ft., 2 to 2½ in	0.43	7.00	5.50
12 to 14 ft., 2½ to 2½ in	10.50	8.00	7.00
14 to 16 ft., 2½ to 3 in	13.50	10.50	9.00
14 to 16 ft., 3 to 3½ in		15.00	
GLEDITSIA triacanthos, 60'-70'	Commo	on Honev	locust
4 to 6 ft	.90	.75	
6 to 8 ft		1.10	.60
8 to 10 ft	1.90	1.50	1.25
10 to 12 ft., 1½ to 1¾ in	2.60	2.20	1.75
10 to 12 ft., 13/4 to 2 in	3.40	2.80	2.25
12 to 14 ft., 2 to 2½ in	4.20	3.50	
—— inermis, 60'-70'	Chornle	ess Honey	locust
4 to 6 ft	1.25	1.10	1.00
6 to 8 ft		1.90	1.50
8 to 10 ft		2.00	
10 to 12 ft		3.00	
12 to 14 ft	6.00	5.00	
GYMNOCLADUS dioica, 40'-50'	Kent	ucky Coff	
4 to 5 ft.	1.10	.95	.75
5 to 6 ft.	1.90	1.50	1.25
6 to 7 ft	2.40	2.00	1.60
7 to 8 ft		2.50	2.00
8 to 10 ft		3.75	3.00
10 to 12 ft	5.60	4.75	

Unit Price in Quantities 1-4 5-24 25-249

---€(H }---

——————————————————————————————————————			
HALESIA tetraptera, 12'-15'	Grea	at Silve	erbell
3 to 4 ft	.52	.45	.35
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.10	.95	.75
6 to 8 ft		1.00	-
8 to 10 ft	1.50	1.25	
HAMAMELIS virginiana, 10'-12'			
C	ommon	Witch-	hazel
18 to 24 in	.37	.30	.25
2 to 3 ft	.45	.37	.30
3 to 4 ft	.60	.50	.40
HEDERA colchica dentata, 20'-50'	Giant	Englis	h Ivv
12 to 15 in., 4 in. pots			.25
	.07		
— helix, 20'-50'	15	Englis	
12 to 15 in., 2½ in. pots			.10
— — baltica, 15'-25'	Hardy		
12 to 18 in., 4 in. pots	.30	.25	.20
— — pedata			
12 to 18 in., 3 in. pots	.30	.25	.20
HIBISCUS syriacus (Althea), 10'	-12' S	hrub-a	llthea
anemonaeflorus, double pink.			
ardens, double rose violet			
Boule de Feu, double bright re		,	
Elegantissimus, double, bluish-v			
Comte de Haimont, double pink	t, white	mottle	a.
Jeanne d'Arc, double white.			
Lucy, double lavender violet.			
Puniceus Plenus, semi-double r			
purpureus plenus, double purpl	le.		
rubis, single red.			
Totus Albus, single white.			
2 to 3 ft	.24	.20	.16
3 to 4 ft	.30 .45	.25 .37	.20
5 to 6 ft	.60	.50	
— coelestis, blue.			
2 to 3 ft	.45	.37	.30
3 to 4 ft	.60	.50	.40
- Variegata, 6'-8' Variegated le			
2 to 3 ft		.22	.18
3 to 4 ft.	.27	.30	.25
4 to 5 ft	.52	.45	
HYDRANGEA arborescens, 6'	Smooth	Hydra	angea
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.37 .52	.30	.25
7 10 5 11	+ V (m)	. 70	.00

50			
HYDRANGEA—continued		rice in Qua 5-24	
— grandiflora alba (sterilis), 4'			
12 . 19 :		hill Hydi	
12 to 18 in		.12	.10
2 to 3 ft		.22	.18
3 to 4 ft.		.30	.16
— paniculata (type), 8'-9'		cle Hydi	_
18 to 24 in		.15	
2 to 3 ft		.20	.15
3 to 4 ft	37	.30	.25
— — grandiflora, 8'-9'		gee Hydi	
12 to 18 in.		.12	.10
18 to 24 in		.20	.15
2 to 3 ft		.25	.20
3 to 4 ft	37	.30	.25
— — standards		ree Hydr	angea
2 to 3 ft., medium		.50	.40
3 to 4 ft	85	.70	
— quercifolia, 3'-4'	Oakle	eaf Hydr	angea
18 to 24 in	45	.37	.30
2 to 3 ft		.50	.40
3 to 4 ft	75	.60	
HYPERICUM aureum, 3'-4'	Golden	St. John	swort
18 to 24 in	27	.22	.18
2 to 3 ft		.27	.22
3 to 4 ft		.30	.25
— densiflorum, 4'-5'			
18 to 24 in.	.27	.22	.18
2 to 3 ft		.27	.22
— kalmianum, 3'-5'	Ka	lm Hype	ricum
18 to 24 in		.22	.18
2 to 3 ft		.27	.16
3 to 4 ft		.37	.30
4 to 5 ft.		.50	.40
	.00		
— moserianum, 2'	27		flower
12 to 15 in., 4 in. pots 15 to 18 in., 5 in. pots		.30	.25
13 to 10 m., 3 m. pots	.43	.07	.50
ILEX crenata, 8'-10'	J	apanese	Holly
12 to 15 in., B. & B	.90	.75	.60
15 to 18 in., B. & B.	1.20	1.00	.80
18 to 24 in., B. & B.	1.50	1.25	1.00
2 to 2½ ft., B. & B	2.25	1.90	1.50
2½ to 3 ft., B. & B.	2.60	2.20	
3 to 4 ft., B. & B	3.40	2.80	
——————————————————————————————————————	Convex	leaved	Holly
15 to 18 in., B. & B	1.75	1.50	-
18 to 24 in., B. & B.	2.60	2.20	
2 to 2½ ft., B. & B	4.20	3.50	

ILEX—continued	Unit 1-4	Price in Qua 5-24	ntities 25-249
— microphylla, 6'-8'	Littleleaf	Japanese	Holly
12 to 15 in., B. & B		.95	.75
15 to 18 in., B. & B		1.25	1.00
18 to 24 in., B. & B.		1.90	1.50
2 to 2½ ft., B. & B		2.50	2.00
2½ to 3 ft., B. & B		3.00	2.00
3 to 3½ ft., B. & B	4.50	3.75	
— glabra, 5'-6'		Inl	berry
12 to 15 in., B. & B	1.50	1.25	1.00
15 to 18 in., B. & B	2.25	1.90	1.50
18 to 24 in., B. & B		2.00	
— opaca, 45'-50'		American	Holly
18 to 24 in., B. & B	1.10	.95	.75
2 to 3 ft B. & B		1.90	1.50
3 to 4 ft B. & B		2.80	2.25
4 to 5 ft., B. & B		3.75	3.00
5 to 6 ft., B. & B	5.50	4.50	
6 to 7 ft., B. & B	7.50	6.00	
- serrata (sieboldi) 8'-10'		ine Tooth	Holly
3 to 4 ft		.70	.55
4 to 5 ft		.95	.75
— verticillata (prinos), 6'-8'	0.17	Winter	
2 to 3 ft		.30	.25
3 to 4 ft		.45	.35
4 to 5 ft		.55	.45
5 to 6 ft		.70	.55
6 to 7 ft	1.00	.80	.65
ITEA virginica, 3'-4'		Swee	tspire
18 to 24 in	30	.25	.20
2 to 3 ft		.37	.30
3 to 4 ft		.50	.40
 €{ J } }- -) © + time		
JASMINUM nudiflorum, 3'		Winter Ja	smine
12 to 18 in.	22	.20	.15
18 to 24 in	37	.30	.25
2 to 3 ft	52	.45	.35
— stephanensis			
18 to 24 in	37	.30	.25
2 to 3 ft		.37	.30
JUGLANS nigra, 80'-100'		Black W	alnut
4 to 5 ft		.50	
5 to 6 ft	90	.75	
6 to 8 ft	1.20	1.00	
JUNIPERUS chinensis, 15'-20'		Chinese Ju	
2 to 2½ ft B. & B	1.10	.95	.75
2½ to 3 ft., B. & B.		1.25	1.00
3 to 4 ft., B. & B	2.25	1.90	1.50
4 to 5 ft., B. & B	3.00	2.50	2.00
5 to 6 ft., B. & B	3.75	3.00	2.50

32 PRINCEION NORS	ZKILS		
JUNIPERUS—continued	1-4	rice in Quai 5-24	
- albovariegata (Argentea),	3' to 7'	,	
White	leaf Cl	hinese Ju	niper
2 to 2½ ft, B. & B.	1.50	1.25	1.00
	2.25	1.90	1.50
3 to 4 ft., B. & B	3.00	2.50	2.00
— — columnaris (pyramidalis),	15'-20'		
Blue Colum	nar Cl	hinese Ju	niper
4 to 5 ft., B. & B	3.00	2.50	2.00
5 to 6 ft., B. & B	3.75	3.00	2.50
6 to 7 ft., B. & B.	5.60	4.75	3.75
7 to 8 ft., B. & B	7.50	6.00	5.00
8 to 10 ft., B. & B	9.00	7.50	6.00
11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
— chinensis columnaris viridis, 13			
Green Colu			
3 to 4 ft., B. & B.	2.60	2.20	1.75
	3.40	2.80	2.25
5 to 6 ft., B. & B.	4.50	3.75	3.00
6 to 7 ft., B. & B.	0.00	5.00	4.00
— — japonica, 6'-8'	Jar	panese Ju	niper
15 to 18 in., B. & B.	1.10	.95	.75
18 to 24 in., B. & B	1.50		1.00
2 to 2½ ft., B. & B.	1.90	1.50	
2½ to 3 ft., B. & B	2.60	2.20	
— — keteleeri, 15'-18'	Kete	eleer Red	lcedar
2 to 3 ft., B. & B	1.90	1.50	1.25
3 to 4 ft., B. & B.	2.60	2.20	1.75
4 to 5 ft., B. & B.	3.40	2.80	2.25
5 to 6 ft., B. & B	4.50	3.75	3.00
6 to 7 ft., B. & B.	6.00	5.60	4.00
— — pfitzeriana, 5'-6'		Pfitzer Jı	niner
12 to 15 in., B. & B	.90	.75	.60
15 to 18 in., B. & B.	1.50	1.25	1.00
18 to 24 in., B. & B.	2.25	1.90	1.50
2 to 2½ ft., B. & B	3.00	2.50	2.00
2½ to 3 ft., B. & B	3.75	3.00	2.50
3 to 4 ft., B. & B	5.25	4.40	3.50
4 to 5 ft., B. & B	7.50	6.00	
5 to 6 ft., B. & B	10.50	9.00	
— sargenti (green), 11/2'	Sa	argent Ju	iniper
9 to 12 in., B. & B.	.75	.60	.50
12 to 15 in., B. & B	1.25	1.00	.85
15 to 18 in., B. & B	1.90	1.50	1.25
18 to 24 in., B. & B.	2.40	2.00	
— — sylvestris (oblonga) 8'-10'			
15 to 18 in., B. & B	.75	.60	.50
18 to 24 in., B. & B.	1.10	.95	.75
2 to 3 ft., B. & B.	1.90	1.50	1.25
3 to 4 ft., B. & B	2.40	2.00	
— communis, 15'-25'			iniper
15 to 18 in., B. & B.	.85	.70	.55
18 to 24 in., B. & B	1.10	.95	.75
2 to 3 ft., B. & B	1.90	1.50	1.25

JUNIPERUS—continued	Unit 1-4	Price in Q 5-24	uantities 25-249
— communis aurea, 6'-10'		Golden	Juniper
15 to 18 in., B. & B	1.10	.95	.75
18 to 24 in., B. & B.		1.25	1.00
2 to 2½ ft., B. & B		1.90	1.00
2 to 2/2 to, B. & B	2,20	1.70	
— — canadensis, 5'-6'	(Canada	Juniper
15 to 18 in., B. & B	.85	.70	.55
18 to 24 in., B. & B	1.10	.95	.75
2 to 2½ ft., B. & B	1.90	1.50	1.25
— — hibernica, 20'-30'		Twich	Tuninan
	.75	.60	Juniper .50
15 to 18 in, B. & B	1.10	.95	.75
2 to 2½ ft., B. & B.	1.50	1.25	1.00
2½ to 3 ft., B. & B.	1.90	1.50	1.25
3 to 4 ft, B. & B	2.60	2.20	1.75
4 to 5 ft., B. & B.	3.40	2.80	2.25
5 to 6 ft., B. & B.	4.50	3.75	3.00
6 to 7 ft, B. & B.	5.60	4.75	3.75
5 to 1 1, 2, a 2	0,00	0	00
—— suecica, 20'-30'	S	wedish	Juniper
18 to 24 in., B. & B.	1.10	.95	.75
3 to 4 ft., B. & B		2.20	1.75
4 to 5 ft, B. & B	3.40	2.80	2.25
— excelsa stricta, 10'12'	Spiny	Greek	Juniper
		.60	.50
12 to 15 in., B. & B.	1 10	.95	.75
— horizontalis (sabina prostrata		g Savin	T
	ссрии		
	70		
12 to 15 in., B. & B.	.75	.60	.50
15 to 18 in., B. &B.	1.10	.60 .95	.50 .75
15 to 18 in., B. &B.	1.10	.60 .95 1.25	.50
15 to 18 in., B. &B	1.10	.60 .95	.50 .75
15 to 18 in., B. &B.	1.10 1.50 1.90	.60 .95 1.25 1.50	.50 .75 1.00
15 to 18 in., B. &B	1.10 1.50 1.90	.60 .95 1.25 1.50 reading	.50 .75 1.00
15 to 18 in., B. &B	1.10 1.50 1.90 .ed Spr .70 .90	.60 .95 1.25 1.50	.50 .75 1.00 ——————————————————————————————————
15 to 18 in., B. &B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. — depressa plumosa Plum 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B.	1.10 1.50 1.90 ed Spr .70 .90 1.20	.60 .95 1.25 1.50 reading .55 .75	.50 .75 1.00 ——————————————————————————————————
15 to 18 in., B. &B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. — depressa plumosa Plum 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	1.10 1.50 1.90 ed Spr .70 .90 1.20 1.50	.60 .95 1.25 1.50 reading .55 .75 1.00 1.25	.50 .75 1.00 ——————————————————————————————————
15 to 18 in., B. &B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. — depressa plumosa Plum 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B.	1.10 1.50 1.90 ed Spr .70 .90 1.20 1.50	.60 .95 1.25 1.50 reading .55 .75	.50 .75 1.00 ——————————————————————————————————
15 to 18 in., B. &B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. — depressa plumosa 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	1.10 1.50 1.90 ed Spa .70 .90 1.20 1.50 2.25	.60 .95 1.25 1.50 reading .55 .75 1.00 1.25 1.90	.50 .75 1.00 Juniper .45 .60 .80 1.00 1.50
15 to 18 in., B. &B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. — depressa plumosa 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. — douglasi, 1'-1½'	1.10 1.50 1.90 ed Spr .70 .90 1.20 1.50 2.25	.60 .95 1.25 1.50 reading .55 .75 1.00 1.25 1.90	Juniper .45 .60 .80 1.00 1.50 Juniper
15 to 18 in., B. &B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. — depressa plumosa 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. — douglasi, 1'-1½' 12 to 15 in., B. & B.	1.10 1.50 1.90 ed Spr .70 .90 1.20 1.50 2.25	.60 .95 1.25 1.50 reading .55 .75 1.00 1.25 1.90 ukegan .60	.50 .75 1.00 Juniper .45 .60 .80 1.00 1.50 Juniper .50
15 to 18 in., B. &B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. — depressa plumosa 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. — douglasi, 1'-1½' 12 to 15 in., B. & B. 15 to 18 in., B. & B.	1.10 1.50 1.90 ed Spi .70 .90 1.20 1.50 2.25 Wa	.60 .95 1.25 1.50 reading .55 .75 1.00 1.25 1.90 ukegan .60 .95	.50 .75 1.00 Juniper .45 .60 .80 1.00 1.50 Juniper .50 .75
15 to 18 in., B. &B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. — depressa plumosa 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. — douglasi, 1'-1½' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B.	1.10 1.50 1.90 ed Spi .70 .90 1.20 1.50 2.25 Wa .75 1.10 1.50	.60 .95 1.25 1.50 reading .55 .75 1.00 1.25 1.90 ukegan .60 .95	.50 .75 1.00 Juniper .45 .60 .80 1.00 1.50 Juniper .50
15 to 18 in., B. &B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. — depressa plumosa 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. — douglasi, 1'-1½' 12 to 15 in., B. & B. 15 to 18 in., B. & B.	1.10 1.50 1.90 ed Spi .70 .90 1.20 1.50 2.25 Wa	.60 .95 1.25 1.50 reading .55 .75 1.00 1.25 1.90 ukegan .60 .95	.50 .75 1.00 Juniper .45 .60 .80 1.00 1.50 Juniper .50 .75
15 to 18 in., B. &B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. — depressa plumosa 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. — douglasi, 1'-1½' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B.	1.10 1.50 1.90 ed Spr. .70 .90 1.20 2.25 Way .75 1.10 1.50 1.90	.60 .95 1.25 1.50 reading .55 .75 1.00 1.25 1.90 ukegan .60 .95	.50 .75 1.00 Juniper .45 .60 .80 1.00 1.50 Juniper .50 .75 1.00
15 to 18 in., B. &B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. — depressa plumosa 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. — douglasi, 1'-1½' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. — hudsonica, 1'-1½'	1.10 1.50 1.90 ed Spr. .70 .90 1.20 2.25 Way .75 1.10 1.50 1.90	.60 .95 1.25 1.50 reading .55 .75 1.00 1.25 1.90 ukegan .60 .95 1.25 1.50	.50 .75 1.00 Juniper .45 .60 .80 1.00 1.50 Juniper .50 .75 1.00
15 to 18 in., B. &B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. — depressa plumosa 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. — douglasi, 1'-1½' 12 to 15 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. — hudsonica, 1'-1½' 15 to 18 in., B. & B.	1.10 1.50 1.90 ed Spr. .70 .90 1.20 1.50 2.25 Wa . .75 1.10 1.50 1.90	.60 .95 1.25 1.50 reading .55 .75 1.00 1.25 1.90 ukegan .60 .95 1.25 1.50	.50 .75 1.00 Juniper .45 .60 .80 1.00 1.50 Juniper .50 .75 1.00 —
15 to 18 in., B. &B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. — depressa plumosa 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. — douglasi, 1'-1½' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. — hudsonica, 1'-1½'	1.10 1.50 1.90 ed Spr. .70 .90 1.20 2.25 Wa .75 1.10 1.50 1.90	.60 .95 1.25 1.50 reading .55 .75 1.00 1.25 1.90 ukegan .60 .95 1.25 1.50 Hudson .75	.50 .75 1.00 Juniper .45 .60 .80 1.00 1.50 Juniper .50 .75 1.00 —
15 to 18 in., B. &B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. — depressa plumosa Plum 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2 to 15 in., B. & B. 2 to 15 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B.	1.10 1.50 1.90 ed Spr .70 1.20 1.50 2.25 Way .75 1.10 1.50 1.90	.60 .95 1.25 1.50 reading .55 .75 1.00 1.25 1.90 ukegan .60 .95 1.25 1.50 Hudson .75 .95	Juniper .50 75 1.00 Juniper .45 .60 80 1.00 1.50 Juniper .50 .75 1.00 Juniper .60 .75 1.00
15 to 18 in., B. &B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. — depressa plumosa Plum 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2 to 5½ ft., B. & B. 2½ to 3 ft., B. & B. — douglasi, 1'-1½' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. — hudsonica, 1'-1½' 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. — hudsonica, 1'-1½' 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. — hudsonica, 1'-1½' 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. — hudsonica, 1'-1½' 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. — hudsonica, 1'-1½' 15 to 18 in., B. & B. 2 to 2½ ft., B. & B.	1.10 1.50 1.90 ed Spr .70 .90 1.20 2.25 War .75 1.10 1.50 1.90	.60 .95 1.25 1.50 reading .55 .75 1.00 1.25 1.90 ukegan .60 .95 1.25 1.50 Hudson .75 .95 1.25	Juniper .50 .75 1.00 Juniper .45 .60 .80 1.00 1.50 Juniper .50 .75 1.00 Juniper .60 .75 1.00 Juniper
15 to 18 in., B. &B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. — depressa plumosa Plum 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. — douglasi, 1'-1½' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. — hudsonica, 1'-1½' 15 to 18 in., B. & B. 18 to 24 in., B. & B. — hudsonica, 1'-1½' 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. — japonica, 6'-8' 12 to 15 in., B. & B.	1.10 1.50 1.90 ed Spr70 1.20 1.50 2.25 War .75 1.10 1.50 1.90 India of the control of the	.60 .95 1.25 1.50 reading .55 .75 1.00 1.25 1.90 ukegan .60 .95 1.25 1.50 Hudson .75 .95 1.25	Juniper .45 .60 .80 1.00 1.50 Juniper .50 .75 1.00 Juniper .60 .75 1.00 Juniper .55
15 to 18 in., B. &B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. — depressa plumosa Plum 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2 to 5½ ft., B. & B. 2½ to 3 ft., B. & B. — douglasi, 1'-1½' 12 to 15 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. — hudsonica, 1'-1½' 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. — hudsonica, 1'-1½' 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. — hudsonica, 1'-1½' 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. — hudsonica, 1'-1½' 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. — hudsonica, 1'-1½' 15 to 18 in., B. & B. 2 to 2½ ft., B. & B.	1.10 1.50 1.90 ed Spr .70 .90 1.20 2.25 War .75 1.10 1.50 1.90	.60 .95 1.25 1.50 reading .55 .75 1.00 1.25 1.90 ukegan .60 .95 1.25 1.50 Hudson .75 .95 1.25	Juniper .50 .75 1.00 Juniper .45 .60 .80 1.00 1.50 Juniper .50 .75 1.00 Juniper .60 .75 1.00 Juniper

34			
JUNIPERS—continued	Unit 1-4	Price in Q 5-24	uantities 25-249
— sabina, 6'-7'		Savin	Juniper
12 to 15 in., B. & B	75	.60	.50
15 to 18 in., B. & B		.95	.75
18 to 24 in., B. & B.	. 1.90	1.50	1.25
2 to 2½ ft., B. & B.	. 2.25	1.90	1.50
2½ to 3 ft., B. & B.	3.00	2.50	2.00
3 to 3½ ft., B. & B	3.75	3.00	2.50
— — tamariscifolia	7	Γamarix	Juniper
9 to 12 in., B. & B	.75	.60	.50
12 to 15 in., B. & B	1.10	.95	.75
squamata meyeri, 3'-4'		Meyer	Juniper
12 to 15 in., B. & B	90	.75	.60
15 to 18 in., B. & B.	1.50	1.25	1.00
18 to 24 in., B. & B.		1.90	1.50
2 to 2½ ft., B. & B		2.50	2.00
2½ to 3 ft., B. & B.	3.75	3.00	2.50
— virginiana, 35'-50'		R	edcedar
5 to 6 ft., B. & B		2.10	
6 to 7 ft., B. & B		3.00	
7 to 8 ft., B. & B	5.25	4.50	
8 to 10 ft., B. & B	8.00	6.50 9.00	
10 to 12 ft., B. & B	.10.00	9.00	
— — burki, 10'-12'		Burks .	Juniper
2½ to 3 ft., B. & B.	1.20	1.00	
3 to 4 ft., B. & B		1.50	
4 to 5 ft., B. & B		2.00	
5 to 6 tt., B. & B	3.00	2.50 3.00	
7 to 8 ft., B. & B		4.00	
·			
— — cannarti, 12'-15'		nnart Ro	
3 to 4 ft., B. & B.	3.00	2.50	2.00
4 to 5 ft., B. & B.	4.50	3.75	3.00
5 to 6 ft., B. & B 6 to 7 ft., B. & B	6.7 5 8.00	5.50 6.50	4.50
0 to / It., B. & B	0.00	0.50	
—— elegantissima, 12'-15'		oldtip Re	
18 to 24 in., B. & B	1.10	.95	.75
2 to 2½ ft., B. & B	1.50 2.25	1.25 1.90	1.00 1.50
3 to 4 ft., B. & B	3.00	2.50	2.00
4 to 5 ft., B. & B.	4.50	3.75	3.00
glauca, 15'-20'	S	Silver Re	adcedar
	1.90	1.50	1.25
3 to 4 ft, B. & B	2.60	2.20	1.25
5 to 6 ft., B. & B.	3.40	2.80	2.25
6 to 7 ft, B. & B.	4.10	3.50	2.75
Specimens up to 17 ft	1.50		
	_		
— pyramidalis, 35'-50'		nidal Re	
18 to 24 in., B. & B.	1.20	1.00	.80
2 to 2½ ft., B. & B	1.80	1.50	1.20
2½ to 3 ft., B. & B	2.40	2.00 2.50	1.60
3 to 4 ft., B. & B	3.00	2.50	2.00

JUNIPERUS—continued	Unit Pr	ice in Qua	antities
	1-4	5-24	25-249
— — schotti, 12'-15'	Sc	hott Re	dcedar
3 to 4 ft., B. & B.	3.00	2.50	2.00
4 to 5 ft., B. & B.	4.50	3.75	3.00
5 to 6 ft, B. & B.	6.75	5.50	4.50

---€{ K }---

KALMIA latifolia, 8'-10'	7	Mountain-	laurel
Heavy Collected S	tock		
15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B.	1.10 1.50 2.25 3.40 4.50	.95 1.25 1.90 2.80 3.75	.75 1.00 1.50 2.25 3.00
KERRIA japonica, 4'-5'		1	Kerria
12 to 18 in	.30 .37	.25 .30	.20 .25
— — Fl. Pl. 4'-5'		Double I	Kerria
12 to 18 in. 18 to 24 in.	.37 .45	.30 .37	.25 .30
KOELREUTERIA paniculata, 25	'-3 0'	Varnis	shtree
2 to 3 ft	.52 .75 1.10 1.50	.45 .60 .95 1,25	.35 .50 .75 1.00
KOLKWITZIA amabilis, 6'-8'		Beaut	ybush
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	.37 .50 .75 .85 1.00	.30 .40 .60 .70 .80	.25 .35 .45 .55 .65

---€{ L }---

LABURNUM vulgare, 25'-30'		Golder	nchain
3 to 4 ft. 4 to 5 ft. 8 to 10 ft.	.90 1.25 3.00	.75 1.00 2.50	
LARIX europaea (decidua), 50'-	60' E	European	Larch
3 to 4 ft., B. & B	4.00	1.90 3.50 4.40 6.25 8.25	1.50 2.50 3.50 5.00

JO TRINGBION MORE			
LARIX—continued	Unit 1-4	Price in Qua 5-24	antities 25-249
— leptolepis (kaempferi), 50'-60'		Japanese	Larch
3 to 4 ft., B. & B	3.75	2.20 3.00 4.40	1.75 2.50 3.50
LESPEDEZA bicolor, 8'-10'	SI	nrub Busl	nclover
2 year	.30		.20
3 year	.37	.30	.25
— formosa (Desmodium pendulifi			
8'-10'		rple Busl	
1 year	.22	.20	.15
3 year	.37	.30	.25
LEUCOTHOE catesbaei, 3'-4'	Dro	oping Leu	cothoe
12 to 15 in., B. & B.	1.10		.75
15 to 18 in., B. & B. 18 to 24 in., B. & B.	1.50 1.90	1.50	1.00 1.25
2 to 3 ft., B. & B	2.60	2.20	
LIGUSTRUM acuminata, 10'12'		Bigberry	Privet
12 to 18 in	.22		.15
18 to 24 in	.30		.20
3 to 4 ft	.45		.30
— amurense, 14'-15'		Amur	Privet
18 to 24 in	.06		.04
2 to 3 ft	.09		.06
— ibolium, 8'-10'		Ibolium	Privet
12 to 18 in	.05	.04	.03
18 to 24 in	.06	.05	.04
3 to 4 ft	.13	.11	.09
— ibota, 9'-10'		Ibota	Privet
12 to 18 in	.06	.05	.04
18 to 24 in. 2 to 3 ft.	.11	.09 .12	.07
3 to 4 ft. 4 to 5 ft.	.22	.20	.15
	.07	.50	.43

PRINCEION NURS	ERIES		37
LIGUSTRUM—continuea	Unit P 1-4	rice in Quan 5-24 2	
regelianum (cuttings), 5'-	3′	Regal F	rivet
12 to 18 in 18 to 24 in 2 to 2½ ft 2½ to 3 ft	.18 .27 .37 .52	.15 .22 .30 .45	.12 .18 .25 .35
— — vicary, 8'-10'	Golde	n Ibota F	rivet
12 to 18 in 18 to 24 in 2 to 3 ft.	.15 .25 .30	.12 .20 .25	.10 .15 .20
- lucidum (macrophyllum), 20'	-25′	Glossy F	Privet
15 to 18 in., pots	.52 .75 1.10	.45 .60 .95	.35 .50 .75
— ovalifolium, 12'-15'	Ca	alifornia I	rivet
Heavy 2 and 3 yr. cut back stoo	ek.		
12 to 18 in	.05 .06 .09 .13 .25	.04 .05 .07 .11 .20	.03 .04 .06 .09 .15
— — aureum, 8'-9'		Golden I	Privet
12 to 18 in	.20 .27 .37	.17 .22 .30	.14 .18 .25
— vulgare, 10'-12'	E	uropean I	Privet
2 to 3 ft	.22 .30 .37	.20 .25 .30	.15 .20 .25



Ligustrum ovalifolium (California Privet) is uniformly heavy, having been cut back after the first year.

		ice in Qua 5-24	
*LIQUIDAMBAR styraciflua, 50'-	60′	Swe	etgum
4 to 6 ft	1.50 2.60 3.40 4.30 5.60 6.00	1.25 2.20 2.80 3.75 4.75 5.00	1.00 1.75 2.25 3.00 3.75
LIRIODENDRON tulipifera, 60'	-80'	Tu	liptree
4 to 6 ft. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2½ in. 12 to 14 ft., 2 to 3 in. 14 to 16 ft., 3 to 3½ in.	1.10 1.50 1.90 2.25 2.60 3.40 4.10 5.25 6.75	.95 1.25 1.50 1.90 2.20 2.80 3.50 4.50 5.50	.75 1.00 1.25 1.50 1.75 2.25 2.75 3.50



Liquidambar styraciflua—Note exceptionally fine fibrous root system and well formed head.

	Unit Pric	e in Quant 5-24 2	
LONICERA bella albida, 8'-9'			
White	te Belle	Honeys	uckle
2 to 3 ft	.20	.17	.14
3 to 4 ft	.27	.22	.18
4 to 5 ft	.37	.30 .45	.35
5 to 6 ft	.52	.45	.55
- fragrantissima, 6'-8'	Winter	Honeys	uckle
18 to 24 in	.18	.15	.12
2 to 3 ft	.24	.20	.16
3 to 4 ft	.33	.27	.22
4 to 5 ft	.45	.37	.30
5 to 6 ft	.70	.55	.45
— maacki, 8'-9'	Amur	Honeys	uckle
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45	.37	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft		.60	.50
— — podocarpa, 8'-9'	Late	Honeys	
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45	.37	.30
4 to 5 ft	60	.50 .60	.40 .50
5 to 6 ft	75		
— morrowi, 7'-8'	Morrow		
18 to 24 in	18	.15 .20	.12
2 to 3 ft	25	.20	.10
3 to 4 ft			
— — xanthocarpa, 7'-8'	Yellow 1		
18 to 24 in	18	.15	.12
2 to 3 ft	25	.20	.16
- ruprechtiana, 8'-9' Mar	nchurian		suckle
2 to 3 ft	20	.17	.14
3 to 4 ft	21	.22	.18
4 to 5 ft	37	.30	.25
5 to 6 ft	52	.45	.35
— tatarica alba, 9'-10'		. TT	~~~ ol=10
	Tataria	n Honey .12	.10
18 to 24 in	15	.12	.10
2 to 3 ft		.22	.18
3 to 4 ft		.30	.25
4 to 5 ft		.37	
— — pulcherrima, 9'-10' Bright Red	a Tataria	n Honey	suckle
18 to 24 in		.20	.15
2 to 3 ft		.25	.20
3 to 4 ft		.30	.25
4 to 5 ft		.45	.35
	x Tataria	n Honey	suckle
		.12	.10
18 to 24 in	25	.20	.15
2 to 3 ft		.25	.20
4 to 5 ft		.37	.30
	ropean F	ly Hone	ysuckle
- Ajiobeculing o		.22	.18
2 to 3 ft		.27	.22
4 to 5 ft		.37	.30
7 10 3 11			

LONICERA—continued		Price in Qua 5-24	
HONEYSUCKLE—VINES			
		ng Honey	suckle
18 to 24 in	.15	.12	.10
2 to 3 ft			
		e Honey	
1 year	.09	.07 .12	.06
3 year	.22	.20	.15
— — aurea reticulata Ye	ellown	et Honey	suckle
1 year	.09	.07	.06
2 year		.15 .20	.10
		p. Honey .12	
2 year	.15	.12	.10
—— halliana, 15'-25' Hall Ja	ananes	e Honey	
1 year			.06
2 year	.18	.15	.10
3 year		.20	.14
- sempervirens punicea Oran			
2 year	.30 . 37	.25	.20 .25
4 year	.45	.37	.30
LYCIUM chinense, 10'-12' Chin	nese M	Iatrimon	v-vine
18 to 24 in		.15	.12
2 to 3 ft	.27	.22	.18
3 to 4 ft	.37	.30	.25
€{ M }3			
MACLURA pomifera		Osage C	range
3 to 4 ft	.37	.30	.25
4 to 5 ft	.52 .70	.45 .55	.35
6 to 8 ft.	.85	.33 .70	.55
MAGNOLIA conspicua, 40'-50'	Y	ulan Ma	enolia
3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	4.50	3.75	
— glauca, 15'-20'		Swe	etbay
18 to 24 in., B. & B.	.90	.75 1.25	.60
2 to 3 ft., B. & B	1.50 2.60	1.25 2.20	1.00
4 to 5 ft., B. & B	3.90	3.25	1./3
5 to 6 ft., B. & B	5.00	4.25	
6 to 8 ft., B. & B	6.75	5.50	
— kobus, 20'-30'		obus Mag	
2 to 3 ft., B. & B	1.90 2.60	1.50 2.20	1.25 1.75
4 to 5 ft., B. & B	4.10	3.50	2.75
5 to 6 ft., B. & B	5.00 7.50	4.00 6.00	
	10.50	9.00	



Magnolla soulengeana and varieties. See also our heavy specimens in a complete selection

MAGNOLIA—continued

Unit Price in Quantities 1-4 5-24 25-24

25-249

— soulangeana, 15'-18'	Sa	ucer Ma	gnolia
12 to 18 in., B. & B		.75	.60
18 to 24 in., B, & B,		1.10	.90
2 to 3 ft., B. & B.		1.70	1.35
3 to 4 ft., B. & B.		2.80	2.25
4 to 5 ft., B. & B		4.40	3.50
5 to 6 ft., B. & B		5.50	4.50
6 to 8 ft., B. & B		7.50	
— — alba superba, 15'-18'	Large Sa	ucer Ma	gnolia
— — alexandrina, 15'-18'		ider Ma	_
—— lennei, 15'-18'		nne Ma	
— — rustica, 15'-18'	Purple Sa	ucer Ma	gnolia
2 to 3 ft., B. & B		2.20	1.75
3 to 4 ft., B. & B		3.50	2.75
4 to 5 ft., B. & B	6.00	5.00	
- stellata, 8'-10'		Star Ma	gnolia
18 to 24 in., B. & B.	2.10	1.75	
2 to 2½ ft., B. & B		2.75	
2½ to 3 ft., B. & B		3.75	
3 to 4 ft., B. & B	6.00	5.00	
4 to 5 ft., B. & B.		6.25	
5 to 6 ft., B. & B	9.00	7.50	
6 to 7 ft., B. & B	11.00		
— tripetala, 30'-40'	Umbr	ella Ma	gnolia
4 to 5 ft., B. & B		2.20	1.75
5 to 6 ft., B. & B		3.50	2.75
6 to 8 ft., B. & B.	6.00	5.00	4.00
8 to 10 ft., B. & B.		6.75	5.50
10 to 12 ft., B. & B		7.50	
2002200			

	Unit 1-4	Price in Quan 5-24 2	
MAHONIA aquifolium, 4'-5'	Ore	egon Hollyg	rape
12 to 15 in., B. & B	.90 1.35	.75 1.10	.60 .90
MALUS—FLOWERIN	G CF	RABS	
MALUS arnoldiana, 8'-10'		Arnold	Crab
3 to 4 ft	.75	.60	.50
4 to 5 ft	.90	.75	
5 to 6 ft	1.25 2.00	1.00 1.75	
— atrosanguinea, 10'-15'		Carmine	Crab
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.10	.95	.75
5 to 6 ft.,	1.50 2.25	1.25 1.90	1.00
8 to 10 ft	3.00	2.50	1.50
— baccata, 20'-25'		Siberian	Crab
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.80	.65
5 to 6 ft	1.35	1.10 1.50	.90 1.25
3 to 10 ft	3.00	2.50	1.23
— coronaria, 15'-20'	,	Wild Sweet	Crab
3 to 4 ft	.75		.50
4 to 5 ft	1.00	.80	.65
5 to 6 ft	1.35 1.90	1.10 1.50	.90
8 to 10 ft	3.00	2.50	1,23
— eleyi, 15'-20'		Eley	Crab
5 to 6 ft	1.20	1.00	
6 to 8 ft	1.90 2.40	1.50 2.00	
8 to 10 ft		Flowering	Crah
3 to 4 ft	.75	.60	.50
4 to 5 ft.	1.10	.95	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.25	1.90	
— — purpurea, 10'-15'		Purple	Crab
5 to 6 ft	1.10	.95	.75
6 to 8 ft. 8 to 10 ft.	1.50 2.60	1.25 2.20	1.00
10 to 12 ft.	3.75	3.00	2.50
— halliana parkmani, 10'-15'		Parkman	Crab
3 to 4 ft	1.10	.95	.75
4 to 5 ft	1.50 2.25	1.25 1.90	1.00
6 to 8 ft	3.00	2.50	1.50
		Flowering	Crab
3 to 4 ft.	.75	.60	.50
4 to 5 ft	1.00	.80	.65
— ioensis plena, 10'-15'	75	Bechtel C	
2 to 3 ft	.75 1.10	.60 .95	.50
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.10	1.75	

I KINCETON NOKS	EKIES		43
MALUS—continued	Unit 1-4	Price in Quai 5-24	ntities 25-249
— lemoinei, 15'		Lemoine	Crab
8 to 10 ft.	3.00	2.50	2.00
— niedzwetzkyana, 15 -25'		Redvein	Crah
4 to 5 ft	.75	.60	Crab
5 to 6 ft		.95	-
6 to 8 ft		1.25	
8 to 10 ft	2.70	2.25	
— sargenti, 6'-8'		Sargent	
2 to 3 ft	.90	.75	.60
3 to 4 ft	1.35	1.10	.90
5 to 6 ft	2.25	1.50 1.90	1.25 1.50
	2.23	1.50	1.50
— scheideckeri, 10'-15'	S	cheidecker	Crab
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.10	.95	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.90	1.50	1.25
8 to 10 ft	2.60	2.20	1.75
- spectabilis, 15'-20' Ch	inese	Flowering	Crab
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.10	.95	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.25	1.90	1.50
— theifera, 15'-20'		Tea	Crab
3 to 4 ft	.90	.75	
4 to 5 ft	1.25	1.00	-
5 to 6 ft	1.90	1.50	
6 to 8 ft	2.40	2.00	
8 to 10 ft	3.00	2.50	
MORUS alba, 35'-50'	7	White Mul	berry
4 to 6 ft	.75	.60	.50
		eping Mull	
1 year head, 4 to 5 ft. stem 2 year head, 4 to 5 ft. stem	2.60	1.50 2.20	1.25 1.75
MYRICA carolinensis, 4'-5'	Nor	thern Bay	berry
15 to 18 in.	.45		
18 to 24 in	.60	.50	
NANDINA domestica, 4'-6'		Nor	ndina
12 to 15 in.	60		Idilla
12 to 15 in	.60 .90	.50 .75	
18 to 24 in.	1.25	1.00	
NEILLIA sinensis, 5'-6'		Tube N	011110
	50		
2 to 3 ft	.52	.45 .55	.35
	.70		
*NYSSA sylvatica, 40'-60'			gum
2 to 3 ft	.90	.75	.60
3 to 4 ft	1.35	1.10	.90
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.40	2.00	

--- O }--

OSTRVA virginiana, 25'-30'

OXYDENDRUM arboreum, 25'-8
2 to 3 ft.
3 to 4 ft.

SERIES		
Unit F	Price in Qu 5-24	antities 25-249
	Hophor	nbeam
1.90 3.00 4.25	1.50 2.50 3.50	
30'	Sou	arwood
75 1.10 2.60 3.75 4.25 5.25	.60 .95 2.20 3.00 3.50 4.50	.50 .75 1.75 2.50
8" J	apanese	Spurge

2 to 3 ft. 3 to 4 ft. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B.	.75 1.10 2.60 3.75 4.25 5.25	.60 .95 2.20 3.00 3.50 4.50	.50 .75 1.75 2.50
PACHYSANDRA terminalis, 6"-8"	J	apanese S	Spurge
2 in. pot grown		.08	
PAULOWNIA tomentosa, 30'		Empres	ss Tree
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
PHELLODENDRON chinense, 25			
		hinese Co	
6 to 8 ft 8 to 10 ft.	1.90 2.50	1.50 2.00	
10 to 12 ft.	3.00		
12 to 14 ft	4.25	3.50	
20 21 20		0.00	
W 11 .	-	** ~	
— Lavallei		avelle Co	
5 to 6 ft	1.20	1.00	.80
5 to 6 ft. 6 to 8 ft.	1.20 1.80	1.00 1.50	.80 1.20
5 to 6 ft	1.20	1.00 1.50	.80
5 to 6 ft	1.20 1.80 2.40	1.00 1.50 2.00	1.20
5 to 6 ft. 6 to 8 ft. 8 to 10 ft. PHILADELPHUS avalanche, 4'-5'	1.20 1.80 2.40	1.00 1.50 2.00	.80 1.20 orange
5 to 6 ft	1.20 1.80 2.40 Dw .22	1.00 1.50 2.00	1.20
5 to 6 ft 6 to 8 ft 8 to 10 ft. PHILADELPHUS avalanche, 4'-5' 18 to 24 in 2 to 3 ft	1.20 1.80 2.40 Dw .22 .30	1.00 1.50 2.00 rarf Mock .20 .25	1.20 1.20 orange .15 .20
5 to 6 ft. 6 to 8 ft. 8 to 10 ft. PHILADELPHUS avalanche, 4'-5' 18 to 24 in. 2 to 3 ft. Bouquet blanc, 4'-5' White it	1.20 1.80 2.40 Dw .22 .30	1.00 1.50 2.00 earf Mock .20 .25 uet Mock	.80 1.20 orange .15 .20
5 to 6 ft. 6 to 8 ft. 8 to 10 ft. PHILADELPHUS avalanche, 4'-5' 18 to 24 in. 2 to 3 ft. Bouquet blanc, 4'-5' White 18 to 24 in.	1.20 1.80 2.40 Dw .22 .30 Bouq	1.00 1.50 2.00 earf Mock .20 .25 uet Mock .22	.80 1.20 orange .15 .20 orange
5 to 6 ft. 6 to 8 ft. 8 to 10 ft. PHILADELPHUS avalanche, 4'-5' 18 to 24 in. 2 to 3 ft. — Bouquet blanc, 4'-5' White 2 18 to 24 in. 2 to 3 ft.	1.20 1.80 2.40 Dw .22 .30 Bouq .27 .37	1.00 1.50 2.00 earf Mock .20 .25 uet Mock .22 .30	.80 1.20 orange .15 .20 orange .18 .25
5 to 6 ft. 6 to 8 ft. 8 to 10 ft. PHILADELPHUS avalanche, 4'-5' 18 to 24 in. 2 to 3 ft. — Bouquet blanc, 4'-5' White in the second se	1.20 1.80 2.40 Dw .22 .30 Bouq .27 .37	1.00 1.50 2.00 earf Mock .20 .25 uet Mock .22 .30	.80 1.20 orange .15 .20 orange .18 .25
5 to 6 ft. 6 to 8 ft. 8 to 10 ft. PHILADELPHUS avalanche, 4'-5' 18 to 24 in. 2 to 3 ft. — Bouquet blanc, 4'-5' White 2 18 to 24 in. 2 to 3 ft. — coronarius, 9'-10' 2 to 3 ft.	1.20 1.80 2.40 Dw .22 .30 Bouq .27 .37 Sw .24	1.00 1.50 2.00 earf Mock .20 .25 uet Mock .22 .30	.80 1.20 orange .15 .20 orange .18 .25 orange .16
5 to 6 ft. 6 to 8 ft. 8 to 10 ft. PHILADELPHUS avalanche, 4'-5' 18 to 24 in. 2 to 3 ft. — Bouquet blanc, 4'-5' White 18 to 24 in. 2 to 3 ft. — coronarius, 9'-10' 2 to 3 ft. 3 to 4 ft.	1.20 1.80 2.40 Dw .22 .30 Bouq .27 .37 Sw .24	1.00 1.50 2.00 earf Mock .20 .25 uet Mock .22 .30 eet Mock .20	.80 1.20 orange .15 .20 orange .18 .25
5 to 6 ft. 6 to 8 ft. 8 to 10 ft. PHILADELPHUS avalanche, 4'-5' 18 to 24 in. 2 to 3 ft. — Bouquet blanc, 4'-5' White 2 18 to 24 in. 2 to 3 ft. — coronarius, 9'-10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	1.20 1.80 2.40 Dw .22 .30 Bouq .27 .37 Sw .24 .30 .37	1.00 1.50 2.00 earf Mock .20 .25 uet Mock .22 .30 eet Mock .20 .25 .30	.80 1.20 orange .15 .20 orange .18 .25 orange .16 .20 .25
5 to 6 ft. 6 to 8 ft. 8 to 10 ft. PHILADELPHUS avalanche, 4'-5' 18 to 24 in. 2 to 3 ft. — Bouquet blanc, 4'-5' White is 18 to 24 in. 2 to 3 ft. — coronarius, 9'-10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — aureus, 4'-5' Go	1.20 1.80 2.40 Dw .22 .30 Bouq .27 .37 Sw .24 .30 .37	1.00 1.50 2.00 eaf Mock .20 .25 uet Mock .22 .30 .25 .25 .30 .25	.80 1.20 orange .15 .20 orange .18 .25 orange .16 .20 .25
5 to 6 ft. 6 to 8 ft. 8 to 10 ft. PHILADELPHUS avalanche, 4'-5' 18 to 24 in. 2 to 3 ft. — Bouquet blanc, 4'-5' White 18 to 24 in. 2 to 3 ft. — coronarius, 9'-10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — aureus, 4'-5' Good	1.20 1.80 2.40 Dw .22 .30 Bouq .27 .37 Sw .24 .30 .37	1.00 1.50 2.00 earf Mock .20 .25 uet Mock .22 .30 eet Mock .20 .25 .30	.80 1.20 orange .15 .20 orange .18 .25 orange .16 .20 .25
5 to 6 ft. 6 to 8 ft. 8 to 10 ft. PHILADELPHUS avalanche, 4'-5' 18 to 24 in. 2 to 3 ft. — Bouquet blanc, 4'-5' White is 18 to 24 in. 2 to 3 ft. — coronarius, 9'-10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — aureus, 4'-5' Go	1.20 1.80 2.40 Dw .22 .30 Bouq .27 .37 Sw .24 .30 .37	1.00 1.50 2.00 eaf Mock .20 .25 uet Mock .22 .30 .25 .25 .30 .25	.80 1.20 orange .15 .20 orange .18 .25 orange .16 .20 .25
5 to 6 ft. 6 to 8 ft. 8 to 10 ft. PHILADELPHUS avalanche, 4'-5' 18 to 24 in. 2 to 3 ft. — Bouquet blanc, 4'-5' White 18 to 24 in. 2 to 3 ft. — coronarius, 9'-10' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — aureus, 4'-5' Good	1.20 1.80 2.40 Dw .22 .30 Bouq .27 .37 Sw .24 .30 .37	1.00 1.50 2.00 2.00 2.25 uet Mock .22 .30 reet Mock .20 .25 .30 eaf Mock .25 .30	.80 1.20

.24

.30

.37

2 to 3 ft.....

 .20

.25

.16

PHILADELPHUS—continued	Unit Pric	e in Qu	antities
r meaber nes—continue	1-4	5-24	25-249
— grandiflorus, 7'-8' Big	Scentless	Mock	orange
2 to 3 ft	24	.20	.16
3 to 4 ft		.25	.20
4 to 5 ft		.30	.25
5 to 6 ft	52	.45	.35
— lemoine, 7'-8'	Lemoine	Mock	orange
18 to 24 in.	22	.18	.15
2 to 3 ft	30	.25	.20
3 to 4 ft	37	.30	.25
— virginalis, 7'-8'	Virginal	Mock	orange
18 to 24 in	30	.25	.20
2 to 3 ft	45	.37	.30
3 to 4 ft	60	.50	.40

NEW AND LITTLE KNOWN VARIETIES PHILADELPHUS

We offer the following list of unusual varieties—many offered by us exclusively:

- albatre, large flwd., single, 4'-5' - Atlas, large flwd., semi-dbl., 6'-8' - Banniere, large flowered, 5'-6'

- brachybotrys, bushy growth, floriferous, 5'-6'
 Enchantment, similar to Lemoine, 4'-5'
 Falconeri, arching growth, star shaped flowers, 6'-8'
 - Girondole, dbl. flwd., bushy, 4'-5'
 Inodorus, very floriferous
- laxus, drooping habit, showy, 8'-10' - lewisi, large flwd., single, 8'-10'
- maximus, large, flwd., upright growth, 7'-8'
- nivalis, very floriferous, 10'
 pubescens, large flwd., 7'-8'
- purpurascens, purple cup, unique, 7'-8'
- Pyramidale, narrow, upright growth, 8'-10'
- Sericanthus, bushy, somewhat drooping, 6'-8' verrucosus, vigorous growth, 8'-10'
- Voie Lactee, large flwd., semi-dbl., 5'-6'

18	to	24 in	.30	.25	.20
2	to	3 ft.	.37	.30	.25
3	to	4 ft.	.45	.37	.30
4	to	5 ft	.52	.45	.35



Philadelphus hybrids—see selected list above

40 PRINCETON NOR	SERIES		
		rice in Qua 5-24	
PHOTINIA subumbellata, 10'	Ch	ristmas	Berry
3 to 4 ft. 4 to 5 ft.		.45 .70	.35 .55
PHYSOCARPUS opulifolius, 9'-	10′	Nin	ebark
2 to 3 ft		.20	.15
3 to 4 ft		.25 .30	.20
5 to 6 ft		.37	.30
— aureus, 9'-10'	Gold	leaf Nin	ebark
2 to 3 ft		.20	.15
3 to 4 ft		.25	.20
5 to 6 ft		.37	.30
PICEA—SPR	UCE		
PICEA canadensis (alba), 50'-6	30 ′	White S	Spruce
15 to 18 in., B. & B.	75	.60	.50
18 to 24 in., B. & B. 2 to 3 ft., B. & B.	1.10 1.90	.95 1.50	.75 1.25
5 to 6 ft., B. & B	4.90	4.05	3.25
6 to 8 ft., B. & B	0./5	5.50	4.50
— canadensis glauca conica, 4'			_
10 · 15 · D 0 D		Alberta S	
12 to 15 in., B. & B. 15 to 18 in., B. & B.	1.10 1.50	.90 1.25	.75
18 to 24 in., B. & B	3.00	2.50	
2 to 2½ ft., B. & B	4.10	3.50	
— engelmanni, 75'-100'	Eng	elmann S	Spruce
18 to 24 in., B. & B		.90	.75
2 to 3 ft., B. & B		1.50 2.25	1.25
4 to 5 ft., B. & B Larger specimens at \$1.50 per	4.00		
— excelsa, 80'-100'	,	Norway S	Spruce
18 to 24 in., B. & B		.75	.60
2 to 3 ft., B. & B	1.20	1.00	.80
3 to 4 ft., B. & B 4 to 5 ft., B. & B	1.90	1.50 2.50	1.25 2.00
5 to 6 ft., B. & B	4.50	3.75	3.00
6 to 8 ft., B. & B 8 to 10 ft, B. & B	6.75 9.00	5.50 7.50	4.5 0 6.00
Larger Specimens at \$1.50 per			

PRINCETON NURSERIES 47				
PICEA—continued			antities	
	1-4	5-24	25-249	
— pungens, 60'-80'	Co	lorado	Spruce	
18 to 24 in., B. & B		.95	.75	
2 to 2½ ft, B. & B.		1.25	1.00	
2½ to 3 ft., B. & B.		1.50	1.25	
3 to 4 ft., B. & B	2.60 3.40	2.20 2.80	1.75 2.25	
5 to 6 ft., B. & B.		3.75	3.00	
Larger Specimens at \$1.50 per		0., 0	0.00	
— pungens glauca, 60'-80'	Blue Co	olorado	Spruce	
18 to 24 in., B. & B		1.25	1.00	
2 to 2½ ft., B. & B		1.90	1.50	
2½ to 3 ft, B. & B		2.50	2.00	
3 to 4 ft., B. & B	3.75	3.00	2.50	
4 to 5 ft., B. & B	5.25	4.40	3.50	
5 to 6 ft, B. & B		5.50	4.50	
6 to 8 ft., B. & B	8.50	7.00		
— — kosteri, 60'-80'	Koste	er Blue	Spruce	
18 to 24 in., B. & B.	2.60	2.20	1.75	
2 to 2½ ft., B. & B		2.80	2.25	
2½ to 3 ft., B. & B		3.75	3.00	
3 to 4 ft., B. & B.		4.75	3.75	
4 to 5 ft., B. & B		5.50 8.00		
5 to 6 ft., B. & B.		0.00		
Larger Specimens at \$2.25 per	II.			
DWARF SPRU	ICES			
We have been building up a sto	ck of the	ese unus	sual and	
attractive varieties of dwarf spruce				
rockeries and locations when neat, wanted.				
Picas avcalsa clanbrasiliana 6.0	in	Barry	Spriice	

Picea excelsa clanbrasiliana, 6-9 i	n.	Barry	Spruce
— — conica, 4-6 in., 6-9 in.	Arrov	vhead	Spruce
— — echiniformis, 4-6 in.	Hed	gehog	Spruce
— — Gregoryana, 4-6 in., 6-9 in.	Gr	egory	Spruce
— — Maxwell, 4-6 in.	Ma	xwell	Spruce
— — microsperma, 4-6 in.	Small	Cane	Spruce
— nidiformis, 4-6 in.,6-9 in.,9-	12 in. Bir	dnest	Spruce
4 to 6 in., B. & B. 6 to 9 in., B. & B. 9 to 12 in., B. & B.	1.20	.75 1.00 1.50	.60 .80 1.15
PIERIS floribunda, 4'	Mountair	n And	romeda
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B.	2.60		
— japonica, 5'-6'	Japanes	e And	romeda
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	1.90 2.60	1.25 1.50 2.20 2.80	

10			
	Unit I	Price in Qua 5-24	
PINUS densiflora, 60'-80'			
4 to 5 ft., B. & B	3.75	3.00	
		4.25	
5 to 6 ft., B. & B		5.75	
0 to 7 ft., B. & B.	7.00	3.73	
— flexilis, 30'-40'		Limbe	er Pine
18 to 24 in., B. & B	1.50	1.25	1.00
2 to 3 ft., B. & B	2.25	1.90	1.50
3 to 4 ft, B. & B	3.00	2.50	2.00
4 to 5 ft., B. & B		3.00	2.50
— montana mughus, 3'-4'		Mugh	o Pine
	1.50	1.25	1.00
12 to 15 in., B. & B	1.75	1.50	1.00
15 to 18 in., B. & B	2.60	2.20	
	3.40	2.80	
2 to 2½ ft., B. & B	3.90	3.25	
2½ to 3 ft., B. & B	4.90	4.00	
3 to 3½ ft., B. & B		5.00	
4 to 5 ft., B. & B.	6.00 8.00		
— nigra, 60'-70'		Austria	n Pine
2 to 3 ft., B. & B	2.60	2.20	1.75
3 to 4 ft, B. & B	3.75	3.00	2.50
4 to 5 ft., B. & B	5.25	4.40	3.50
5 to 6 ft., B. & B	7.00	5.85	4.75
6 to 8 ft, B. & B	9.00	7.50	
8 to 10 ft., B. & B	12.00	10.00	
10 to 12 ft., B. & B	16.00	13.00	
— resinosa, 60'-70'		Re	d Pine
18 to 24 in., B. & B	1.10	.95	.75
2 to 3 ft., B. & B.	1.90	1.50	1.25
3 to 4 ft, B. & B	3.00	2.50	2.00
4 to 5 ft., B. & B	4.00	3.75	3.00
5 to 6 ft., B. & B	6.00	5.00	4.00
6 to 8 ft., B. & B.	9.00	7.50	6.00
8 to 10 ft., B. & B.		10.00	
10 to 12 ft., B. & B.		13.00	
— strobus, 80'-100'		Whit	e Pine
18 to 24 in., B. & B	1.10	.95	.75
2 to 3 ft	1.90	1.50	1.25
3 to 4 ft	3.40	2.80	2.25
Larger specimens to 18 ft. at		er foot.	2.20
— sylvestris, 25'-30'		Scotol	h Pine
	2.00		1 1116
3 to 4 ft, B. & B.	3.00	2.50	
4 to 5 ft., B. & B.	4.50	3.75	
5 to 6 ft., B. & B	6.75	5.50	
— thunbergi, 80'-100'	Japan	ese Black	k Pine
18 to 24 in.	2.25	1.75	
2 to 3 ft	3.00	2.50	
3 to 4 ft	4.20	3.50	
4 to 5 ft	6.00	5.00	

Unit	Price	in Qu	antities
1-4	5	-24	25-249

PLATANUS occidentalis, 75'-100'			
American Planetree or	Ame	rican Syca	more
8 to 10 ft. 8 to 10 ft., 1½ to 1½ in	1.50 2.25 3.00 3.75 4.50	1.25 1.90 2.50 3.00	
6 to 8 ft	1.50 1.90 2.50 3.00 3.75 4.50 5.25 6.00 9.00 15.00	1.25 1.50 2.05 2.50 3.00 3.75 4.40 5.00 7.50 12.50	1.00 1.25 1.65 2.00 2.50 3.00 3.50 4.00
POLYGONUM auberti, 25	C	hina Fleed	evine
2 year, medium	.37	.30	.25
POPULUS bolleana, 50'-60'		Bolleana F	oplar
6 to 8 ft	.75 1.10 1.50 2.25	.95 1.25	.50 .75 1.00 1.50
— eugenei, 60'-80'		Carolina F	Poplar
6 to 8 ft 8 to 10 ft 10 to 12 ft., 1½ to 1½ in 12 to 14 ft., 1½ to 2 in 12 to 14 ft., 2 to 2½ in 14 to 16 ft., 2½ to 3 in	1.90		.30 .40



Lombardy Poplar, Populus nigra italica as grown at Princeton

POPULUS—continued		Price in Qu 5-24	
— maximowiczii, 60'-80'	J	apanese	Poplar
8 to 10 ft	1.10	.95	.75
10 to 12 ft	1.50	.95 1.25	1.00
12 to 14 ft	2.25	1.90	1.50
— nigra italica, 60'-80'	Lo	ombardy	Poplar
6 to 8 ft	.45	.37	.30
8 to 10 ft	.60	.37	.40
10 to 12 ft., 1½ to 1½ in	.90 1.35	.75 1.10	
10 to 12 ft., 1½ to 1¾ in		1.50	.90 1.25
14 to 16 ft., 2 to 2½ in	2.60	2.20 2.80	1.75
14 to 16 ft., 2½ to 3 in	3.40	2.80	2.25
— simoni, 50'-60'			Poplar
6 to 8 ft.		.60	.50 .75
8 to 10 ft		.95	.75
10 to 12 ft		1.25	1.00
12 to 14 tt	1.90	1.50	1.20
POTENTILLA fruticosa, 3'-4'		bby Cin	quefoil
12 to 18 in	.27	.22	.18
18 to 24 in	.37	.30	.25
DD11NWG			. Di
PRUNUS americana, 10'-12'		American	
2 to 3 ft	.22	.20 .25	.15
4 to 5 ft	.37	.30	.25
5 to 6 ft	.52	.45	
— besseyi, 10'-12'		Bessy	Cherry
18 to 24 in	.37	-	.25
2 to 3 ft	.45	.37	.30
- cerasifera Othello, 12'-15' Oth	ello P	urpleleat	f Plum
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
— — pissardi, 12'-15'	Pur	ple Leaf	Plum
4 to 5 ft		.60	.50
5 to 6 ft			.70
- glandulosa, 5'-6' Pink & Whi			lmond
18 to 24 in.	.30		.20
2 to 3 ft	.45 .60	.37 .50	.30
		an Bird	
3 to 4 ft	.50 .75	.45 .60	.35
6 to 8 ft	1.05	.90	.70
8 to 10 ft	1.25	1.10	.90
10 to 12 ft	1.50	1.25	-
— pennsylvanica, 25'-30'		Pin (Cherry
8 to 10 ft	1.30	1.05	.85
10 to 12 ft	1.90	1.50	1.25
12 to 14 ft	2.10	1.70	

PRINCETON NURSE	ERIES		51
PRUNUS—continued		rice in Qui 5-24	
- subhirtella Beni Higan, 25'-30	,		
3 to 4 ft	1.00	.80	
4 to 5 ft	1.35	1.10	
5 to 6 ft	2.00	1.70	
— subhirtella pendula, 12'-15' W	eeping	Japan	Cherry
5 to 6 ft. stems, 1 yr. heads		2.00	
5 to 6 ft. stems, 2 yr. heads 4 to 6 ft. stems, 5 yr. heads,	3.75	3.00	
Specimens, B. & B. from \$12	2.00 to \$	\$18.00	
— — flora plena, 12'-15' Db. F	lg. Wi	neeping	Cherry
5 to 6 ft. stems, 2 yr	4.43	3.30	
— tomentosa, 6'-7'	N	anking	Cherry
2 to 3 ft	.37	.30	.25
3 to 4 ft	.52	.45	.35
4 to 5 ft	.70	.55	.45
— triloba plena, 7'-8'	Doublet	lowerin	g Plum
2 to 3 ft	.45	.37	.30
3 to 4 ft	.60	.50	.40
JAPANESE CHEF	RRIES		
Amanogawa (Lann. Amanoga		0'-25'	
	1.50	1.25	
4 to 5 ft		1.50	
5 to 6 ft	2.00	1.50	
Ichiyo (Serr. Hisakura), 25'-3	0'		
3 to 4 ft		.90	.70
4 to 5 ft	1.50	1.25	
5 to 6 ft		1.90	
10 to 12 ft 1½ to 2 in			
10 to 12 ft., 1½ to 2 in	6.50		
J. H. Veitch (Serr. Fugenzo)	Kofug	en, 30'	
		.95	.75
3 to 4 ft	1.10 1.50	1.25	1.00
4 to 5 ft		2.00	
5 to 6 ft	1.80	1.50	
6 to 8 ft, 1½ to 1¾ in 8 to 10 ft., 1¾ to 2 in	3.75	3.00	
0 10 10 11., 194 10 2 11			

38

EXTRA CHARGE FOR DIGGING CHERRIES B. & B. SEE B. & B. SCHEDULE, PAGE 2

PRUNUS—continued	Unit I	Price in Quant	tities 5-249
Kanzan (Serr. Sekiyama) Kwa	anzan		
3 to 4 ft	1.10	.95	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.90	1.50	1.25
6 to 8 ft., 13/4 to 2 in	2.25	1.90	1.50
Larger Specimens to 12 ft.			
Serrulata Sekizan, 25'-30'		Double	
5 to 6 ft	1.90	1.50	1.25
6 to 8 ft 8 to 10 ft	2.25 3.40	1.90 2.80	1.50 2.25
Shirofugen (Serr. Alba-Rosea),			
3 to 4 ft	1.05	.90	.70
4 to 5 ft.	1.35	1.10	.90
5 to 6 ft	1.90	1.50	1.25
6 to 8 ft., 1½ to 1½ in	2.25	1.90	
8 to 10 ft., 1½ to 1¾ in	3.50 5.00	3.00	
10 to 12 ft., 13/4 to 2 inyedoensis (Yoshino cherry), 3			
		0.5	
3 to 4 ft	1.10 1.50	.95 1.25	.75 1.00
5 to 6 ft.	1.75	1.25	1.25
6 to 8 ft.	2.25	1.90	1.50
8 to 10 ft., 2½ to 2½ in	4.00		
10 to 12 ft., 2½ to 3 in	5.00		
PSEUDOTSUGA douglasi, 70'-80'		Dougla	as-fir
18 to 24 in., B. & B	1.10	.95	.75
2 to 2½ ft., B. & B.	1.50	1.15	1.00
2½ to 3 ft., B. & B.	2.25	1.90	1.50
3 to 4 ft., B. & B.	3.00	2.50	2.00
4 to 5 ft., B. & B 5 to 6 ft., B. & B	3.75 5.25	3.00 4.40	2.50
6 to 8 ft., B. & B.	8.00	6.75	5.50
8 to 10 ft., B. & B	12.00	10.00	8.00
10 to 12 ft., B. & B.	15.00	12.50	
12 to 14 ft	19.00	16.00	
PTELEA trifoliata, 10'-12'		Нор	Tree
3 to 4 ft	.45	.37	.30
4 to 5 ft	.60	.59	.40
5 to 6 ft	.75	.60	.50
PTEROST¥RAX hispida, 30′-40′			
		Epaulette-	Frree
5 to 6 ft	4.50 6.00	3.75 5.00	
		0.00	
PYRACANTHA angustifolia, 9'-1:		wleaf Firet	horn
18 to 24 in			2.00
PYRACANTHA coccinea lalandi,			
		anda Firet	
2 to 3 ft., 5 in. pots	3.00	2.00	2.00
3 to 4 ft., 5 in. pots	4.50	3.75	3.00

Unit Price in Quantities 1-4 5-24 25-249

NURSERY GROWN OAKS

QUERCUS alba, 100'		7771	
6 to 8 ft	1.50	1.25	ite Oak
8 to 10 ft	2.25	1.90	1.00
8 to 10 ft. 11/2 to 11/2 in	2 00	2.50	2.00
9 to 11 ft., 1½ to 1¾ in	3.75	3.00	2.50
10 to 12 ft., 134 to 2 in	4.50	3.75	3.00
12 to 14 ft., 2 ¹ / ₄ to 2 ¹ / ₂ in	6.00	5.00	4.00
12 to 14 ft., 2½ to 3 in	7.50	6.25	5.00
14 to 16 ft., 3 to 3½ in	9.00	7.50 9.00	6.00
— coccinea, 75'-90'	10,00		7.00
	0.05		et Oak
6 to 8 ft. 8 to 10 ft.	2.25	1.90	1.50
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	3.40	2.80 3.50	
10 to 12 ft., 1½ to 1¾ in.	5 25	4.40	
10 to 12 in 13/4 to 2 in	6.00	5.00	
12 to 14 ft., 2 to 2½ in	7.50	6.25	
12 to 14 it., 2½ to 2½ in.	9.00	7.50	
14 to 16 ft., 2½ to 3 in	. 10.50	9.00	
14 to 16 ft., 3 to 3½ in	. 12.00	10.00	
— macrocarpa, 75'-80'		Mossycu	p Oak
6 to 8 ft	. 1.90	1.50	1.25
8 to 10 ft	. 2.25	1.90	1.50
8 to 10 ft., 1½ to 1½ in	. 3.00	2.50	2.00
10 to 12 ft., 13/4 to 2 in.	. 3.75 . 4.50	3.00	2.50
12 to 14 ft., 2 to 2½ in.	6.00	3.75 5.00	3.00 4.00
12 to 14 tt., 2½ to 3 in.	7 50	6.25	5.00
14 to 16 ft., 3 to 3½ in	9.00	7.50	5.00
— palustris, 75'-90'		Pi	n Oak
4 to 6 ft	1.10	.95	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.70	1.35
		0.00	
8 to 10 ft., 1½ to 1½ in.	2.60	2.20	1.75
10 to 12 ft., 1½ to 1¾ in.	3 40	2.90	2.25
10 to 12 ft., 1½ to 1¾ in	3.40	2.90 3.50	2.25 2.75
10 to 12 tt., 1½ to 1¾ in	3.40 4.10 5.25 6.75	2.90 3.50 4.40	2.25 2.75 3.50
10 to 12 tt., 1½ to 1¾ in	3.40 4.10 5.25 6.75 8.50	2.90 3.50 4.40 5.50	2.25 2.75 3.50 4.50
10 to 12 ft., 1½ to 1¾ in	3.40 4.10 5.25 6.75 8.50	2.90 3.50 4.40	2.25 2.75 3.50
10 to 12 ft., 1½ to 1¾ in	3.40 4.10 5.25 6.75 8.50 10.00	2.90 3.50 4.40 5.50 7.50 8.00	2.25 2.75 3.50 4.50 5.50 6.50
10 to 12 ft., 1½ to 1¾ in	3.40 4.10 5.25 6.75 8.50 10.00	2.90 3.50 4.40 5.50 7.50 8.00 Willow	2.25 2.75 3.50 4.50 5.50 6.50 v Oak
10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 14 to 16 ft., 3 to 3½ in. 14 to 16 ft., 3½ to 4 in. — phellos, 50′-60′ 6 to 8 ft. 8 to 10 ft.	3.40 4.10 5.25 6.75 8.50 10.00	2.90 3.50 4.40 5.50 7.50 8.00 Willow	2.25 2.75 3.50 4.50 5.50 6.50 v Oak 1.25
10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 14 to 16 ft., 3 to 3½ in. 14 to 16 ft., 3½ to 4 in. — phellos, 50′-60′ 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 8 to 10 ft.	3.40 4.10 5.25 6.75 8.50 10.00	2.90 3.50 4.40 5.50 7.50 8.00 Willow	2.25 2.75 3.50 4.50 5.50 6.50 v Oak
10 to 12 ft., 1½ to 1¾ in 10 to 12 ft., 1¾ to 2 in 12 to 14 ft., 2½ to 3½ in 14 to 16 ft., 3 to 3½ in 14 to 16 ft., 3½ to 4 in — phellos, 50′-60′ 6 to 8 ft 8 to 10 ft 8 to 10 ft 10 to 12 ft., 1¼ to 1½ in 10 to 12 ft., 1½ to 1¾ in 10 to 12 ft., 1½ to 1¾ in	3.40 4.10 5.25 6.75 8.50 10.00 1.90 3.00 3.90 4.50	2.90 3.50 4.40 5.50 7.50 8.00 Willow 1.50 2.50	2.25 2.75 3.50 4.50 5.50 6.50 v Oak 1.25 2.00
10 to 12 ft., 1½ to 1¾ in 10 to 12 ft., 1¾ to 2 in 12 to 14 ft., 2 to 2½ in 12 to 14 ft., 2½ to 3 in 14 to 16 ft., 3 to 3½ in 14 to 16 ft., 3½ to 4 in — phellos, 50′-60′ 6 to 8 ft 8 to 10 ft 8 to 10 ft., 1¼ to 1½ in 10 to 12 ft., 1½ to 1¾ in 10 to 12 ft., 1¾ to 2 in	3.40 4.10 5.25 6.75 8.50 10.00 1.90 3.00 3.90 4.50 5.00	2.90 3.50 4.40 5.50 7.50 8.00 Willow 1.50 2.50 3.25	2.25 2.75 3.50 4.50 5.50 6.50 v Oak 1.25 2.00 2.50
10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 14 to 16 ft., 3 to 3½ in. 14 to 16 ft., 3½ to 4 in. - phellos, 50′-60′ 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1½ to 1¾ in. 11 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2¼ in.	3.40 4.10 5.25 6.75 8.50 10.00 1.90 3.00 3.90 4.50 5.00	2.90 3.50 4.40 5.50 7.50 8.00 Willow 1.50 2.50 3.25	2.25 2.75 3.50 4.50 5.50 6.50 v Oak 1.25 2.00 2.50
10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 14 to 16 ft., 3 to 3½ in. 14 to 16 ft., 3½ to 4 in. - phellos, 50′-60′ 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 2 to 2¼ in. - rubra, 75′-90′	3.40 4.10 5.25 6.75 8.50 10.00 1.90 3.00 3.90 4.50 5.00 6.00	2.90 3.50 4.40 5.50 7.50 8.00 Willow 1.50 2.50 3.25 3.75	2.25 2.75 3.50 4.50 5.50 6.50 v Oak 1.25 2.00 2.50 3.00
10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 14 to 16 ft., 3 to 3½ in. 14 to 16 ft., 3½ to 4 in. - phellos, 50′-60′ 6 to 8 ft. 8 to 10 ft., 1¼ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 2 to 2¼ in. - rubra, 75′-90′ 6 to 8 ft.	3.40 4.10 5.25 6.75 8.50 10.00 1.90 3.00 3.90 4.50 5.00 6.00 Con 1.90	2.90 3.50 4.40 5.50 7.50 8.00 Willow 1.50 2.50 3.25 3.75 ————————————————————————————————————	2.25 2.75 3.50 4.50 5.50 6.50 V Oak 1.25 2.00 2.50 3.00
10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 14 to 16 ft., 3 to 3½ in. 14 to 16 ft., 3½ to 4 in. - phellos, 50′-60′ 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 10 to 12 ft., 1¼ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2¼ in. - rubra, 75′-90′ 6 to 8 ft. 8 to 10 ft.	3.40 4.10 5.25 6.75 8.50 10.00 1.90 3.00 3.90 4.50 5.00 6.00 Con 1.90 2.60	2.90 3.50 4.40 5.50 7.50 8.00 Willow 1.50 2.50 3.25 3.75 ————————————————————————————————————	2.25 2.75 3.50 4.50 5.50 6.50 V Oak 1.25 2.00 2.50 3.00 —————————————————————————————————
10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 14 to 16 ft., 3 to 3½ in. 14 to 16 ft., 3½ to 4 in. - phellos, 50′-60′ 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1¼ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1½ to 2 in. 12 to 14 ft., 2 to 2¼ in. - rubra, 75′-90′ 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 8 to 10 ft.	3.40 4.10 5.25 6.75 8.50 10.00 1.90 3.00 3.90 4.50 5.00 6.00 Con 1.90 2.60 3.40	2.90 3.50 4.40 5.50 7.50 8.00 Willow 1.50 2.50 3.25 3.75 ————————————————————————————————————	2.25 2.75 3.50 4.50 5.50 6.50 V Oak 1.25 2.00 2.50 3.00 —————————————————————————————————
10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2½ to 3½ in. 14 to 16 ft., 3 to 3½ in. 14 to 16 ft., 3½ to 4 in. - phellos, 50′-60′ 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1¼ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1½ to 2¼ in. 12 to 14 ft., 2 to 2¼ in. - rubra, 75′-90′ 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 8 to 10 ft. 8 to 10 ft. 10 to 12 ft., 1¼ to 1½ in. 11 to 12 ft., 1¼ to 1½ in. 12 to 14 ft., 2 to 2¼ in. 13 to 14 ft., 2 to 2¼ in. 14 to 15 ft. 15 to 10 ft. 16 to 12 ft., 1¼ to 1½ in. 17 to 12 ft., 1¼ to 1½ in. 18 to 10 ft. 19 to 12 ft., 1½ to 1¾ in.	3.40 4.10 5.25 6.75 8.50 10.00 1.90 3.90 4.50 5.00 6.00 Con 1.90 2.60 3.40 4.50	2.90 3.50 4.40 5.50 7.50 8.00 Willow 1.50 2.50 3.25 3.75	2.25 2.75 3.50 4.50 5.50 6.50 V Oak 1.25 2.00 2.50 3.00 —————————————————————————————————
10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 14 to 16 ft., 3 to 3½ in. 14 to 16 ft., 3 to 3½ in. 14 to 16 ft., 3½ to 4 in. — phellos, 50′-60′ 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1¼ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2¼ in. — rubra, 75′-90′ 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 10 to 12 ft., 1¼ to 1½ in. 11 to 12 ft., 1¼ to 1½ in. 12 to 14 ft., 2 to 2¼ in. 14 to 15 ft. 15 to 16 ft. 16 to 17 ft. 17 to 18 ft. 18 to 10 ft. 19 to 12 ft., 1¼ to 1½ in. 10 to 12 ft., 1¼ to 1¼ in. 10 to 12 ft., 1¼ to 1¾ in. 10 to 12 ft., 1¼ to 1¾ in. 10 to 12 ft., 1¾ to 2 in.	3.40 4.10 5.25 6.75 8.50 10.00 1.90 3.00 3.90 4.50 5.00 6.00 Con 1.90 2.60 3.40 4.50 5.25	2.90 3.50 4.40 5.50 7.50 8.00 Willow 1.50 2.50 3.25 3.75 ————————————————————————————————————	2.25 2.75 3.50 4.50 6.50 V Oak 1.25 2.00 2.50 3.00 —————————————————————————————————
10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 14 to 16 ft., 3 to 3½ in. 14 to 16 ft., 3½ to 4 in. - phellos, 50′-60′ 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1½ to 1¾ in. 12 to 14 ft., 2 to 2¼ in. - rubra, 75′-90′ 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 12 to 1¼ to 1½ in. 10 to 12 ft., 1¼ to 1½ in. 11 to 1½ in. 12 to 1¼ ft., 2 to 2¼ in. 12 to 1¼ ft., 2 to 2¼ in. 13 to 12 ft., 1¼ to 1½ in. 14 to 12 ft., 1¼ to 1½ in. 15 to 12 ft., 1¼ to 1½ in. 16 to 12 ft., 1¼ to 2 in. 17 to 14 ft., 2 to 2½ in. 18 to 14 ft., 2 to 2½ in. 19 to 14 ft., 2½ to 3 in.	3.40 4.10 5.25 6.75 8.50 10.00 1.90 3.00 3.90 4.50 5.00 6.00 Con 1.90 2.60 3.40 4.50 5.25 6.75	2.90 3.50 4.40 5.50 7.50 8.00 Willow 1.50 2.50 3.25 3.75 ————————————————————————————————————	2.25 2.75 3.50 4.50 6.50 V Oak 1.25 2.00 2.50 3.00 —————————————————————————————————
10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2½ in. 12 to 14 ft., 2½ to 3 in. 14 to 16 ft., 3 to 3½ in. 14 to 16 ft., 3 to 3½ in. 14 to 16 ft., 3½ to 4 in. — phellos, 50′-60′ 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1¼ to 1½ in. 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 12 to 14 ft., 2 to 2¼ in. — rubra, 75′-90′ 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 10 to 12 ft., 1¼ to 1½ in. 11 to 12 ft., 1¼ to 1½ in. 12 to 14 ft., 2 to 2¼ in. 14 to 15 ft. 15 to 16 ft. 16 to 17 ft. 17 to 18 ft. 18 to 10 ft. 19 to 12 ft., 1¼ to 1½ in. 10 to 12 ft., 1¼ to 1¼ in. 10 to 12 ft., 1¼ to 1¾ in. 10 to 12 ft., 1¼ to 1¾ in. 10 to 12 ft., 1¾ to 2 in.	3.40 4.10 5.25 6.75 8.50 10.00 1.90 3.00 3.90 4.50 5.00 6.00 Con 1.90 2.60 3.40 4.50 5.25	2.90 3.50 4.40 5.50 7.50 8.00 Willow 1.50 2.50 3.25 3.75 ————————————————————————————————————	2.25 2.75 3.50 4.50 6.50 V Oak 1.25 2.00 2.50 3.00 —————————————————————————————————

NURSERY GROWN OAKS —continued		rice in Quantities 5-24 25-249
— velutina, 75'-90'		Black Oak
10 to 12 ft., 1½ to 1¾ in	4.50 5.50 6.75 8.75	3.50 —— 4.50 —— 5.50 —— 7.00 ——

RHAMNUS cathartica, 9'-10' Common Buckthorn

RETINOSPORA (See CHAMAECYPARIS)

2 to 3 ft	30	.25	.20
3 to 4 ft		.30	.25
4 to 5 ft		.45	.35
5 to 6 ft.		.55	.45
3 to 0 it		.55	. 73
— frangula, 8'-9'	Gle	ossy Bucl	thorn
2 to 3 ft	30	.25	.20
3 to 4 ft		.30	.25
4 to 5 ft	.52	.45	.35
5 to 6 ft	.70		
6 to 8 ft		.75	.60
0 to 0 1t		.,,	.00
RHODODENDRON carolinanu	m, 4'-6'		
	Carolina	Rhodode	ndron
12 to 15 in., B. & B	1.90	1.50	1.25
15 to 18 in., B. & B.			
18 to 24 in., B. & B.			2.25
2 to 2½ ft., B. & B.			
2 to 2/2 tt., D. & D	7.00	. 0.50	
- catawhiense, 6'-9'	Catawha	Rhodode	ndron

	-				0 33 (41 0 44
15 to 18 in., B.	&	В	2.25	1.90	1.50
18 to 24 in., B.	&	В	2.85	2.35	1.90
2 to 2½ ft., B.	&	B	3.40	2.80	2.25
2½ to 3 ft., B.	82	В	4.10	3.50	2.75
3 to 3½ ft, B.	&	B	4.90	4.00	3.25



Rhododendron hybrid vareity roseum elegans, grown under ideal conditions.

3.00

	Uniti	rrice in Qu	antities
	1-4	5-24	25-249
— maximum, 8'-12'	Rosebay	Rhodod	endron
Nursery Grown. Raised fr	om seed.		
18 to 24 in., B. & B	1.90	1.50	1.25
2 to 21/2 ft., B. & B	2.25	1.90	1.50
2½ to 3 ft., B. & B.	3.00	2.50	2.00
3 to 4 ft., B. & B	4.00	3.50	2.75
4 to 5 ft., B. & B		4.05	3.25
— mucronulatum, 6'	Korean	Rhodod	endron
15 to 18 in., B. & B	1.50	1.25	
18 to 24 in., B. & B			
2 to 3 ft., B. & B			

HYBRID RHODODENDRONS

- Album elegans-Blush-pink, 3-4 ft., 4-5 ft.

- Candidissima-White. 21/2-3 ft., 3-4 ft.
- Catawbiense alba—Clear white, 18-24 in., 2-2 $\frac{1}{2}$ ft., 2 $\frac{1}{2}$ ft., 3-4 ft.
- Catawbiense grandiflora—Rosy-purple. 12-15 in., 15-18 in., 18-24 in., 2-2½ ft., 2½-3 ft., 3-4 ft.
- -- Everestianum-Rosy-lilac. 18-24 in., 2-2½ ft., 2½-3 ft., 3-4 ft.
- Roseum elegans-Rich pink.

18-24 in., 2-2½ ft., 2½-3 ft., 3-4 ft., 4-5 ft.

-- Roseum superbum-Clear, soft coral-rose. 2-3 ft., 3-4 ft., 4- ft.

ABOVE VARIETIES AT FOLLOWING PRICES

18 to 24 in., B. & B.	3.75	3.00	2.50
2 to 2½ ft., B. & B.	4.90	4.00	3.25
2½ to 3 ft., B. & B		5.00	4.00
3 to 4 ft., B. & B.		6.00	
4 to 5 ft., B. & B.	10.00	8.00	



Nursery grown Rhododendron maximum raised from seed in our propagating department and transplanted to the shade of native woodland oaks. These plants are offered at very reasonable prices.

HYBRID RHODODENDRONS —continued		Price in Qu 5-24	uantities 25-249
- Boule de Neige-White.			
15 to 18 in., B. & B	5.25		
We can also offer a limited qualitative hardy varieties. See Retail Ca	antity	of other s	good
RHODOTYPOS kerrioides, 4'-5'		White	Kerria
18 to 24 in	.30	.25	.20 .25
3 to 4 ft	.45	.37	.30
RHUS canadensis (aromatica), 4'	-5'	Fragrant	Sumac
18 to 24 in	.30	.25	.20
2 to 3 ft	.45	.37	.30
4 to 5 ft.	.75	.62	.50
— copallina, 12'-13'		Shining	Sumac
18 to 24 in.	.30	.25	.20
2 to 3 ft	.40	.33	.27
3 to 4 ft	.52 .70	.45 .55	.35 .45
* — cotinus, 10'-12'	Com	mon Sm	oketree
2 to 3 ft	.60	.50	.40
3 to 4 ft.	.90	.75	.60
4 to 5 ft. 5 to 6 ft.	1.20 1.50	1.00 1.25	
— glabra, 10'-12'		Smooth	Sumac
18 to 24 in	.20	.17	.14
2 to 3 ft	.27	.22	.18 .25
— typhina, 15'-18'		Staghorn	Sumac
2 to 3 ft	.24	.20	.16
3 to 4 ft	.33	.27	.22
4 to 5 ft			
— typhina laciniata, 14'-15'		Shredded	
18 to 24 in	.22	.20 .25	.15
3 to 4 ft	.37	.30	.25
4 to 5 ft	.45	.37	.30
5 to 6 ft	.70	.55	
ROBINIA hispida, 5'-6'			-acacia
18 to 24 in	.37	.30	.25
ROSA blanda, 4'-5'		Meado	w Rose
12 to 18 in	.22	.20	.15
18 to 24 in	.30	.25	.20
2 to 3 ft	.45	.37	.30
	lden	Rose of	
18 to 24 in	.37	.30	.25
2 to 3 ft	.52	.45	.35


ROSA—continued	Unit I	Price in Quar 5-24	
— lucida, 5'-6'		Virginia	Rose
12 to 15 in	.18	.15	.12
15 to 18 in	.22	.20	.15
18 to 24 in		.25	.20
— multiflora, 9'-10'		Japanese	Rose
18 to 24 in	.18	.15	.12
2 to 3 ft	.22	.20	.15
3 to 4 ft	.30	.25	.20
— nitida, 3'-4'		Bristly	Rose
12 to 18 in	.30	.25	.20
• • • • • • • • • • • • • • • • • •	.00	.=0	.=0
- palustris (carolina), 6'-8'		Swamp	Rose
12 to 18 in	.22	.20	.15
18 to 24 in	.30	.25	.20
2 to 3 ft		.30	.25
— rubiginosa, 5'-6'		Sweet	brier
18 to 24 in	.30	.25	.20
2 to 3 ft		.30	.25
3 to 4 ft	.45	.37	.30
4 to 5 ft	.52	.43	.35
— rubrifolia (ferruginea), 5'-6'		Redleaf	
12 to 18 in	.22	.20	.15
18 to 24 in	.30	.25	.20
2 to 3 ft	.37 .45	.30	.25
3 to 4 ft	.43	.3/	.30
— rugosa, 4'-5'	Re	d Rugosa	Rose
18 to 24 in	.30	.25	.20
2 to 3 ft		.30	.25
3 to 4 ft		.45	.35
			_
— rugosa alba 4'-5'		te Rugosa	Rose
18 to 24 in	.45 .50	.37 .45	
2 to 3 it	.50	٠٦٥	
— setigera, 5'-6'		Prairie	Rose
2 to 3 ft	.30	.25	.20
3 to 4 ft	.35	.30	.25
4 to 5 ft	.45	.37	.30
anin acissima 1/		Contain	Doza
— spinosissima, 4'	20	Scotch	
12 to 18 in	.30	.25 .30	.20
2 to 3 ft	.37	.45	.25
2 to 5 ft	.50	.13	.00
- wichuraiana, white, 10'-12'	V	Vichurian	Rose
1 year	.27	.22	.18
2 year	.33	.27	.22
	.50		

Unit Price in Quantities 1-4 5-24 25-249

SALISBURIA adiantifolia (See GINKGO)

SALIX babylonica ,50'-60				
4 to 6 ft		.60	.50	
6 to 8 ft		.90	.75	.60
8 to 10 ft		1.35	1.10	
— — salamoni, 40'-50'	Salan	on	Weening	Willow
6 to 8 ft		.90		.60
8 to 10 ft				
10 to 12 ft				
12 to 14 ft		2.25		
— blanda, 40'-50'	Wisco	nsin	Weeping	Willow
4 to 6 ft			.55	.45
6 to 8 ft				.60
8 to 10 ft		1.35	1.10	
- caprea (bush form), 15	/ 90/			
			n Pussy	Willow
		_	_	
3 to 4 ft		.30		.20
5 to 6 ft		.60		.40
6 to 8 ft		.85		.55
8 to 10 ft		1.05	.90	.70
	FD 1	,	TTT .	TTT:11 -
— elegantissima			Weeping	
4 to 6 ft		.60	.50	.40
6 to 8 ft		.90 1.35	.75 1.10	.60
8 to 10 ft		1.55	1.10	.90
— fragilis, 40'-50'			Brittle	Willow
6 to 8 ft		1.10	.95	.75
— incana (rosmarinifolia),	8'-10'	B	osemary	Willow
18 to 24 in		.22	.20	.15
2 to 3 ft		.30		.20
		.00	.20	.20
— nigra, 30'-35'			Black	Willow
3 to 4 ft		.37	.30	
4 to 6 ft		.60	.50	.40
— niobe, 30'-40'	Nic	he T	Weeping	Willow
4 to 6 ft			.75	
6 to 8 ft		1.35	1.10	.90
— pentandra, 20'-30'				Willow
4 to 6 ft		.60	.50	.40
6 to 8 ft		1.00 1.35		.65
8 to 10 ft		1.35	1.10	.90
— purpurea, 15'-20'			Purpl	le Osier
4 to 6 ft		.60	.50	.40
— vitellina aurea, 30'-40'				
4 to 6 ft		.60		.40
6 to 8 ft 8 to 10 ft		.90 1.35	.75 1.10	.60 .90
0 to 10 1t		1,00	1.10	.50

		Price in Qu 5-24	
— — britzensis, 30'-40'	ronze	Golden	Willow
4 to 5 ft	.75	.60	
5 to 6 ft	1.05	.90	
— — nova, 30'-40'	New	Golden	Willow
4 to 6 ft	.60	.50	.40
6 to 8 ft	.90	.75	.60
8 to 10 ft			.90
		Golden	
4 to 6 ft	.60	.50 .75	.40
6 to 8 ft	.90	./5	.60
8 to 10 ft	1.35	1.10	.90
SAMBUCUS canadensis, 8'-9'		America	
2 to 3 ft	.24	.20	.16
3 to 4 ft	.33	.27	.22
4 to 5 ft	.45	.37	.30
— — acutiloba, 7'-9' Cu	tle af .	America	n Elder
2 to 3 ft	.24	.20	.16
3 to 4 ft.	.33		.22
4 to 5 ft	.45	.37	.30
7 10 3 16			
— — aurea, 8'-9'			n Elder
2 to 3 ft	.24	.20	.16
3 to 4 ft	.33	.27	.22
4 to 5 ft	.45	.37	.30
— pubens, 10'-12'	A	mer. Re	d Elder
18 to 24 in	.27	.22	.18
2 to 3 ft	.33		.22
SOPHORA japonica, 30'-40'		ese Sch	
2 to 3 ft		1.25	1.00
3 to 4 ft	2.25	1.90	1.50
SORBARIA aitchisoni, 4'-5'	Kashr	nir Fals	e-spirea
2 to 3 ft		.25	.20
3 to 4 ft		.30	
4 to 5 ft	.45	.37	.30
5 to 6 ft.	.60	.50	.40
SORBUS americana, 30' An	nerica	n Moun	tain-ash
3 to 4 ft	.90	.75	.60
4 to 5 ft	1.35	1.10	.90
5 to 6 ft	1.90	1.50	1.25
6 to 8 ft	2.60	2.20	1.75
— aucuparia, 25'-30' Eu	ropea	n Moun	tain-ash
4 to 6 ft		.95	.75
6 to 8 ft		1.25	1.00
8 to 10 ft	1.90	1.50	1.25
10 to 12 ft	2.40	2.00	



SPIREA - One of our specialties.

	Unit Price in Quantities		
	1-4	5-24	25-249
SPIREA alba, 6'-7'	Ŋ	Meadow S	pirea
2 to 3 ft	.25	.20	.16
3 to 4 ft	.30	.25	.20
4 to 5 ft.	.37	.30	.25
— albiflora (callosa alba), 3'	Ja	apanese S	pirea
15 to 18 in	.22	.20	.15
18 to 24 in	.30	.25	.20
2 to 2½ ft	.37	.30	.25
— arguta, 5'-6'		Garland S	
18 to 24 in	.20	.17	
2 to 3 ft	.27	.22	.18
3 to 4 ft	.37	.30	.25
— billiardi, 5'-6'		Billiard S	pirea
2 to 3 ft	.22	.20	.15
3 to 4 ft.	.30	.25	.20
4 to 5 ft.	.37	.30	.25
— bumalda, 3'	В	umalda S	pirea
15 to 18 in.	.18	.15	.12
18 to 24 in	.25	.20	.16
2 to 2½ ft	.30	.25	.20
— — Anthony Waterer, 3' And	thony V	Waterer S	pirea
12 to 15 in	.18	.15	.12
15 to 18 in	.24	.20	.16
18 to 24 in	.30	.25	.20
2 to 2½ ft	.37	.30	.25
— frobeli, 3'		Frobel S	pirea
18 to 24 in	.20	.17	.14
2 to 2½ ft	.27	.22	.18
2½ to 3 ft	.35	.30	.24
	.45	.37	.30

			01
SPIREA—continued	Unit P 1-4	rice in Quan 5-24 2	
- latifolia (salicifolia), 4'-5'	Pink :	Meadow S	pirea
18 to 24 in	.18	.15	.12
2 to 3 ft.	.25	.20	.16
3 to 4 ft.	.30	.25	.20
4 to 5 ft	.37	.30	.25
100 210			0
— nipponica rotundifolia, 6'-7'	Big	Nippon S	pirea
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45	.35	
- opulifolia (See PHYSOCARPU	5 opuli	ifolia)	
— prunifolia plena 7'-8'		Bridalw	reath
18 to 24 in	.30	.25	.20
2 to 3 ft	.37	.30	.25
3 to 4 ft	.52	.45	.35
reevesiana, 7'-8'		Reeves S	nires
	10	.15	.12
18 to 24 in	.18 .27	.15	.16
2 to 3 ft		.25	.20
3 to 4 ft	.30		.25
4 to 5 ft	.37	.30	.25
— Fl. Pl. (Lanceata) 7'-8'	Double		
18 to 24 in	.22	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.37	.30	.25
— salicifolia	Wi	llowleaf S	pirea
18 to 24 in	.12	.10	.08
2 to 3 ft	.18	.15	.12
3 to 4 ft	.22	.20	.16
4 to 5 ft	.30	.25	.20
		-	
- sorbifolia (See SORBARIA so	rbitoii	a)	
— thunbergi, 4'-5'		nunberg S	-
12 to 18 in	.15	.12	.10
18 to 24 in	.25	.20	.16
2 to 2½ ft	.30	.25	.20
— tomentosa, 3'-4'		Hard	lhack
18 to 24 in	.18	.15	.12
2 to 3 ft	.22	.20	.16
3 to 4 ft	.30	.25	.20
— trichocarpa, 5'-6'		Korean S	pirea
18 to 24 in	.22	.20	.14
2 to 3 ft	.27	.22	.18
3 to 4 ft	.33	.27	.22
4 to 5 ft	.45	.37	.30
		nhoutte S	nires
— vanhouttei, 8'-9'			-
18 to 24 in	.12	.10	.08
2 to 3 ft	.18	.15	.12
3 to 4 ft	.25	.20	.16
4 to 5 ft	.30	.25	/31

Unit Price in Quantities 1-4 5-24 25-249

STEPHANANDRA flexuosa, 5'-6'	Cutleaf	Stephan	andra
		_	
18 to 24 in.	.22	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.45	.37	.30
4 to 5 ft		.50	.40
— tanakae, 6'	Yeddo	Stephan	landra
4 to 5 ft,	.45	.37	.30
5 to 6 ft	.60	.50	.40
3 to 0 1t	.00	.50	.+0
STYRAX japonica, 12'-15'	Japa	nese Sne	owbell
2 to 3 ft		.55	.45
		.55	
3 to 4 ft.	1.10	.95 2.50	.75
4 to 6 ft., B. & B	3.00	2.50	2.00
6 to 8 ft., B. & B	4.50	3.75	3.00
8 to 10 ft., B. & B.	6.00	5.00	
0 to 10 11, 5. & 5.	0.00	2.00	
SYMPHORICARPOS chenaulti, 6	'-8'		
		ult Cora	lberry
18 to 24 in		.15	.12
2 to 3 ft	.24	.20	.16
3 to 4 ft.	33	.27	.22
— mollis, 4'-5'	Spread	ing Snov	vberry
18 to 24 in	.18	.15	.12
2 to 3 ft		.20	.16
2 +- 4 64	.44		
3 to 4 ft	.33	.27	.22
racemosus, 5'-6'		Snov	berry
18 to 24 in	.18	.15	.12
2 to 3 ft	.24	.20	.16
3 to 4 ft.	.33	.27	.22
	.00		
— vulgaris, 4'-5'			lberry
18 to 24 in	.18	.15	.12
2 to 3 ft	.24	.20	.16
3 to 4 ft	.33	.27	.22
0 to 4 ft	.00	.41	.22
SYMPLOCUS paniculata, 20'-25'	As	iatic Swe	etleaf
18 to 24 in	.37	.30	.25
2 to 3 ft	.52	.45	.35
3 to 4 ft.	.75	.60	.50
4 to 5 ft	1.10	.95	.75
5 to 6 ft	1.45	1.20	
SYRINGA chinensis (rothomage	nsis). 8	3'-9'	
18 to 24 in	.27	.22	.18
2 to 3 ft		.30	.25
3 to 4 ft	.52	.45	.35
— chinensis saugeana, 8'-9'	Purple	Chinese	Lilac
18 to 24 in	.27	.22	.18
2 to 3 ft	.37	.30	.25
3 to 4 ft	.52	.45	.35
— japonica, 18'-20'		ese Tree	Lilea
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.10	.95	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft.	1.90	1.50	1.25
0 to 10 It	1.70	1.00	1.20

PRINCEION NORS	EKIES		03
SYRINGA—continued		rice in Quai 5-24	
— josikaea, 9'-10'	Н	ungarian	Lilac
18 to 24 in	.30	.25	.20
2 to 3 ft		.37	.30
— Louvain	Light	Purple	Single
18 to 24 in	.52	.45	.35
2 to 3 ft		.55	.45
3 to 4 ft	.85	.70	.55
— montesquieu	Single	Purplish	
18 to 24 in	.52	.45	.35
2 to 3 ft		.55	.45
3 to 4 ft	.85	.70	.55
— persica, 9'-10'		Persian	
18 to 24 in	.30	.25	.20
2 to 3 ft		.37	.30
3 to 4 ft	.60	.50	.40
— — alba, 5'-6'		te Persiar	
18 to 24 in		.30	.25
2 to 3 ft		.45	.35
3 to 4 ft	75	.60	.50
— villosa, 7'-8'			e Lilac
2 to 3 ft	33	.27	.22
3 to 4 ft		.37	.30
4 to 5 ft		.50	.50
5 to 6 ft	/3	.00	.50
- vuisuris, 12 10		on Purple	
18 to 24 in		.20	.16
2 to 3 ft		.25	
		on White	
18 to 24 in		.15	.12
2 to 3 ft	45	.37	.30

FRENCH LILACS—NAMED VARIETIES ALL ON OWN ROOTS

*Strong bushy growers

	*Strong busny growers				
	Name and Color	Siz	es avail	able	
PD	Adelaide Dunbar				
	Double. Violet red	12-18,	18-24,	2-3	
BD	Alphonse Lavalle				
	Double. Deep lilac blue	12-18			
PD	Charles Joly				
	Double. Light red purple	12-18,	18-24		
PS	Charles Tenth			0.0	
	Single. Dull red purple	12-18,	18-24,	2-3	
WS	*Florent Stepman				
	Single. White large flower	12-18,	18-24.	2-3,	3-4
BS	Hugo Koster				
	Single. Lilac blue	12-18,	18-24,	2-3	
PS	John deMessmaker				
	Sigle. Light red purple	12-18,	18-24,	2-3	
BD	*Kath. Havemeyer				
	Double, Lilac v. purple	12-18,	18-24,	2-3	
PS	Ludwig Spaeth				
	Single. Purple v. red	12-18,	18-24,	2-3	
	1				

Unit Price in Quantities

	1-4	5-2	4 2	5-249
DW Mme, Cas. Perrer				
Double. Creamy white	12-18	18-24,	2-3	
BS *Mme. F. Morel	12-10,	10-27,	2-3	
Single. Deep plilac	12-18	18-24,	2-3	3-4
WD Mme, Lemoine	12 10,	10-21,	~ 0,	0-1
Double. White	12-18.	18-24,	2-3.	3-4
WS Marie LeGraye		,	,	
Single. White	12-18,	18-24,	2-3	
BD *Michel Buchner				
Double. Pinkish lilac	12-18,	18-24		
BD *Olivier de Serres				
Double. Light pink-lilac		18-24,	2-3,	3-4
RD Paul Hariot				
Double. Red mauve	12-18,	18-24,	2-3	
BD *Pres. Grevy	10.10	10.04	2.2	
Double. Light pink-lilac	12-18,	18-24,	2-3	
RS *Pres. Poincare Double. Clear red-purple	12 10	10 24	2 2	
PS Reaumur	12-10,	10-24,	4-3	
Single. Clear purple-red	12-18	18_24	2-3	31
BS Rubra de Marly	12-10,	10-27,	2-0	3
Single. Pale lilac red	12-18.	18-24,	2-3.	3-4
WS *Vestale	,		,	
Single. White lg. flower	12-18,	18-24,	2-3	
PD Wm. Robinson				
Double. Red vpurple	12-18,	18-24,	2-3	
12 4- 10 1	27			25
12 to 18 in			15	.25 .35
2 to 3 ft	70			.45
3 to 4 ft	90	.7	75	.60
→	••••			
TAMARIX gallica, 8'-9'		French	1 Tar	narix
18 to 24 in			.5	.12
2 to 3 ft			20 27	.16
4 to 5 ft			37	.30
— parviflora, 12'-14'		Tamar	ix Al	geria
18 to 24 in.	18		5	.12
2 to 3 ft			20	.16
3 to 4 ft			27	.22
4 to 5 ft	45		37	.30
— pentandra, 12'-15'	Five	estameı	1 Tar	narix
18 to 24 in			15	.12
2 to 3 ft			20 27	.16
4 to 5 ft			37	.30

Unit Price in Quantities 1-4 5-24 25-249

TAXUS—THE YEWS

TAXUS	haccata	repandens.	191-941
TITLE	viiitata	I Changens,	10 "44"

TAACS baccata repaintens, 18-2	r±		
S	preadi	ng English	Yew
12 to 15 in., B. & B		1.25	
15 to 18 in., B. & B	2.25	1.25	1.00
20 to 10 mi, B. & B	4.40	1.90	1.50
—— tardiva, 15'	Shortles	af English	Vorr
		or English	IGW
12 to 15 in., B. & B.	1.35	1.10	.90
15 to 18 in., B. & B.	1.90	1.50	1.25
18 to 24 in., B. & B.	2.60	2.20	1.75
2 to 2½ ft., B. & B	3.75	3.00	2.50
— cuspidata, 10'-15' Spr	eading	Japanese	Yew
15 to 18 in., B. & B.	1.75	1.50	1.15
18 to 24 in., B. & B	2.60	2.20	1.75
2 to 2½ ft., B. & B	3.60	2.85	2.40
2½ to 3 ft., B. & B	4.90	4.05	3.25
3 to 3½ ft., B. & B		5.00	4.00
3½ to 4 ft., B. & B	7.50	6.25	5.00
4 to 5 ft., B. & B.	10.00	8.00	6.50
5 to 6 ft., specimens	19.00	15.00	
6 to 7 ft., specimens	24.00	20.00	
—— capitata, 25'-40' U	pright	Japanese	Yew
15 to 18 in., B. & B	1.35	1.10	.90
18 to 24 in., B. & B	2.00	1.70	1.35
2 to 2½ ft., B. & B	3.00	2.50	2.00
2½ to 3 ft., B. & B	4.10	3.50	2.75
			2 50
3 to 3½ ft., B. & B	5.25	4.40	3.50
3 to 3½ ft., B. & B	5.25	4.40 5.50	4.50
3 to 3½ ft., B. & B	5.25 6.75		
3 to 3½ ft., B. & B	5.25 6.75 9.00	5.50	4.50
3 to 3½ ft., B. & B	5.25 6.75 9.00	5.50 7.50	4.50
3 to 3½ ft., B. & B	5.25 6.75 9.00	5.50 7.50	4.50
3 to 3½ ft., B. & B	5.25 6.75 9.00 10.50	5.50 7.50 8.50	4.50 6.00 Yew
3 to 3½ ft., B. & B	5.25 6.75 9.00 10.50	5.50 7.50 8.50 Hicks' 2.20	4.50 6.00 ——— Yew 1.75
3 to 3½ ft., B. & B	5.25 6.75 9.00 10.50 2.60 3.75	5.50 7.50 8.50 Hicks'	4.50 6.00 Yew
3 to 3½ ft., B. & B	5.25 6.75 9.00 10.50	5.50 7.50 8.50 Hicks' 2.20 3.00	4.50 6.00 Yew 1.75 2.50
3 to 3½ ft., B. & B	5.25 6.75 9.00 10.50 2.60 3.75 4.90	5.50 7.50 8.50 Hicks' 2.20 3.00 4.05	4.50 6.00 Yew 1.75 2.50 3.25



Taxus specimens. We are building up a fine stock of the better varieties.

00 TRITICETON NORD	DICIES			
TAXUS—continued Unit Price in Quantities 1-4 5-24 25-249				
— mana (brevifolia), 2'-3'	Dwarf	Japanese	Yew	
12 to 15 in., B. & B	1.90	1.50	1.25	
15 to 18 in., B. & B	2.60	2.20	1.75	
18 to 24 in., B. & B	4.10	3.50	2.75	
— — thayeri, 6'-8'		Thayers	Yew	
18 to 24 in. B. & B	2.60	2.20	1.75	
2 to 2½ ft. B. & B	3.75	3.00	2.50	
2½ to 3 ft., B. & B	4.90	4.05	3.25	
— hatfieldi, 8'-10'		Hatfield	Yew	
2 to 2½ ft., B. & B		3.00	2.50	
2½ to 3 ft., B. & B.		4.05	3.25	
3 to 4 ft., B. & B	6.35	5.30	4.25	
— intermedia, 12'-15'		Hybrid	Yew	
15 to 18 in., B. & B.	2.25	1.90	1.50	
18 to 24 in., B. & B.	3.00	2.50	2.00	
2 to 2½ ft., B. & B	3.75 4.20	3.00 3.50	2.50	
2/2 to 5 ft., B. & B	7.20	0.50		
THUJA occidentalis, 15'-30'	Ameri	can Arbor	vitae	
2 to 3 ft., B. & B		.95	.75	
3 to 4 ft., B. & B.		1.50	1.25	
4 to 5 ft., B. & B	2.60 3.40	2.20 2.80	1.75 2.25	
6 to 8 ft., B. & B.		4.05	3.25	
8 to 10 ft., B. & B	7.50	6.25	5.00	
10 to 12 ft., B. & B	10.50	9.00	7.00	
— — compacta, 2½'-4'	Parso	ons Arbor	vitae	
12 to 15 in., B. & B	.70	.55	.45	
15 to 18 in., B. & B.		.95	.75	
18 to 24 in., B. & B 2 to 2½ ft., B. & B		1.10 1.50	.90	
2 to 272 ft., B. & B	1./ 3	1.50	1.13	
— — ellwangeriana, 4'-6' To		mb Arbor	vitae	
15 to 18 in., B. & B.		.75	.60	
18 to 24 in., B. & B	1.35 1.90	1.10 1.50	.90	
2 to 272 ft., B. & B	1.90	1.50	1.43	
—— globosa, 3'-4'	Gle	obe Arbor	vitae	
12 to 15 in., B. & B	.75	.60	.50	
15 to 18 in., B. & B		1.00 1.25	1.00	
2 to 2½ ft., B. & B		1.50	1.25	
— — hoveyi, 3'-4'	Ho	vey Arbor	vitae	
12 to 15 in., B. & B	.70	.55	.45	
15 to 18 in., B. & B	1.10	.95	.75	
18 to 24 in., B. & B	1.35	1.10	.90	
2 to 2½ ft., B. & B	1.75	1.50	1.15	
2½ to 3 ft., B. & B	2.25	1.90	1.50	

THUYA—continued	Unit P 1-4	rice in Qua 5-24	ntities 25-249
—— lutea, 10'-15' George	Peabo	dy Arbo	rvitae
2 to 21/2 ft., B. & B	1.50	1.25	1 00
2½ to 3 ft., B. & B	2.25	1.23	1.00
3 to 4 ft., B. & B	3.00	2.50	1.50
4 to 5 ft., B. & B		3.00	2.00 2.50
5 to 6 ft., B. & B	5.25	4.40	3.50
2 to 0 tt., B. & B	3.23	7.70	3.30
— — pyramidalis, 15'-30'	Pyrami	dal Arbo	rvitae
18 to 24 in., B. & B	1.05	.90	.70
2 to 3 ft. B. & B	1.50	1.25	1.00
3 to 4 ft. B. & B	2.25	1.90	1.50
4 to 5 ft., B. & B	3.00	2.50	2.00
5 to 6 ft., B. & B	4.10	3.50	2.75
6 to 7 ft., B. & B	5.25	4.40	3.50
7 to 8 ft., B. & B	7.15	5.85	4.75
8 to 10 ft., B. & B		7.50	6.00
10 to 11 ft., B. & B.		10.00	8.00
2, 424			
— — vervaeneana, 8'-12'		ene Arbo	rvitae
18 to 24 in., B. & B		.75	.60
2 to 2½ ft., B. & B	1.10	.95	.75
2½ to 3 ft., B. & B	1.50	1.25	1.00
3 to 4 ft., B. & B.	1.90	1.50	1.25
4 to 5 ft., B. & B	2.60	2.20	1.75
5 to 6 ft., B. & B	3.40	2.80	2.25
— occidentalis wareana, 12'-15'	Siber	ian Arbo	rvitae
18 to 24 in., B. & B	1.20	1.00	.80
2 to 2½ ft., B. & B	1.50	1.25	1.00
2½ to 3 ft. B. & B	2.25	1.90	1.50
3 to 4 ft. B. & B	3.75	3.00	2.50
4 to 5 ft. B. & B	4.50	3.75	
BIOTA or CHINESE AR	RBORVI	ITAE	
- orientalis (Biota), 20'-25'	Orien	tal Arbo	rvitae
2 to 3 ft., B. & B		1.25	1.00
3 to 4 ft. B. & B		1.25	1.50
4 to 5 ft. B. & B	3.00	2.50	2.00
5 to 6 ft. B. & B.	4.50	3.75	3.00
0 to 0 tt. D. & D	1.50	0.70	0.00
——— nana (Biota), 21/2'-3'			
Berckman	ns Gold	en Arbo	rvitae
9 to 12 in., B. & B	.75	.60	.50
12 to 15 in., B. & B		.90	.70
15 to 18 in., B. & B	1.35	1.10	.90
- orientalis elegantissima (Biota	a), 7'-8	,	
		mn Arbo	rvitae
18 to 24 in B. & B	1.10	.95	.75
2 to 2½ ft., B. & B.	1.50	1.25	1.00
2½ to 3 ft., B. & B.		1.90	1.50
3 to 4 ft., B. & B		2.50	2.00
4 to 5 ft., B. & B.		3.25	
1 to 5 tt., D. & D	0.70	0.20	

Unit Price in Quantities 1-4 5-24 25-249

TILIA—THE LINDENS

TILIA americana, 75'-90'	Ar	nerican	Linden
6 to 8 ft	1.20	1.00	.75
8 to 10 ft.	1.50	1.25	1.00
8 to 10 ft., 1½ to 1½ in	1.90	1.50	1.25
10 to 12 ft., 1½ to 1¾ in	2.25	1.90	1.50
10 to 12 ft., 1½ to 1¼ iii	2.60	2.20	1.75
12 to 14 ft 2 to 21/ in	3.00	2.50	
12 to 14 ft., 2 to 2½ in	3.75		2.00 2.50
14 to 16 ft., 2½ to 3 in	4.25	3.00	
16 to 18 ft., 3 to 3½ in	5.25	3.50 4.50	
10 to 10 ft., 0 to 0/2 hi	5.25	4.50	
cordata, 70' Littlele	eaf Eu	ropean	Linden
6 to 8 ft	1.90	1.50	1.25
8 to 10 ft	2.25	1.90	1.50
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	2.60	2.20	1.75
8 to 10 ft., 1½ to 1¾ in	3.00	2.50	2.00
10 to 11 ft., 13/4 to 2 in	3.40	2.80	2.25
10 to 12 ft., 2 to 2½ in	4.10	3.50	2.75
10 to 12 ft., 2½ to 2½ in	5.25	4.40	3.50
12 to 14 ft., 2½ to 3 in	6.75	5.50	4.50
12 to 14 ft., 3 to 3½ in	9.00	7.50	6.00
— platyphyllos, 70' Bigle	af Eu	ropean	Linden
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.90	1.50	1.25
8 to 10 ft., 1½ to 1¾ in	2.25	1.90	1.50
8 to 10 ft., 13/4 to 2 in	2.60	2.20	1.75
10 to 12 ft 2 to 21/4 in	3.00	2.50	2.00
10 to 12 ft., 2½ to 2½ in	3.75	3.00	2.50
12 to 14 ft., 2½ to 3 in	4.50	3.75	3.00
12 to 14 ft., 3 to 3½ in	5.25	4.40	3.50
— tomentosa (argentea), 40'-60'		Silver	Linden
0 4- 10 % 17/ 4- 12/ *	450	275	2.00
9 to 10 ft., 1½ to 1¾ in		3.75	3.00
10 to 11 ft., 134 to 2 in		.4.40	3.50
10 to 12 ft., 2 to 2½ in	6.00	5.00	4.00
10 to 12 ft., 2½ to 2½ in	0.75	5.50	4.50
12 to 14 ft., 2½ to 3 in	10.00	6.75 8.00	5.50
12 to 14 ft., 3 to 3½ in	10.00	8.00	
— vulgaris, 70'-90'	Eu	ropean	Linden
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.70	1.35
8 to 10 ft. 1½ to 1½ in	2.50	2.00	1.65
10 to 12 ft., 1½ to 1¾ in	3.00	2.50	2.00
10 to 12 ft., 1/2 to 1/4 hamman	3.40	2.80	2.25
11 to 13 ft., 2 to 2½ in	4.10	3.50	2.75
11 to 13 ft., 2½ to ½ in	5.25	4.40	3.50
13 to 14 ft., 2½ to 3 in	6.00	5.00	

Unit Price in Quantities 1-4 5-24 25-249

THE HEMLOCKS

THE HEMLOCKS			
TSUGA canadensis, 75'-90' Canada Hemlock			
18 to 24 in., B. & B	1.35	1.10	.90
2 to 3 ft., B. & B	1.90	1.50	1.25
3 to 4 ft., B. & B	3.00	2.50	2.00
4 to 5 ft., B. & B	5.25	4.40	3.50
	6.25	5.25	
6 to 8 ft., B. & B	8.50	7.00	
Larger specimens at \$2.00 per fo	ot.		
— pendula, 8'-10'	We	eping He	mlock
18 to 24 in., B. & B	2.40	2.00	
2 to 2½ ft., B. & B	3.75	3.00	
caroliniana, 50'-60'	Car	olina He	mlock
3 to 4 ft., B. & B	3.75	3.00	2.50
4 to 5 ft., B. & B.	5.25	4.40	3.50
5 to 0 it., B. & B	7.50	6.00	5.00
6 to 8 ft., B. & B	10.50	8.75	7.00
— diversifolia, 30'-40'	Jap	anese He	mlock
15 to 18 in., B. & B	1.50	1.25	1.00
18 to 24 in., B. & B	2.25	1.90	1.50
2 to 3 ft., B. & B	3.00	2.50	2.00
— sieboldi, 40'-50'	Si	ebold He	mlock
15 to 18 in., B. & B	1.50	1.25	1.00
18 to 24 in., B. & B	2.25	1.90	1.50
2 to 3 ft., B. & B	3.00	2.50	2.00
ULMUS americana, 80'-100'		America	n Elm
6 to 8 ft	.75	.60	.50
8 to 10 ft	.90	.75	.60
8 to 10 ft., 1½ to 1½ in	1.00	.90	.70
9 to 11 ft., 1½ to 1¾ in	1.50	1.25	1.00
10 to 12 ft., 134 to 2 in	2.25 3.00	1.90 2.50	1.50 2.00
12 to 14 ft., 2 ¹ / ₄ to 2 ¹ / ₂ in	3.75	3.00	2.50
12 to 14 ft., 2½ to 3 in	5.25	4.40	3.50
14 to 16 ft., 3 to 3½ in	6.75	5.50	4.50
14 to 16 ft., 3½ to 4 in	8.50	7.00	
16 to 18 ft., 4 to 4½ in	10.00	9.00	
18 to 20 ft., 4½ to 5 in	14.00	12.00	
— — Moline, 80'-100'		Moline	e Elm
6 to 8 ft	1.00	.90	.70
8 to 10 ft	1.35	1.10	.90
8 to 10 ft., 1½ to ½ in	1.90	1.50	1.25
10 to 12 ft., 1½ to 1¾ in	2.60	2.20	1.75
10 to 12 ft., 13/4 to 2 in	3.40	2.80	2.25
11 to 12 ft., 2 to 2½ in	4.10 4.90	3.50 4.00	3.25
11 to 13 ft., 2½ to 2½ in	6.00	5.00	0.20

70	PRINCETON NURS	ERIES	3	
UL	MUS—continued	Unit 1-4	Price in Qua 5-24	ntities 25-249
_	"Princeton," 80'-100'		Princeto	n Elm
	6 to 8 ft	1.00 1.35 1.90 2.50 3.00 3.75	.80 1.10 1.50 2.00 2.50 3.00	.65 .90 1.25 1.65 2.00 2.50
_	— Vase shape, 60'-75' Vase S 10 to 12 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. 11 to 12 ft., 2 to 2¼ in. 12 to 14 ft., 2¼ to 2½ in. 12 to 14 ft., 2½ to 3 in. 14 to 16 ft., 3 in.	1.90 2.40 3.00 4.90 6.00	1.65 2.00 2.50 4.00 5.00 6.50	
VI	BURNUM americanum (oxycoc	cos).	8'-9'	
			Cranberr	ybush
	18 to 24 in.	.33	.27	.22
	2 to 3 ft		.33 .45	.27
		.54		
	cassinoides, 5'-6'	20		he-rod
	12 to 18 in	.22	.20	.15
	2 to 3 ft.	.52	.45	.35
	3 to 4 ft	.70	.55	.45
_	dentatum, 10'-12'		Arro	whead
	18 to 24 in	.22	.20	.15
	2 to 3 ft	.30	.25	.20
	3 to 4 ft	.52	.30	.35
_	dilatatum, 8'-9'		nden Vibi	ırnıım
	18 to 24 in	.27	.22	.18
	2 to 2½ ft	.37	.30	.25
	2½ to 3 ft	.52	.45	.35
	3 to 4 ft	.70	.55	.45
	lantana, 15'-18'		Wayfarin	
	18 to 24 in	.22	.20	.15
	2 to 3 ft	.30	.25 .30	.25
	4 to 5 ft.	.52	.45	.35
-	lentago, 18'-20'		Nann	yberry
	18 to 24 in	.37	.30	.25
	2 to 3 ft	.52	.45 .55	.35
_	molle, 10'-12'		ucky Vibu	ırnum
	18 to 24 in.	.24	.20	.16
	2 to 3 ft	.33	.27	.22
	3 to 4 ft	.45	.37 .50	.30
		.00		.10

— opulus, 9'-10' European Cranberrybush 18 to 24 in	PRINCETON	NURSERIES		71
18 to 24 in. .33 .27 .22 2 to 3 ft. .40 .33 .27 3 to 4 ft. .52 .45 .35 4 to 5 ft. .70 .55 .45 — opulus nanum, 18"-24" Dwarf Cranberrybush 6 to 9 in. .45 .37 .30 9 to 12 in. .60 .50 .40 — sterile, 9'-10' Common Snowball 18 to 24 in. .30 .25 .20 2 to 3 ft. .37 .30 .25 .20 2 to 3 ft. .37 .30 .25 3 to 4 ft. .45 .37 .30 2 to 2½ ft. .60 .50 .40 2½ to 3 ft. .45 .37 .30 2½ to 3 ft. .75 .60 .50 3 to 4 ft. .90 .75 .60 2½ to 3 ft. .90 .75 .60 3 to 4 ft. .90 .75 .60 4 to 5 ft. .1.35 1.10 .90 — rhytidophyllum, 6'-8' Leatherleaf Viburnum 12 to 15 in., B. &	VIBURNUM—continued		Price in Qu 5-24	antities 25-249
2 to 3 ft	— opulus, 9'-10'	European	Cranber	rybush
2 to 3 ft	18 to 24 in		.27	.22
3 to 4 ft	2 to 3 ft	40		.27
— opulus nanum, 18"-24" Dwarf Cranberrybush 6 to 9 in	3 to 4 ft			.35
6 to 9 in	4 to 5 ft		.55	.45
9 to 12 in	— opulus nanum, 18"-24"	Dwarf	Cranber	rybush
9 to 12 in	6 to 9 in			
sterile, 9'-10' 18 to 24 in				
18 to 24 in. .30 .25 .20 2 to 3 ft. .37 .30 .25 3 to 4 ft. .45 .37 .30 - prunifolium, 10'-12' Blackhaw 18 to 24 in. .45 .37 .30 2 to 2½ ft. .60 .50 .40 2½ to 3 ft. .75 .60 .50 3 to 4 ft. .90 .75 .60 4 to 5 ft. 1.35 1.10 .90 - rhytidophyllum, 6'-8' Leatherleaf Viburnum 12 to 15 in., B. & B. .45 .37 .30 15 to 18 in., B. & B. .75 .60 .50 18 to 24 in., B. & B. .75 .60 .50 - sieboldi (japonicum), 9'-10' Siebold Viburnum	, , , , , , , , , , , , , , , , , , , ,			.10
2 to 3 ft	— — sterile, 9'-10'	Con	nmon Sn	owball
3 to 4 ft	18 to 24 in		.25	.20
— prunifolium, 10'-12' Blackhaw 18 to 24 in	2 to 3 ft		.30	.25
18 to 24 in. .45 .37 .36 2 to 2½ ft. .60 .50 .40 2½ to 3 ft. .75 .60 .50 3 to 4 ft. .90 .75 .60 4 to 5 ft. 1.35 1.10 .90 - rhytidophyllum, 6'-8' Leatherleaf Viburnum 12 to 15 in., B. & B. .45 .37 .30 15 to 18 in., B. & B. .75 .60 .50 18 to 24 in., B. & B. 1.10 .95 .75 - sieboldi (japonicum), 9'-10' Siebold Viburnum	3 to 4 ft		.37	.30
2 to 2½ ft	-		Bla	ackhaw
2½ to 3 ft. .75 .60 .50 3 to 4 ft. .90 .75 .60 4 to 5 ft. 1.35 1.10 .90 — rhytidophyllum, 6'-8' Leatherleaf Viburnum 12 to 15 in., B. & B. .45 .37 .30 15 to 18 in., B. & B. .75 .60 .50 18 to 24 in., B. & B. 1.10 .95 .75 — sieboldi (japonicum), 9'-10' Siebold Viburnum	18 to 24 in		.37	.30
3 to 4 ft			.50	.40
4 to 5 ft. 1.35 1.10 .90 — rhytidophyllum, 6'-8' Leatherleaf Viburnum 12 to 15 in., B. & B				.50
— rhytidophyllum, 6'-8' Leatherleaf Viburnum 12 to 15 in., B. & B	3 to 4 ft		.75	.60
12 to 15 in., B. & B	4 to 5 ft	1.35	1.10	.90
12 to 15 in., B. & B				
15 to 18 in., B. & B	— rhytidophyllum, 6'-8'	Leather	rleaf Vib	urnum
18 to 24 in., B. & B	12 to 15 in., B. & B		.37	.30
18 to 24 in., B. & B			.60	.50
	18 to 24 in., B. & B	1.10	.95	.75
18 to 24 in	- sieboldi (japonicum), 9	0'-10' Sie	ebold Vib	urnum
	18 to 24 in	30	.25	.20
2 to 3 ft				.30
3 to 4 ft	3 to 4 ft		.50	.40
4 to 5 ft	4 to 5 ft		.70	.55



VIBURNUM—continued	Unit Price in Quantities 1-4 5-24 25-249		
— tomentosum, 7'-8'	Doublefile	e Vib	urnum
18 to 24 in	27	.22	.18
2 to 3 ft		.30	.25
3 to 4 ft		.45	.35
4 to 5 ft		.55	.33
4 to 3 it	/0	.55	.43
— — plicatum, 7'-8'	Japanes	se Sno	owball
18 to 24 in	.30	.25	.20
2 to 3 ft		.37	.30
3 to 4 ft		.50	.40
4 to 5 ft		.70	.55
— wrighti, 7'-8'	Wright	Wibs	
18 to 24 in		.25	.20
2 to 3 ft		.37	.30
3 to 4 ft	60	.50	.40
VINCA minor, 6"-8"	Periwinkle	or I	Myrtle
3 in pots	.15	.12	.09
VITEX agnus-castus, 4'-5'		Chast	e-tree
18 to 24 in	.25	.20	.17
2 to 3 ft		.27	.22
- macrophylla, 3'-4' Large lea	ved Lilac	Chast	e-tree
12 to 18 in.		.15	.12
18 to 24 in		.20	.17
2 to 3 ft		.27	.22
3 to 4 ft	.45	.37	.30
WEIGELIA amabilis, 7'-8'	Ro	se We	eigelia
2 to 3 ft	.22	.20	.15
3 to 4 ft		.25	.20
4 to 5 ft.		.30	.25
5 to 6 ft	.45	.37	.30
— candida, 7'-8'			eigelia
2 to 3 ft		.20	.15
3 to 4 ft		.25	.20
4 to 5 ft		.30	.25
5 to 6 ft	.45	.37	.30
— Eva Rathke, 4'-5'	Redflower	ed We	eigelia
12 to 18 in		.15	.12
18 to 24 in.	.27	.22	.18
2 to 3 ft.		.27	.22
= 00 0 xt,	100		

WEIGELIA—continued		rice in Qu 5-24		
— floribunda, 8'	Cri	Crimson Weigelia		
18 to 24 in	.22	.18	.14	
2 to 3 ft	.27	.22	.18	
3 to 4 ft	.33	.27	.24	
4 to 5 ft	.42	.35		
	egated	Leaf W	eigelia	
2 to 3 ft	.30	.25	.20	
3 to 4 ft			.25	
4 to 5 ft	.45	.37	.30	
— rosea, 7'-8'		Pink W	eigelia	
18 to 24 in.		.15	.12	
2 to 3 ft	.24		.16	
3 to 4 ft	.33	.27	.22	

WEIGELIA HYBRIDS

New and unusual varieties of Weigelia with flowers of beautiful colors. A great improvement on the old sorts.

Name — Feerie	Color	Sizes Available		
	deep rose	18-24'. 2-3	', 3-4',	4-5
- Gustav Mallot	rose red	18-24', 2-3	3', 3-4'	
— Profusion	reddish	18-24', 2-3	', 3-4'.	4-5
— Richesse				
***** *****************************	deep pink	18-24′, 2-3	3"	
	•••••		.22	.18
2 to 1 ft			.30 . 37	.25
1 to 5 ft			.45	.35



Junipers, spreading types. A recent photograph of one of our young blocks.

	Unit Price in Quantities		
	1-4	5-24	25-249
WISTERIA multijuga, 35'-50'	Longe	luster W	isteria
12 to 18 in., grafts			
18 to 24 in., grafts		.35	
2 to 3 ft., grafts	.50	.45	
5 to 6 ft., grafts	1.25	1.00	
—— alba, 35'-50'	hite Ch	inese W	isteria
12 ti 18 in., grafts	.45	.37	.30
18 to 24 in., grafts			
5 to 6 ft grafts	1.25	1.00	
— — Rosea, 35'-50'	Pink Ch	inese W	isteria
12 to 18 in	.35	.30	.25
18 to 24 in.			
- sinensis blue, 35'-50' (grafted) Ch	inese W	isteria
12 to 18 in	.30	.25	.20
18 to 24 in	.35	.30	.25
— — alba, 35′-50′ Wi	hite We	eping W	isteria
12 to 18 in		.25	
18 to 24 in	.35		
2 to 3 ft., 2 yr. grafts	.45	.37	
3 to 4 ft., 3 yr. grafts			.40
4 to 5 ft., 4 yr. grafts	.90	.75	

----{ Z }---

ZANTHORHIZA	apiifolia, 2'-3'		Yello	wroot
2 yr. approx.,	9 to 12 in	.22	.20	.15
3 vr. approx	12 to 15 in	.30	.25	.20

SPECIAL OFFER — ASSORTED SHRUBS

Our selection includes all desirable varieties for landscape plantings.

Many of our customers have asked us for assorted shrubs where the varieties do not have to be specified. We are, therefore, offering three groups of shrubs this season. The varieties used will naturally be made up of items that we have in good supply at the time.

	100 or more	1000 or more
GROUP A—Shrubs, 2 yr.	.14	.12
Average 2 ft. or more, including all good ornamental varieties of Deutzia, Spirea, Callicarpa Philadelphus and others.		
GROUP B—Shrubs, 3 yr.	.18	.15
Average 3 ft. or more, including all good ornamental varieties same as above.		
GROUP C—Special, 3 &		
4 yr. Shrubs	.22	.18
Average 3 ft. or more, including all good ornamental varieties as above with the addition of some of the better, higher priced varieties of Viburaum, etc.		

We may also from time to time have special offers of assorted SHADE TREES, SMALL EVERGREENS, or other items. Consult us first and take advantage of the savings involved.

ADDITIONAL VARIETIES IN RETAIL LIST

Plants that are not commonly listed including many rare and unusual plants.

ABIES balsamea, 60'-70'

— cephalonica, 60'-70'

— cilicica, 50'-60'

— firma, 60'-70'

— fraseri, 50'-60'

— pectinata, 60'-80'

Balsam Fir

Greek Fir

Cilician Fir

Momi Fir

Fraser Fir

Silver Fir

ACER japonicum aureum, 15' Goldenmoon Maple
— palmatum (polymorphum), Green Jap. Maple

12'-15' — crispum

— errspum — pennsylvanicum (striatum), Striped Maple

20'-30'
— platanoides columnare Columnar Norway M.

— globosum Globe Norway M.

— pseudoplatanus, 50'-75' Sycamore Maple
— spicatum, 20'-30' Mountain Maple

AESCULUS glabra, 25' Ohio Buckeye
— hippocastanum parviflora,

6'-10' Dwf. Horsechestnut AMELANCHIER Laevis, 20'-30' Allegheny Shadblow

AMORPHA canescens, 2'-3' Leadplant — fragrans, 3'-4' Scented Indigobush

AMPELOPSIS lowi, 6'-8' Dwarf Cutleaf Bos. Ivy

ARISTOLOCHIA sipho Dutchmans-pipe
ARONIA atropurpurea, 6'-8' Purple Chokeberry

ARONIA atropurpurea, 6'-8' F AZALEA Fujimoyo, 4'-6'

— lilacina, 4'-6' — phoenicea var. Omurasaki, 2'-3'

BERBERIS chenaulti Evergreen
BUXUS koreana Japanese Box

CALLUNA vulgaris-in variety, Heather

CARPINUS betulus, 60'-70' European Hornbeam

japonicum, 40' Japanese Hornbeam

CEDRUS atlantica glauca, 35'-50' Blue Atlas Cedar

deodara, 35'-50'libani, 35'-50'Deodar Cedar of Lebanon

CHAMAECYPARIS lawsoniana, Lawson's Cypress 100'

— — alumi, 20'-25' Scarab Cypress
— obtusa gracilis, 12'-15' Slender Hinoki Cypress
— — youngi, 15'-20' Young Golden Cypress

- joinfera filifera aurea variegata, Varieg. Thread Ret.

— squarrosa nana, 2½'-3' Dwarf Moss Cypress
— thyoides andelyensis Andely Ret.

CHAMAEDAPHNE calyculata, 3' Leatherleaf

CLEMATIS henryi

— jackmani — Mme. Edouard Andre

- Ramona

Carriere Hawthorn

Dotted Hawthorn

Quebec Hawthorn

Ellwanger Hawthorn

ADDITIONAL VARIETIES—continued

CORYLUS avellana atropurpurea, Purple Filbert 12'-15'

COTONEASTER bacillaris, 10'-12'

- horizontalis prostrata, 8'-10'

- lemoine

- microphylla congesta

- racemiflora, 8'

CRATAEGUS carrierei, 15'-20'

- ellwangeriana, 20'

— punctata, 25'-30'

— submollis, 15'

CRYPTOMERIA japonica lobbi, Lobb Cryptomeria

CYDONIA japonica hybrids

- atrococcinea plena

- Boule de Feu

— cardinalis

— nivalis

— pink — red

- superba atrosanguinea

- vermilion

DAVIDIA involucrata Dove Tree

DIERVILLA trifida, 3' Dwarf Bush-h'ysuckle

DIRCA palustris, 6' Leatherwood

ELAEAGNUS longipes ovata, 6'-8'

ELSHOLTZIA stauntoni, 4'-5'

EUONYMUS minimums (kewen- Baby Wintercreeper sis), 6"-12"

FAGUS sylvatica purpurea, Purple Eur. Beech

60'-**75**'

FRAXINUS excelsior, 75'-100' European Ash Flowering Ash

GINKGO biloba pyramidalis, 50'-60'

HAMAMELIS japonica, 20'-30'

— vernalis, 6'-8'

Japanese Witch-hazel

Vernal Witch-hazel

HEDERA conglomerata, 15'-25' Bunch Leaf Iv

HEDERA conglomerata, 15'-25' Bunch Leaf Ivy

HYDRANGEA petiolaris, 30'-50' Climbing Hydrangea — radiata, 6' Silverleaf Hydrangea

ILEX serrata

INDIGOFERA kirilowi Kirilow Indigo

JUGLANS cinera, 80'-100' Butternut

JUNIPERUS chien, smithi, 6'-8' Smith Redcedar

— communis cracovica, 20'-30' — suecica nana, 5'-6'

— virginiana globosa, 3'-4' — — Kosteriana, 3'-4'

KALMIA angustifolia, 3'-4'

Polish Juniper Dwarf Swedish Juniper Globe Redcedar Koster Redcedar

Koster Redceda

Sheep-Laurel

ADDITIONAL VARIETIES—continued LIBOCEDRUS decurrens, 60'-75' Incense Cedar

LIGUSTRUM japonicum, 8'-10' Japanese Privet

LONICERA henryi, 15'-20'

- brachypoda

- korolkowi floribunda

— nitida, 3' — pileata, 1½'-2'

- syringantha, 4'-5' --- Wolfi, 4'-5'

- tatarica alba virginalis, 10'

- thibetica, 3'-4'

LYONIA ligustrina, 10'-12'

MAGNOLIA acuminata, 70'-80'

— liliflora nigra, 15'-18' — macrophylla, 25'-40'

— stellata rosea

MALUS aldenhamensis, 25'-40'

- baccata mandshurica, 25'

- dolgo, 15'

— purpea eleyii, 10'-15' — ioensis, 20'-25'

- micromalus, 15'

- Oekonomierat Echtermeyer,

10'-15'

— pumila pendula, 10'-15'

robusta, 12'-15'
sieboldi, 12'-15'
zumi, 12'-15'

— — calocarpa, 12'-15'

Everblm. Honeysuckle Hardleaf Jap. Honey.

Broad Blueleaf Honey. Shiny Honeysuckle Privet Honeysuckle

Lilac Honeysuckle Wolf Honeysuckle Maiden Honeysuckle Tibatan Honeysuckle

He-Huckleberry

Cucumbertree

Purple Lily Magnolia Bigleaf Magnolia

Rosy Star Magnolia

Manchurian Crab

Ely Flowering Crab

Prairie Crab

Weeping Crab Toringo Crab

NEMOPANTHUS mucronata, 10' Mountain Holly

OSMANTHUS aquifolium, 3'-4' Holly Osmanthus

PHYSOCARPUS opulifolius

nanus, 5'

PICEA excelsa pyramidalis, 35'-50'

- koyamai, 40'-50' - omorika, 40'-50'

— polita, 60'-75' — specki, 60'-80'

PINUS bungeana, 80'-100'

- cembra, 35'-50'

— densiflora umbraculifera (tanyosho)

- excelsa, 30'-60'

- montana, 10'

POPULUS tremuloides, 40'-50'

PRUNUS cistena, 15'-20'

- hortulana, 25'-30' — maritima, 9'-10'

- serrulata, 40'-60'

-- sacchalinensis (sargenti), 40'-60'

- subhirtella, 25'-30'

— — autumnalis, 25' 30'

Cherry Crab

Zumi Crab

Pyr. Norway Spruce

Dwarf Ninebark

Koyami Spruce Serbian Spruce Tiger-tail Spruce

Lacebark Pine Swiss Stone Pine Jap. Umbrella Pine

Himalayan Pine Swiss Mountain Pine

Quaking Aspen

Purpleaf Sand Cherry Hortulan Plum

Beach Plum Oriental Cherry Yama Cherry

Higan Cherry Aut. Flg. Higan Cherry ADDITIONAL VARIETIES—continued JAPANESE CHERRIES

Amayodori, 25'-35'

Jonioi

Naden Ojochin, 25'

Paul Wohlert, 25'-30'

Rosea superba, 30

Takinioi

Watereri, 30'

QUERCUS bicolor, 50'-60'

— prinus, 75'-80' — robur, 50'-60'

— — fastigiata, 35'-50'

RHAMNUS caroliniana, 30'

RHODODENDRON carolinianum

album RHODORA canadensis, 3'

RHUS cotinus purpurea

ROBINIA pseudoacacia, 60'-80'

ROSA humilis, 2'-3'

ROSES—Climbing or Ramblers

RUBUS odoratus, 6'

SALIX discolor, 20'

SAMBUCUS racemosa, 8'-10'

SASSAFRAS variifolium, 30'-60'

SCHIZOPHRAGMA hydrangeoides, 25'-30'

SORBARIA sorbifolia, 4'-5'

SPIRAEA multiflora, 4'-5'

STAPHYLEA co'chica, 10'-12' - trifoliata, 10'-15'

STEWARTIA pentagyna, 6'-15' - pseudocamellia, 20'-25'

STRANVAESIA davidana, 12'-15' — undulata, 12'-15'

SYRINGA microphylla

TAMARIX odessana, 5'-6'

TAXUS baccata erecta aurea,

12'-15' - Washingtoni, 4'-5'

- canadensis, 2'-21/2'

- cuspidata browni, 10'-12'

- - brevimedia

- columnaris, 20'-25'

THUJA occidentalis douglasi aurea, 10'-15'

- — elegantissima, 10'-15'

— Little Gem, 11/2'-2'

-- plicata, 10'-12'

— rosenthali, 6'-10'

— — umbraculifera, 2'-3'

- — vervaeneana aurea, 8'-12'

Swamp White Oak Chestnut Oak English Oak

Pyr. English Oak

Carolina Buckthorn

W. Car. Rhododendron

Rhodora

Purple Smoketree

Common Locust

Pasture Rose

Flowering Raspberry

Amer. Pussy Willow

European Red Elder

Common Sassafras

Japanese Hyd. Vine

Ural False-spirea Snow Garland

Colchis Bladdernut. American Bladdernut

Mountain Stewartia Japanese Stewartia

Littleleaf Lilac

Odessa Tamarix Golden Upright

Shortleaf Eng. Yew Washington Yew Canada Yew

Doug. Gld. Arborvitae

Gld.-tipped Arborvitae Little Gem Arborvitae Moss Arborvitae Rosenthal Arborvitae

Umbrella Arborvitae Gld. Vervaene Arborv.

ADDITIONAL VARIETIES—continued

- orientalis aurea conspicua (biota), 7'-8'

- compacta (biota), 3'-4'

- plicata atrovirens (lobbi), 100' Giant Arborvitae — standishi, 25'-40'

TILIA euchlora, 70'-80' — neglecta, 60'-75'

- petiolaris, 40'-60' — platyphyllos pyramidalis, 70' — — rubra, 70'

TRIPTERYGIUM regeli, 3'-4' TSUGA canadensis microphylla gracilis, 40'-50'

ULMUS campestris, 80'-100' — pumila, 50'-75'

VACCINIUM corymbosum, 5'-6' VIBURNUM acerifolium, 4'-5'

- carlesi, 4'-6' — venosum, 8'-10'

VITEX agnus-castus alba, 4'-5'

VITIS aestivalis, 25'-35' — cordifolia, 30'-40' — labrusca, 25'-35'

WEIGELA hybrids

FRUITING APPLE TREES

Goldspire Arborvitae

Siebold Arborvitae Standish Arborvitae

Crimean Linden Gray Linden Weeping Linden Pyr. Eur. Linden Red. Eur. Linden

Small-leaved Can. Hem.

English Elm Chinese Elm

Highbush Blueberry

Mapleleafed Viburnum Fragrant Viburnum Veiny Viburnum

White Chaste-tree

Summer Grape Frost Grape Fox Grape

How to Reach Princeton by Auto or Train

We are located midway between New York and Philadelphia. Both the Lincoln Highway and the new Super-Highway (Route 26) pass our nurseries.

The office of Princeton Nurseries is located on Lake Road in the township of Kingston, New Jersey.

The nearest railroad stations are at Princeton and Princeton Junction, on the main line of the Pennsylvania Railroad. Phone Princeton 1776 or 1777 and we will be glad to come and meet you at either place.

The New York-Washington planes pass over our nursery hourly. When travelling by airplane, watch out for the interesting block arrangement from the air.

We would call your attention to the fact that we have one of the largest nurseries in the country with over 1000 acres of nursery stock. We are growing between 1100-1200 varieties of hardy woody ornamentals.

A cordial invitation is hereby given to visit our nursery at any time.

PHONE PRINCETON 1776

